VOLUME 51 • AUTHOR INDEX

Ablanedo P *see* González MV *et al*
Addawe M *see* Oxford JS *et al*
Addison GM. Sudden infant death syndrome (SIDS): the search for the cause: *editorial*, **419**
Adlakha S *see* Cachia PG *et al*
Ahern S *see* Terrès AM *et al*
Akagi T *see* Kobayashi K *et al*
Akyol M *see* Oien K *et al*
Alderdice JM, Burgess IF. The travels of a lone star tick, **403**
Alderson D *see* Wong NACS *et al*
Alexander GJM *see* Evans PC *et al*
Allison RT *see* Williams DW *et al*
Al-Rifai I *see* Kanitakis J *et al*
Al-Rufaie HK *et al*. Pinworms and postmenopausal bleeding, **401**
Al-Shawaf T *see* Al-Rufaie HK *et al*
Al-Tweigeri T *see* Radhi JM *et al*
Alvarez V *see* González MV *et al*
see González MV *et al*
Anderson LM *see* Conway AM *et al*
Andrade-Filho JS *see* Ribeiro VLAA *et al*
Andrews NJ *see* Cunningham R *et al*
Angel CA *see* Cross SS *et al*
Angus B *see* Irving JAE *et al*
Anthony A *see* Walmsley RS *et al*
Antonakopoulos GN *see* Coatesworth AP *et al*
Appelmelk B *see* Faller G *et al*
Appleton MAC *et al*. Evidence of effectiveness of clinical audit in improving histopathology reporting standards of mastectomy specimens, **30**
Araki T *see* Watanabe M *et al*
Arends MJ *et al*. Aetiology, pathogenesis, and pathology of cervical neoplasia: *leader*, **96**
Ariel I *et al*. Endothelial nitric oxide synthase immunoreactivity in early gestation and in trophoblastic disease, **427**
Arita N *see* Tsuzuki T *et al*
Ariza A *see* Castellà EM *et al*
Armstrong GR *see* Johnson JS *et al*
Arseculeratne SN *see* Thiruchelvan N *et al*
Ascani S *see* Sabattini E *et al*
Ashburn D *et al*. Do IgA, IgE, and IgG avidity tests have any value in the diagnosis of toxoplasma infection in pregnancy?, **312**
Ashford M *see* Galloway JH *et al*
Ashraful-Haq J *see* Thiruchelvan N *et al*
Atkinson EJ *see* Menke DM *et al*
Axon ATR *see* Shimoyama T *et al*
see Warburton VJ *et al*

Ba N *see* Paradis V *et al*
Baak JPA *see* Meijer GA *et al*
see van Diest PJ *et al*
Baas IO *et al*. *Helicobacter pylori* and Epstein–Barr virus infection and the p53 tumour suppressor pathway in gastric stump cancer compared with carcinoma in the non-operated stomach, **662**
Backe J *see* Gassel AM *et al*
Badminton M *see* Galloway PJ *et al*
Baglin T *see* Fitzmaurice DA and Baglin T
Baglin T. Decentralised anticoagulant care: *editorial*, **89**
Bain BJ. Classification of acute leukaemia: the need to incorporate cytogenetic and molecular genetic information: *leader*, **420**
Bain BJ *et al*. A survey of current United Kingdom practice for antenatal screening for inherited disorders of globin chain synthesis, **382**
Bakels V *et al*. Differentiation between actinic reticuloid and cutaneous T cell lymphoma by T cell receptor γ gene rearrangement analysis and immunophenotyping, **154**
Balagopal P *see* Jones ME *et al*
Banerjee SS *see* Bhatnagar S *et al*
Bannon J *et al*. Anaerobic infections of the urinary tract: are they being missed?, **709**
Barbosa AJA *see* Ribeiro VLAA *et al*
Barnes AJ *see* Jones ME *et al*
Barnes P *see* Roskell DE *et al*
Barron J *see* Southgate J *et al*
Barry RE *see* Wong NACS *et al*
Barshack I *et al*. CD44 expression in normal adrenal tissue and adrenal tumours, **52**
Barton RC *see* Fletcher HA *et al*
Bass P *see* Hicks K *et al*
Bass PS *see* Lwaleed BA *et al*
Baty D *et al*. Development of a multiplex ARMS test for mutations in the HFE gene associated with hereditary haemochromatosis, **73**
Bayly G *see* Galloway PJ *et al*
Bazan R *see* Milanezi MFG *et al*
Bedossa P *see* Paradis V *et al*
Beekman WH *see* van Diest PJ *et al*
Beer TW *et al*. Pseudomyxoma ovariilike posttherapeutic alteration in prostate adenocarcinoma: *letter*, **878**
Thorotrast associated nodular regenerative hyperplasia of the liver, **941**
Bektas H *see* Nolte M *et al*
Beliën JAM *see* Meijer GA *et al*
Bell GD *see* Trowell JE and Bell GD
Ben-Baruch G *see* Goldberg I *et al*
Bennett G *see* Zardawi IM *et al*
Benoit G *see* Paradis V *et al*
Berlau J *et al*. In situ hybridisation and direct fluorescence antibodies for the detection of *Chlamydia trachomatis* in synovial tissue from patients with reactive arthritis, **803**
Berrebi D *et al*. Ticlopidine induced colitis: a histopathological study including apoptosis, **280**
Berrouane Y *et al*. *Candida albicans* blastoconidia in peripheral blood smears from non-neutropenic surgical patients, **465**
Bertheau P *et al*. Variability of immunohistochemical reactivity on stored paraffin slides, **370**
Bethwaite P *et al*. Reproducibility of new classification schemes for the pathology of ductal carcinoma in situ of the breast, **450**
Bhatnagar S *et al*. Schwannoma with features mimicking neuroblastoma: report of two cases with immunohistochemical and ultrastructural findings, **842**
Biddolph SC *see* Roskell DE *et al*
Bird CC *see* Gray E *et al*
Birembaut P *see* Clavel C *et al*
see Clavel C *et al*
Bisgaard K *see* Sabattini E *et al*
Bishop AE *see* Leonard N *et al*
Bisiau H *see* Berrouane Y *et al*
Blacklock C *see* Paterson JR *et al*
Blanckaert N *see* Zaman Z *et al*
Bonsignore G *see* Guddo F *et al*
Book reviews Autderheide A C, Rodriguez-Martin C. The Cambridge encyclopedia of human paleopathology, **879**
Bagasra O, Hansen J. In-situ PCR Techniques, **175**
Bignar DD, McLendon RE, Bruner JM. Russell & Rubinstein's Pathology of Tumors of the Nervous System, **879**
Coiera E. Guide to Medical Informatics, the Internet and Telemedicine, **344**
Collins CH, Kennedy DA. Occupational blood-borne infections: risk and management, **791**
Council of Europe. Guide to the preparation, use and quality assurance of blood components, **792**
Cross S S. MCQ Companion to General and Systematic Pathology, **263**
Damani N N. Manual of Infection Control Procedures, **263**
Dodds AW, Simm RB. Complement: A Practical Approach, **791**
Domizio P, Lowe D, *editors*. Reporting Histopathological Sections, **176**
d'Onfrio G, Zini G, Bain B. Morphology of the blood, **791**
Elliott T, Hastings M, Desselberger U. Medical Microbiology: Lecture Notes on, **175**
Eyden B. Organelles in Tumor Diagnosis: An Ultrastructural Atlas, **176**
Foster CS, Bostwick DG. Pathology of the prostate, **639**
Gatter K, Brown D. An illustrated guide to bone marrow diagnosis, **712**
Greenwood D, Slack R, Peuthrer J, *editors*. Medical Microbiology. A Guide to Microbial Infections: Pathogenesis, Immunity, Laboratory Diagnosis and Control, **174**
Hoffman R, Benz EJ Jr, Shattil SJ, Furie B, Cohen HJ, Silberstein LE. Haematology library: basic principles and practice, **879**
Howard M R, Hamilton P J. Haematology: An Illustrated Colour Text, **175**
Kirkham N, Lemoine NR, *editors*. Progress in Pathology, **85**
Leong AS-Y, *editor*. Principles and Practice of Medicalk Laboratory Science, Vol 2. Medical Microbiology, Virology and Molecular Technology, **343**
McKee G T. Cytopathology, **488**
McPherson J, *editor*. Manual of Use and Interpretation of Pathology Tests, **85**
Mollison PL, Engelfriet CP, Contreras M. Blood transfusion in clinical medicine, **640**
Moss, Nicoll, Ironside. Intra-operative Diagnosis of CNS Tumours, **263**
Moss T H, Nicoll J A R, Ironside J W. Intra-operative diagnosis of CNS tumours, **879**
Mostofi F K, Sesterhenn I A. Histological typing of testis tumours, **791**
Mostofi FK, Davis CJ. Histological typing of kidney tumours, **945**
Odell SW, Morgan PR. Biopsy Pathology of the Oral Tissues, **791**
Quinonez GE. Electron microscopy for the fine needle aspiration of tumors: a primer, **945**

VOLUME 51 • AUTHOR INDEX

Ablanedo P *see* González MV *et al*
Addawe M *see* Oxford JS *et al*
Addison GM. Sudden infant death syndrome (SIDS): the search for the cause: *editorial*, **419**
Adlakha S *see* Cachia PG *et al*
Ahern S *see* Terrès AM *et al*
Akagi T *see* Kobayashi K *et al*
Akyol M *see* Oien K *et al*
Alderdice JM, Burgess IF. The travels of a lone star tick, **403**
Alderson D *see* Wong NACS *et al*
Alexander GJM *see* Evans PC *et al*
Allison RT *see* Williams DW *et al*
Al-Rifai I *see* Kanitakis J *et al*
Al-Rufaie HK *et al*. Pinworms and postmenopausal bleeding, **401**
Al-Shawaf T *see* Al-Rufaie HK *et al*
Al-Tweigeri T *see* Radhi JM *et al*
Alvarez V *see* González MV *et al*
see González MV *et al*
Anderson LM *see* Conway AM *et al*
Andrade-Filho JS *see* Ribeiro VLAA *et al*
Andrews NJ *see* Cunningham R *et al*
Angel CA *see* Cross SS *et al*
Angus B *see* Irving JAE *et al*
Anthony A *see* Walmsley RS *et al*
Antonakopoulos GN *see* Coatesworth AP *et al*
Appelmelk B *see* Faller G *et al*
Appleton MAC *et al*. Evidence of effectiveness of clinical audit in improving histopathology reporting standards of mastectomy specimens, **30**
Araki T *see* Watanabe M *et al*
Arends MJ *et al*. Aetiology, pathogenesis, and pathology of cervical neoplasia: *leader*, **96**
Ariel I *et al*. Endothelial nitric oxide synthase immunoreactivity in early gestation and in trophoblastic disease, **427**
Arita N *see* Tsuzuki T *et al*
Ariza A *see* Castellà EM *et al*
Armstrong GR *see* Johnson JS *et al*
Arseculeratne SN *see* Thiruchelvan N *et al*
Ascani S *see* Sabattini E *et al*
Ashburn D *et al*. Do IgA, IgE, and IgG avidity tests have any value in the diagnosis of toxoplasma infection in pregnancy?, **312**
Ashford M *see* Galloway JH *et al*
Ashraful-Haq J *see* Thiruchelvan N *et al*
Atkinson EJ *see* Menke DM *et al*
Axon ATR *see* Shimoyama T *et al*
see Warburton VJ *et al*

Ba N *see* Paradis V *et al*
Baak JPA *see* Meijer GA *et al*
see van Diest PJ *et al*
Baas IO *et al*. *Helicobacter pylori* and Epstein–Barr virus infection and the p53 tumour suppressor pathway in gastric stump cancer compared with carcinoma in the non-operated stomach, **662**
Backe J *see* Gassel AM *et al*
Badminton M *see* Galloway PJ *et al*
Baglin T *see* Fitzmaurice DA and Baglin T
Baglin T. Decentralised anticoagulant care: *editorial*, **89**
Bain BJ. Classification of acute leukaemia: the need to incorporate cytogenetic and molecular genetic information: *leader*, **420**
Bain BJ *et al*. A survey of current United Kingdom practice for antenatal screening for inherited disorders of globin chain synthesis, **382**
Bakels V *et al*. Differentiation between actinic reticuloid and cutaneous T cell lymphoma by T cell receptor γ gene rearrangement analysis and immunophenotyping, **154**
Balagopal P *see* Jones ME *et al*
Banerjee SS *see* Bhatnagar S *et al*
Bannon J *et al*. Anaerobic infections of the urinary tract: are they being missed?, **709**
Barbosa AJA *see* Ribeiro VLAA *et al*
Barnes AJ *see* Jones ME *et al*
Barnes P *see* Roskell DE *et al*
Barron J *see* Southgate J *et al*
Barry RE *see* Wong NACS *et al*
Barshack I *et al*. CD44 expression in normal adrenal tissue and adrenal tumours, **52**
Barton RC *see* Fletcher HA *et al*
Bass P *see* Hicks K *et al*
Bass PS *see* Lwaleed BA *et al*
Baty D *et al*. Development of a multiplex ARMS test for mutations in the HFE gene associated with hereditary haemochromatosis, **73**
Bayly G *see* Galloway PJ *et al*
Bazan R *see* Milanezi MFG *et al*
Bedossa P *see* Paradis V *et al*
Beekman WH *see* van Diest PJ *et al*
Beer TW *et al*. Pseudomyxoma ovariilike posttherapeutic alteration in prostate adenocarcinoma: *letter*, **878**
Thorotrast associated nodular regenerative hyperplasia of the liver, **941**
Bektas H *see* Nolte M *et al*
Beliën JAM *see* Meijer GA *et al*
Bell GD *see* Trowell JE and Bell GD
Ben-Baruch G *see* Goldberg I *et al*
Bennett G *see* Zardawi IM *et al*
Benoit G *see* Paradis V *et al*
Berlau J *et al*. In situ hybridisation and direct fluorescence antibodies for the detection of *Chlamydia trachomatis* in synovial tissue from patients with reactive arthritis, **803**
Berrebi D *et al*. Ticlopidine induced colitis: a histopathological study including apoptosis, **280**
Berrouane Y *et al*. *Candida albicans* blastoconidia in peripheral blood smears from non-neutropenic surgical patients, **465**
Bertheau P *et al*. Variability of immunohistochemical reactivity on stored paraffin slides, **370**
Bethwaite P *et al*. Reproducibility of new classification schemes for the pathology of ductal carcinoma in situ of the breast, **450**
Bhatnagar S *et al*. Schwannoma with features mimicking neuroblastoma: report of two cases with immunohistochemical and ultrastructural findings, **842**
Biddolph SC *see* Roskell DE *et al*
Bird CC *see* Gray E *et al*
Birembaut P *see* Clavel C *et al*
see Clavel C *et al*
Bisgaard K *see* Sabattini E *et al*
Bishop AE *see* Leonard N *et al*
Bisiau H *see* Berrouane Y *et al*
Blacklock C *see* Paterson JR *et al*
Blanckaert N *see* Zaman Z *et al*
Bonsignore G *see* Guddo F *et al*
Book reviews Autderheide A C, Rodriguez-Martin C. The Cambridge encyclopedia of human paleopathology, **879**
Bagasra O, Hansen J. In-situ PCR Techniques, **175**
Bignar DD, McLendon RE, Bruner JM. Russell & Rubinstein's Pathology of Tumors of the Nervous System, **879**
Coiera E. Guide to Medical Informatics, the Internet and Telemedicine, **344**
Collins CH, Kennedy DA. Occupational blood-borne infections: risk and management, **791**
Council of Europe. Guide to the preparation, use and quality assurance of blood components, **792**
Cross S S. MCQ Companion to General and Systematic Pathology, **263**
Damani N N. Manual of Infection Control Procedures, **263**
Dodds AW, Simm RB. Complement: A Practical Approach, **791**
Domizio P, Lowe D, *editors*. Reporting Histopathological Sections, **176**
d'Onfrio G, Zini G, Bain B. Morphology of the blood, **791**
Elliott T, Hastings M, Desselberger U. Medical Microbiology: Lecture Notes on, **175**
Eyden B. Organelles in Tumor Diagnosis: An Ultrastructural Atlas, **176**
Foster CS, Bostwick DG. Pathology of the prostate, **639**
Gatter K, Brown D. An illustrated guide to bone marrow diagnosis, **712**
Greenwood D, Slack R, Peuthrer J, *editors*. Medical Microbiology. A Guide to Microbial Infections: Pathogenesis, Immunity, Laboratory Diagnosis and Control, **174**
Hoffman R, Benz EJ Jr, Shattil SJ, Furie B, Cohen HJ, Silberstein LE. Haematology library: basic principles and practice, **879**
Howard M R, Hamilton P J. Haematology: An Illustrated Colour Text, **175**
Kirkham N, Lemoine NR, *editors*. Progress in Pathology, **85**
Leong AS-Y, *editor*. Principles and Practice of Medicalk Laboratory Science, Vol 2. Medical Microbiology, Virology and Molecular Technology, **343**
McKee G T. Cytopathology, **488**
McPherson J, *editor*. Manual of Use and Interpretation of Pathology Tests, **85**
Mollison PL, Engelfriet CP, Contreras M. Blood transfusion in clinical medicine, **640**
Moss, Nicoll, Ironside. Intra-operative Diagnosis of CNS Tumours, **263**
Moss T H, Nicoll J A R, Ironside J W. Intra-operative diagnosis of CNS tumours, **879**
Mostofi F K, Sesterhenn I A. Histological typing of testis tumours, **791**
Mostofi FK, Davis CJ. Histological typing of kidney tumours, **945**
Odell SW, Morgan PR. Biopsy Pathology of the Oral Tissues, **791**
Quinonez GE. Electron microscopy for the fine needle aspiration of tumors: a primer, **945**

R P Langlais, K Hashimoto, H Yamamoto. Dental diagnostic imaging: diagnostic features and pathology, **487**
Randall B. Death Investigation: the Basics, **262**
Remington J S, Swartz M N, *editors*. Current Clinical Topics in Infectious Diseases, **175**
Richardson MD, Warnock DW. Fungal Infection: Diagnosis and Management, **84**
Rorell S, Philips H. The Thyroid: Fine Needle Biopsy and Cytological Diagnosis of Thyroid Lesions. Monographs in Clinical Cytology. Vol 14, **84**
Scholz M, Rabenau H F, Doerr H W, Cinatz J, *editors*. CMV-Related Immunopathology, **487**
Silverberg S S, DeLellis R A, Frable W J, *editors*. Principles And Practice Of Surgical Pathology and Cytopathology, **487**
Southgate, Lockie, Heard, Wood. Infection, **263**
Spencer S. Ophthalmic Pathology—An Atlas and Textbook, **85**
UICC International Union Against Cancer. TNM Classification of Malignant Tumours, **84**
University of Washington. Peripheral blood—tutor (CD-ROM), **944**
Weedon D. Skin Pathology, **175**
WHO Environmental Health Criteria 177, **343**
Williams D J, Ansford A J, Priday D S, Forrest A S. Forensic Pathology, **264**
World Health Organisation, Johnson DR, Kaplan EL, Sramek J, *et al*. Laboratory Diagnosis of Group A Streptococcal Infections, **84**
Borremans A *see* Zaman Z *et al*
Bory J-P *see* Clavel C *et al*
Boulanger JC *see* Clavel C *et al*
Bowler ICJW *see* Roskell DE *et al*
Boxall EH *see* Cunningham R *et al*
Boyle DD *see* McCluggage WG *et al*
Breuer J *see* Surentheran T *et al*
Briceno I *see* Papiha SS *et al*
Brieger A *see* Raedle J *et al*
Britton KE *see* Hall AV *et al*
Brocheriou C *see* Bertheau P *et al*
Brockwell M *see* Gray J *et al*
Brogan O *see* Garnett P *et al*
Brown LJR *see* Dobbs SP *et al*
Brown M *see* Zardawi IM *et al*
Brugal G *see* van Diest PJ *et al*
Buckley CH *see* Arends MJ *et al*
Buley ID. Fine needle aspiration of lymph nodes: *leader*, **881**
Bulmer JN *see* Stewart JA *et al*
Burgess IF *see* Alderdice JM and Burgess IF
Burton C *see* Dasgupta R *et al*
Burton CH *et al*. Unusual aetiology of persistent back pain in a patient with multiple myeloma: infectious discitis, **633**
Burton J *see* McCluggage WG *et al*
Buxton PJ *see* Beer TW *et al*
Byrne JL, Russell NH. Peripheral blood stem cell transplants, **351**

Cachia PG *et al*. Accuracy and precision of the TAS analyser for near-patient INR testing by non-pathology staff in the community, **68**
Caffier H *see* Gassel AM *et al*
Cain G *see* Irving JAE *et al*
Caldwell CJ *see* Crawford RAF *et al*
Campbell G *see* Paterson JR *et al*
Campillo B *see* Dupeyron C *et al*
Carman WF *see* van Deursen FJ *et al*
Carr NJ *see* Beer TW *et al*
Carter N *see* Milroy CM *et al*
Carter PG *see* Crawford RAF *et al*
Carter RL, Cook MG. An assessment of the operation of an external quality assessment (EQA) scheme in histopathology in the South Thames (West) Region: 1995–1998, **910**
Cartlidge PHT *see* Vujanić GM *et al*
Cas ED *see* Berrouane Y *et al*
Casey MC *see* Murphy PT *et al*
Castellà EM *et al*. Differential expression of CD44v6 in metastases of intestinal and diffuse types of gastric carcinoma, **134**
Catovsky D *see* Ginaldi L *et al*
Cattan AR *see* Irving JAE *et al*
Cattoen C *see* Berrouane Y *et al*
Cavill I *et al*. Is the practice of haematology evidence based?: *letter*, **944**
Cayton RM *see* Coatesworth AP *et al*
Cazals-Hatem D *see* Bertheau P *et al*
Ceccarelli C *see* Sabattini E *et al*
Ceccarelli C *et al*. Retinoblastoma (RB1) gene product expression in breast carcinoma. Correlation with Ki-67 growth fraction and biopathological profile, **818**
Chan CY *see* Houang ETS *et al*
Chan GSW *et al*. Raised serum hCG in a male patient caused by primary jejunal choriocarcinoma, **413**
Chang B *see* Mayall F *et al*
see Mayall F *et al*
Chapman C *see* Bain BJ *et al*
Chard T *see* Crawford RAF *et al*
Chart H *see* Cheasty T *et al*
Chart H *et al*. An immunoblotting procedure comprising O = 9,12 and H = d antigens as an alternative to the Widal agglutination assay, **854**
Cheasty T *et al*. The use of serodiagnosis in the retrospective investigation of a nursery outbreak associated with *Escherichia coli* O157:H7, **426**
Chetty R *et al*. Cytokeratin expression in adrenal phaeochromocytomas and extra-adrenal paragangliomas, **477**
Cheung ANY *et al*. $p21^{WAF1/CIP1}$ expression in gestational trophoblastic disease: correlation with clinicopathological parameters, and Ki67 and p53 gene expression, **159**
Chiang G *see* Lau G *et al*
Chieco P *see* Ceccarelli C *et al*
Chisholm M *see* Lwaleed BA *et al*
Chlouverakis G *see* Guddo F *et al*
Chua DTT *see* Chan GSW *et al*
Chung LP *see* Leung SY *et al*
Chypre C *see* Clavel C *et al*
Clark JC *see* Milroy CM *et al*
Claudy A *see* Kanitakis J *et al*
Clavel C *et al*. DNA–EIA to detect high and low risk HPV genotypes in cervical lesions with E6/E7 primer mediated multiplex PCR, **38**
Hybrid capture II, a new sensitive test for human papillomavirus detection. Comparison with hybrid capture I and PCR results in cervical lesions, **737**
Clemente MPP *see* Al-Rufaie HK *et al*
Coatesworth AP *et al*. A case of systemic pseudo-pseudoxanthoma elasticum with diverse symptomatology caused by long term penicillamine use, **169**
Collin RC *see* Hope-Gill B *et al*
Collinson PO *see* Jolobe OMP and Collinson PO
Collinson PO. Early diagnosis of myocardial infarction: why measure cardiac enzymes?: *editorial*, **2**
Conway AM *et al*. Measurement of haemoglobin using single drops of skin puncture blood: is precision acceptable?, **248**
Cook MG *see* Carter RL and Cook MG
Cook MG. The dysplastic naevus: *correspondence*, **174**
Cooke RPD, O'Neill WA. Laboratory identification of *Streptococcus milleri: correspondence*, **174**
Cormack GC *see* Hegyi L *et al*
Costello C *see* Shousha S *et al*
Coto E *see* González MV *et al*
see González MV *et al*
Coutinho HB *et al*. Absence of lysozyme (muramidase) in the intestinal Paneth cells of newborn infants with necrotising enterocolitis, **440**
Coutinho VB *see* Coutinho HB *et al*
Craanen ME *see* Baas IO *et al*
Crabtree JE *see* Shimoyama T *et al*
see Shimoyama T *et al*
see Shimoyama T *et al*
Craig S *see* Leeming DR *et al*
Crawford RAF *et al*. The prognostic significance of β human chorionic gonadotrophin and its metabolites in women with cervical carcinoma, **685**
Croall J *see* Johnson JS *et al*
Crocker J *see* James JA *et al*
Cross SS *see* Dubé AK *et al*
Cross SS *et al*. The effect of four interventions on the informational content of histopathology reports of resected colorectal carcinomas, **481**
Crowley M *see* O'Leary JJ *et al*
Cserni G. How to improve low lymph node recovery rates from axillary clearance specimens of breast cancer? A short term audit, **846**
Cullen A *et al*. Antimony in blood and urine of infants, **238**
Cunliffe NA *see* Potter MA *et al*
Cunningham R *et al*. Routine antenatal screening for hepatitis B using pooled sera: validation and review of 10 years experience, **392**
Curling M *et al*. Multivariate analyses of DNA index, $p62^{c-erbB-2}$, and clinicopathological status of patients with ovarian cancer, **455**

Dakshinamurthy DS *see* Date A *et al*
D'Antuono A *see* Venturoli S *et al*
Darlington A *see* Mayall F *et al*
Darnton SJ *see* Coatesworth AP *et al*
Das I *see* Gray J *et al*
Das SS *see* Hall AV *et al*
see Olson ES *et al*
Dasgupta R *see* Burton CH *et al*
Dasgupta R *et al*. An unusual cutaneous manifestation of myelodysplastic syndrome: "pseudo-Koebner phenomenon", **860**
Date A *et al*. The effect on patient management of temporary non-availability of immunofluorescence for renal biopsy reporting, **337**
Datta HK *see* Papiha SS *et al*
Dauge M-C *see* Berrebi D *et al*
Davey P *see* Cachia PG *et al*
Davidson B *see* Goldberg I *et al*
Davies D *see* Savige JA *et al*

Davies J *see* Minton J *et al*
D'Costa H *see* Wong NACS *et al*
Delahunt B *see* Bethwaite P *et al*
Delves HT *see* Cullen A *et al*
de Martinis M *see* Ginaldi L *et al*
Denford A *see* Mayall F *et al*
de Roquancourt A *see* Bertheau P *et al*
de Rosa G *see* Troncone G *et al*
Detre S *see* Mainwaring PN *et al*
Dey A *see* Kobayashi K *et al*
Dickinson G *see* Galloway A *et al*
Dijkshoorn L *see* Sloos JH *et al*
di Lollo S *see* Dionisio D *et al*
see Dionisio D *et al*
Dionisio D *et al.* Chronic cryptosporidiosis in patients with AIDS: stable remission and possible eradication after long term, low dose azithromycin, **138**
Persistent damage to *Enterocytozoon bieneusi*, with persistent symptomatic relief, after combined furazolidone and albendazole in AIDS patients, **731**
di Vizio D *see* Troncone G *et al*
Dixon MF *see* Shimoyama T *et al*
see Warburton VJ *et al*
Dixon R *see* Hulman G *et al*
Dobbs SP *et al.* Borderline malignant change in recurrent müllerian papilloma of the vagina, **875**
Donaldson C *see* Langlois NEI and Donaldson C
Doré PC. Ulcerative colitis and perinuclear antineutrophil cytoplasmic antibodies: *letter*, **343**
Douglas-Jones AG *see* Appleton MAC *et al*
Dow BC *see* van Deursen FJ *et al*
Dowling FM *see* Hulman G *et al*
Dowsett M *see* Mainwaring PN *et al*
Dubé AK *et al.* Audit of the histopathological diagnosis of non-neoplastic colorectal biopsies: achievable standards for the diagnosis of inflammatory bowel disease, **378**
Dumas F *see* Paradis V *et al*
Duncan JA *see* Stewart CJR *et al*
Dunlop MG *see* Potter MA *et al*
Dunster K *see* Savige JA *et al*
Dupeyron C *et al.* Changes in nature and antibiotic resistance of bacteria causing peritonitis in cirrhotic patients over a 20 year period, **614**
Duthilleul P *see* Berrouane Y *et al*
Duvall E *see* Gray E *et al*

Earland J *see* Conway AM *et al*
Egashira K *see* Sohda T *et al*
Egashira Y *see* Sohda T *et al*
El-Agnaff M *see* McCluggage WG *et al*
Ellis PA *see* Mainwaring PN *et al*
Eschwège P *see* Paradis V *et al*
Eskiturk A *see* Minton J *et al*
European Concerted Action on Anticoagulation *see* Poller L *et al*
Evans EGV *see* Fletcher HA *et al*
Evans GB *see* Hicks K *et al*
Evans MJ *et al.* Atypical mycobacterial lymphadenitis in childhood—a clinicopathological study of 17 cases, **925**
Evans PC *et al.* Qualitative and semiquantitative polymerase chain reaction testing for cytomegalovirus DNA in serum allows prediction of CMV related disease in liver transplant recipients, **914**
Everett S *see* Warburton VJ *et al*
Everett SM *see* Shimoyama T *et al*
Eyden BP *see* Bhatnagar S *et al*

Fairham SA *see* Burton CH *et al*
see Dasgupta R *et al*
Faller G *et al.* Evidence of novel pathogenic pathways for the formation of antigastric autoantibodies in *Helicobacter pylori* gastritis, **244**
Fang D-C *et al.* Loss of heterozygosity and loss of expression of the DCC gene in gastric cancer, **593**
Farahat N *see* Ginaldi L *et al*
Farquharson M *see* Stewart CJR *et al*
Farquharson MA *see* McNicol AM *et al*
see Muir SW *et al*
see Stephen MR *et al*
Faure M *see* Kanitakis J *et al*
Feeley KM *see* Cross SS *et al*
Feeley KM *et al.* Lymphocytic gastritis and coeliac disease: evidence of a positive association, **207**
Fernández-Vasalo A *see* Castellà EM *et al*
Ferreira MAS *et al.* High prevalence of acute myocardial damage in a hospital necropsy series, shown by C9 immunohistology, **476**
Fintor L *see* Nagy B *et al*
Fitzgerald O'Connor I *et al.* Breast carcinoma developing in patients on hormone replacement therapy: a histological and immunohistological study, **935**
Fitzmaurice DA, Baglin T. Decentralised anticoagulant care: *letter*, **711**
Flanagan AM *see* Southgate J *et al*
Flanagan PG, Paull A. Isolation of *Burkholderia cepacia* by enrichment, **485**
Flapan AD *see* Potter MA *et al*
Flejou J-F *see* Berrebi D *et al*
Fleming S *see* Gouldesbrough DR and Fleming S
Fleming SC *et al.* Increased sialylation of oligosaccharides on IgG paraproteins—a potential new tumour marker in multiple myeloma, **825**
Fletcher HA *et al.* Detection of *Aspergillus fumigatus* PCR products by a microtitre plate based DNA hybridisation assay, **617**
Fleuren GJ *see* van Dorst EBL *et al*
Forrest ARW *see* Galloway JH *et al*
Foulis AK *see* McNicol AM *et al*
Fowler G *see* Mirshahi F *et al*
Fox AJ *see* Jones ME *et al*
Fox C *see* Garnett P *et al*
Francis JL *see* Lwaleed BA *et al*
Franklin IM *see* Singer IO and Franklin IM
Fraternali-Orcioni G *see* Sabattini E *et al*
Freeman R *see* Kearns AM *et al*
Frost JA *see* Galloway A *et al*
Fuchihata H *see* Maeda T *et al*
Fukayama M *see* Matsuse T *et al*
Fukuda S *see* Shimoyama T *et al*
see Shimoyama T *et al*
Furness PN *see* Kazi JI *et al*
Furness PN. How much work do you do in a day?: *editorial*, **642**
Furtado AF *see* Coutinho HB *et al*
Furukawa S *see* Maeda T *et al*

Gabriel R *see* Clavel C *et al*
Gala J-L *see* Vassallo J *et al*
Gallinella G *see* Venturoli S *et al*
Galloway A *et al.* Ciprofloxacin resistant campylobacter: *letter*, **487**
Galloway JH *et al.* A method for the confirmation and identification of drugs of misuse in urine using solid phase extraction and gas–liquid chromatography with mass spectrometry, **326**
Galloway MJ *see* Cavill I *et al*
see Reid MM and Galloway MJ
Galloway MJ, Reid MM. Is the practice of haematology evidence based? I. Evidence based clinical practice: *editorial*, **345**
Is the practice of haematology evidence based? III. Evidence based diagnostic testing: *editorial*, **417**
Galloway PJ *et al.* Clinical experience of trainees in chemical pathology: a survey of junior medical staff in the United Kingdom: *letter*, **711**
Gamberini M *see* Ceccarelli C *et al*
Garnett P *et al.* Comparison of throat swabs with sputum specimens for the detection of *Chlamydia pneumoniae* antigen by direct immunofluorescence, **309**
Garvey R *see* Cheasty T *et al*
Gassel AM *et al.* Endometrial carcinoma: immunohistochemically detected proliferation index is a prognosticator of long term outcome, **25**
Gatter KC *see* Guddo F *et al*
Gentilomi G *see* Venturoli S *et al*
Georgii A *see* Nolte M *et al*
Ghazizadeh M *see* Watanabe M *et al*
Giatromanolaki A *see* Guddo F *et al*
Gie CA *see* Hulman G *et al*
Ginaldi L *et al.* Levels of expression of CD19 and CD20 in chronic B cell leukaemias, **364**
Goddard PF *see* Ranganath L *et al*
Goepel JR *see* Hope-Gill B *et al*
Goldberg I *see* Barshack I *et al*
Goldberg I *et al.* Expression of extracellular matrix proteins in cervical squamous cell carcinoma—a clinicopathological study, **781**
González MV *et al.* Chromosome 3p loss of heterozygosity and mutation analysis of the FHIT and β-cat genes in squamous cell carcinoma of the head and neck, **448**
Genetic polymorphism of N-acetyltransferase-2, glutathione S-transferase-M1, and cytochromes P450IIE1 and P450IID6 in the susceptibility to head and neck cancer, **294**
Goodall HB, Lewis SM. Inexpensive and reliable haemoglobin colour scale: *correspondence*, **416**
Gotlieb WH *see* Goldberg I *et al*
Goudie BM *see* Cachia PG *et al*
Goudie D *see* Baty D *et al*
Gouldesbrough DR, Fleming S. Unilateral and segmental localised polycystic kidney disease, **703**
Grant JW *see* Hegyi L *et al*
Gray E *et al.* Pathologists dislike sound? Evaluation of a computerised training microscope, **330**
Gray ES *see* Evans MJ *et al*
Gray J *et al.* Experience of changing between signal and Bactec 9240 blood culture systems in a children's hospital, **302**
Green B *see* Reynolds TM *et al*
Green MA. A practical approach to suspicious death in infancy—a personal view: *leader*, **561**
Green RM *see* Coatesworth AP *et al*
Griesser H *see* Menke DM *et al*

Groh A *see* Berlau J *et al*
Guddo F *et al.* MUC1 (episialin) expression in non-small cell lung cancer is independent of EGFR and c-erbB-2 expression and correlates with poor survival in node positive patients, **667**
Gunn MC *et al.* The significance of cagA and vacA subtypes of *Helicobacter pylori* in the pathogenesis of inflammation and peptic ulceration, **761**

Habib FK *see* Olapade-Olaopa EO *et al*
Hage JJ *see* van Diest PJ *et al*
Halawa MH *see* Robertson NJ *et al*
Hall AV *et al.* Evaluation of the efficacy of ^{99m}Tc-Infecton, a novel agent for detecting sites of infection, **215**
Hall LMC. Application of molecular typing to the epidemiology of *Streptococcus pneumoniae* : *leader*, **270**
Hamid Y, Poller DN. Spontaneous regression of renal cell carcinoma: a pitfall in diagnosis of renal lesions, **334**
Harnden P. Health economics and clinical pathology: *editorial*, **90**
Harney JM *see* Paul AB *et al*
Harris A *see* Baty D *et al*
Harris AL *see* Guddo F *et al*
Harrison M *see* Galloway A *et al*
Harrison TJ. The polymerase chain reaction—a time of transition from research to routine: *editorial*, **420**
Harwood CA *see* Surentheran T *et al*
Hashizumi TL *see* Kleinschmidt-Demasters BK *et al*
Hatem MH *see* Bannon J *et al*
Hatta N *et al.* Polymerase chain reaction and immunohistochemistry frequently detect occult melanoma cells in regional lymph nodes of melanoma patients, **597**
Hawkey P *see* Warburton VJ *et al*
Hayakawa T *see* Tsuzuki T *et al*
Healy I *see* O'Leary JJ *et al*
Hegyi L *et al.* Histochemical investigation into the molecular mechanisms of malignant transformation in a benign glomus tumour, **872**
Hendle M *see* Savige JA *et al*
Heneghan MA *see* Feeley KM *et al*
Hermsen MAJA *see* Meijer GA *et al*
Herriot R *see* Jeffers MD *et al*
Herrmann G *see* Raedle J *et al*
Hewavisinthe J *see* Mainprize KS *et al*
Hicks K *et al.* Jejuno-ileal bypass, enteric hyperoxaluria, and oxalate nephrosis: a role for polarised light in the renal biopsy, **700**
High AS *see* Mighell AJ and High AS
Hilkens J *see* Guddo F *et al*
Hill G *see* Shetty N *et al*
Hinchliffe RF *see* Conway AM *et al*
Hino K *see* van Deursen FJ *et al*
Hiraga S *see* Tsuzuki T *et al*
Hirai Y *see* Kobayashi K *et al*
Hiranuma H *see* Maeda T *et al*
Hirayasu T *see* Tsuhako K *et al*
Hirokawa M *see* Shimizu M *et al*
see Shimizu M *et al*
Ho CM *see* Leung SY *et al*
Hochberg A *see* Ariel I *et al*
Hogendoorn PCW *see* van Roggen JFG *et al*
Holden M *see* Galloway JH *et al*
Hoogkamp-Korstanje JAA *see* Odinot PT *et al*
Hoovers JMN *see* Meijer GA *et al*
Hope-Gill B *et al.* Obstructive uropathy associated with myelomonocytic infiltration of the prostate, **340**
Horiuchi S *see* Matsuse T *et al*
Horny H-P *see* Menke DM *et al*
Horrevorts AM *see* Sloos JH *et al*
Horsmans Y *see* Vassallo J *et al*
Houang ETS *et al.* Effect of desiccation on the ultrastructural appearances of *Acinetobacter baumannii* and *Acinetobacter lwoffii* , **786**
Houghton D *see* Poller L *et al*
Howard M *see* Irving JAE *et al*
Howie AJ *see* Ferreira MAS *et al*
Ho-Yen DO *see* Ashburn D *et al*
Hudson CN *see* Curling M *et al*
Huhn D *see* Oertel J *et al*
Hulman G *et al.* Frequency of cervical intraepithelial neoplasia following large loop excision of the transformation zone, **375**
Hunt CR *see* Paul AB *et al*
Hutchinson A *see* Reynolds TM *et al*

Ibrahiem K *see* Radhi JM *et al*
Iida M *see* Shimizu M *et al*
Iii FRC *see* Wilkinson SM *et al*
Ikeda Y *see* Notomi T *et al*
Iles RK *see* Crawford RAF *et al*
Iqbal A *see* Minton J *et al*
Ireland D *see* Dobbs SP *et al*
Irving JAE *et al.* The role of alternative splicing of the adhesion molecule, CD44, in lymphoid malignancy, **776**
Irving W *see* Minton J *et al*
Ishida T *see* Maeda T *et al*
Iwahashi M, Nakano R. Decreased type V collagen expression in human decidual tissues of spontaneous abortion during early pregnancy, **44**
Iwamasa T *see* Tsuhako K *et al*
Iwata Y *see* Sohda T *et al*
Izumoto S *see* Tsuzuki T *et al*

Jackson R *see* Stephen MR *et al*
Jacob CK *see* Date A *et al*
Jacobson G *see* Mayall F *et al*
Jaichand V *see* Chetty R *et al*
Jain S *see* Zardawi IM *et al*
Jamal H *see* Ranganath L *et al*
James JA *et al.* Familial pancreatic lymphoma, **80**
Janin A *see* Bertheau P *et al*
Jardin A *see* Paradis V *et al*
Jass JR *see* Fang D-C *et al*
Jeffers M *see* Reid MM and Jeffers M
Jeffers MD *et al.* Fine needle aspiration cytology in the investigation of non-Hodgkin's lymphoma, **189**
Jenkins JPR *see* Paul AB *et al*
Jespersen J *see* Poller L *et al*
Jikko A *see* Maeda T *et al*
Joenje H *see* Meijer GA *et al*
Johnson JS *et al.* Fatal *Serratia marcescens* meningitis and myocarditis in a patient with an indwelling urinary catheter, **789**
Jolobe OMP, Collinson PO. Early diagnosis of myocardial infarction: *letter*, **487**
Jones HS *see* Williams DW *et al*
Jones L *see* Ranganath L *et al*
Jones ME *et al.* PCR-ELISA for the early diagnosis of invasive pulmonary aspergillus infection in neutropenic patients, **652**
Jones TJ *et al.* Epithelial-myoepithelial carcinoma?: *letter*, **944**
Joss AWL *see* Ashburn D *et al*
Junker U *see* Berlau J *et al*

Kaiserling E *see* Menke DM *et al*
Kanitakis J *et al.* Differential expression of the cancer associated antigens T (Thomsen-Friedenreich) and Tn to the skin in primary and metastatic carcinomas, **588**
Karádi I *see* Nagy B *et al*
Karim QN *et al.* Measurement of motility of *Helicobacter pylori*, *Campylobacter jejuni*, and *Escherichia coli* by real time computer tracking using the Hobson BacTracker, **623**
Karnholz A *see* Karim QN *et al*
Kawahara Y *see* Kobayashi K *et al*
Kay MS *see* Suvarna SK and Kay MS
Kazi JI *et al.* Diagnosis of early acute renal allograft rejection by evaluation of multiple histological features using a Bayesian belief network, **108**
Kearns AM *et al.* A rapid polymerase chain reaction technique for detecting *M tuberculosis* in a variety of clinical specimens, **922**
Kelleher D *see* Terrés AM *et al*
Kelly CD *see* Cunningham R *et al*
Kenwright D *see* Bethwaite P *et al*
Kerr JR. Sudden infant death syndrome, long QT interval, and *Helicobacter pylori: letter*, **943**
Khoo US *see* Cheung ANY *et al*
Kiberd B *see* Cullen A *et al*
King G *see* Coutinho HB *et al*
Kirchner T *see* Faller G *et al*
Kleinschmidt-Demasters BK *et al.* Telomerase expression shows differences across multiple regions of oligodendroglioma versus high grade astrocytomas but shows correlation with Mib-1 labelling, **284**
Klempnauer J *see* Nolte M *et al*
Kline BC *see* Wilkinson SM *et al*
Knapen MHJ *see* Vermeer C *et al*
Knowles D *see* Fleming SC *et al*
Kobayashi K *et al.* Detection of *Helicobacter pylori* associated antigen and heat shock protein 60 on follicular dendritic cells in the germinal centres of low grade B cell lymphoma of gastric mucosa associated lymphoid tissue (MALT), **396**
Konishi H *see* Watanabe M *et al*
Kopolovic J *see* Barshack I *et al*
see Goldberg I *et al*
Koukourakis MI *see* Guddo F *et al*
Krebs S *see* Gassel AM *et al*
Kuwabara H *et al.* Secretory breast carcinoma in a 66 year old man, **473**
Kwong WK *see* Leung SY *et al*
Kwong YL, Wong KF. Association of pure red cell aplasia with T large granular lymphocyte leukaemia, **672**
Kyle RA *see* Menke DM *et al*

Lafong C *see* Garnett P *et al*
Lai L *see* Houang ETS *et al*
Lambkin R *see* Oxford JS *et al*
Landers RJ *see* O'Leary JJ *et al*
Langlois NEI, Donaldson C. Application of the principle of marginal analysis to sampling practice using prostatic chippings as a model, **104**

Lau G *et al.* Bronchioloalveolar carcinoma with metastasis to the pituitary gland: a case report, **931**
Lawrence JR *see* Paterson JR *et al*
Lawrie AS *et al.* Prothrombin time derived fibrinogen determination on Sysmex CA-6000™, **462**
le Baron F *see* Berrouane Y *et al*
Lee FD *see* McNicol AM *et al*
Leeming DR *et al.* The determination of INR in stored whole blood, **360**
Leers MPG *see* Retera JMAM *et al*
Leigh IM *see* Surentheran T *et al*
Leluan G *see* Dupeyron C *et al*
Leonard N *et al.* Expression of nitric oxide synthase in inflammatory bowel disease is not affected by corticosteroid treatment, **750**
Leoncini F *see* Dionisio D *et al*
Leoncini F *see* Dionisio D *et al*
Leong AS-Y *see* Houang ETS *et al*
Lerner-Geva L *see* Goldberg I *et al*
Lesna M. Assessing diagnostic errors: when is suspension of a pathologist justified?, **649**
Lesourd A *see* Bertheau P *et al*
Leung SY *et al.* Presence of Epstein-Barr virus in lymphoepithelioma-like carcinoma of the middle ear, **602**
Lewis MAO *see* Williams DW *et al*
see Williams DW *et al*
Lewis SM *see* Goodall HB and Lewis SM
Lewis SM *et al.* An inexpensive and reliable new haemoglobin colour scale for assessing anaemia, **21**
Leyvraz S *see* Widgren S and Leyvraz S
Liddicoat A *see* Murphy PT *et al*
Lillehei KO *see* Kleinschmidt-Demasters BK *et al*
Lindop G *see* Oien K *et al*
Lindop GBM *see* Stephen MR and Lindop GBM
Linehan J *see* Tungekar MF and Linehan J
Litvinov SV *see* van Dorst EBL *et al*
Lobo AJ *see* Dubé AK *et al*
Logan RPH *see* Karim QN *et al*
Loric S *see* Paradis V *et al*
Lucariello A *see* Troncone G *et al*
Lukie BE *see* Radhi JM and Lukie BE
Luqmani YA *see* Shousha S *et al*
Luttich K *see* O'Leary JJ *et al*
Lwaleed BA *et al.* Effect of kidney function and disease status on urinary tissue factor measurements, **234**

McAdam JA *et al.* Vaginal epithelioid angiosarcoma, **928**
McCarthy CF *see* Feeley KM *et al*
McCluggage WG *et al.* Cytokeratin positive T cell malignant lymphoma, **404**
Immunohistochemical staining of normal, hyperplastic, and neoplastic adrenal cortex with a monoclonal antibody against α inhibin, **114**
Malignant fibrothecomatous tumour of the ovary: diagnostic value of anti-inhibin immunostaining, **868**
Myoepithelial carcinoma (malignant myoepithelioma) of the parotid gland arising in a pleomorphic adenoma, **480**
McCulloch TA, Rutty GN. Postmortem examination of the lungs: a preservation technique for opening the bronchi and pulmonary arteries individually without transection problems, **163**
McDonald SJ *see* Lawrie AS *et al*
McDowell IFW *see* Still RA and McDowell IFW
McGregor E *see* Cachia PG *et al*
McGregor JM *see* Surentheran T *et al*
Machin SJ *see* Lawrie AS *et al*
Mackay EH *see* Olapade-Olaopa EO *et al*
McKean M *see* Jeffers MD *et al*
Mackie IJ *see* Lawrie AS *et al*
McMahon RFT *see* Paul AB *et al*
McMillan F *see* Reynolds TM *et al*
McNicol AM *et al.* Comparison of in situ hybridisation and polymerase chain reaction in the diagnosis of B cell lymphoma, **229**
McPhaden AR *see* Muir SW *et al*
Mccluggage WG *see* Jones TJ *et al*
Macsween KF, Ridgway GL. The laboratory investigation of vaginal discharge: *leader*, **564**
Maeda T *et al.* Expression of vascular endothelial growth factor in human oral squamous cell carcinoma: its association with tumour progression and p53 gene status, **771**
Magee JG *see* Kearns AM *et al*
Mahdy HA. Cytomegalovirus colitis in immunocompetent individual, **475**
Mahida YR *see* Coutinho HB *et al*
Mainprize KS *et al.* How many lymph nodes to stage colorectal carcinoma?, **165**
Mainwaring PN *et al.* Comparison of in situ methods to assess DNA cleavage in apoptotic cells in patients with breast cancer, **34**
Manabe T *see* Shimizu M *et al*
Manaresi E *see* Venturoli S *et al*
Mangeney N *see* Dupeyron C *et al*
Manneschi LI *see* Dionisio D *et al*
see Dionisio D *et al*
Mannion P *see* Cheasty T *et al*
Mapstone NP *see* Warburton VJ *et al*
Mardini HA *see* Zaitoun AM *et al*
Marrano D *see* Ceccarelli C *et al*
Marsh ID *see* Galloway JH *et al*
Marshall WJ. Latest tests for prostatic neoplasia: *leader*, **347**
Martinez JC *see* Troncone G *et al*
Masure M *see* Clavel C *et al*
see Clavel C *et al*
Matsumoto T *see* Shimizu M *et al*
see Shimizu M *et al*
Matsumura S *see* Maeda T *et al*
Matsuse T *et al.* Immunohistochemical localisation of advanced glycation end products in pulmonary fibrosis, **443**
Matthews T *see* Cullen A *et al*
Matutes E *see* Ginaldi L *et al*
Maxwell P *see* McCluggage WG *et al*
Mayall F *et al.* Improved FNA cytology results with a near patient diagnosis service for non-breast lesions, **469**
Mutations of p53 gene can be detected in the plasma of patients with large bowel carcinoma, **611**
Mayne P *see* Cullen A *et al*
Mechan D *see* Baty D *et al*
Meignin V *see* Bertheau P *et al*
Meijer CJLM *see* Bakels V *et al*
Meijer GA *et al.* Progression from colorectal adenoma to carcinoma is associated with non-random chromosomal gains as detected by comparative genomic hybridisation, **901**
Meis JFGM *see* Odinot PT *et al*
Melchers WJG *see* Odinot PT *et al*
Meli M *see* Dionisio D *et al*
Mene AR *see* Bhatnagar S *et al*
Menéndez MJ *see* González MV *et al*
Menke DM *et al.* Immunophenotypic and genotypic characterisation of multiple myelomas with adverse prognosis characterised by immunohistological expression of the T cell related antigen CD45RO (UCHL-1), **432**
Messinezy M, Pearson TC. Diagnosis of polycythaemia: *editorial*, **1**
Meuwissen SGM *see* Meijer GA *et al*
Mighell AJ, High AS. Histological identification of carcinoma in 21 gauge needle tracks after fine needle aspiration biopsy of head and neck carcinoma, **241**
Mikami T *see* Shimoyama T *et al*
see Shimoyama T *et al*
Milanezi MFG *et al.* Pseudoangiomatous hyperplasia of mammary stroma associated with gynaecomastia, **204**
Miles RS *see* Potter MA *et al*
Millet B *see* Burton CH *et al*
Milligan DW *see* James JA *et al*
Milroy CM *et al.* Air weapon fatalities, **453**
Milton J *see* Jeffers MD *et al*
Minimo C, Talerman A. Villous adenoma arising in Meckel's diverticulum, **485**
Minton J *et al.* Hepatitis G virus infection in lymphoma and in blood donors, **676**
Mirshahi F *et al.* Omeprazole may exert both a bacteriostatic and a bacteriocidal effect on the growth of *Helicobacter pylori* (NCTC 11637) in vitro by inhibiting bacterial urease activity, **220**
Molyneaux P *see* van Deursen FJ *et al*
Monobe Y *see* Shimizu M *et al*
Montironi R, Schulman CC. Pathological changes in prostate lesions after androgen manipulation: *leader*, **5**
Moorghen M *see* Wong NACS *et al*
Morgan GJ *see* James JA *et al*
Morgan JM *see* Appleton MAC *et al*
Morgenstern GR *see* Jones ME *et al*
Morilla R *see* Ginaldi L *et al*
Mortensen N *see* Mainprize KS *et al*
Mota HCD *see* Coutinho HB *et al*
Mugica C *see* Troncone G *et al*
Muir SW *et al.* Detection of cytomegalovirus in upper gastrointestinal biopsies from heart transplant recipients: comparison of light microscopy, immunocytochemistry, in situ hybridisation, and nested PCR, **807**
Muller-Hermelink HK *see* Gassel AM *et al*
Munakata A *see* Shimoyama T *et al*
see Shimoyama T *et al*
Murdoch AP *see* Stewart JA *et al*
Murphy PT *et al.* Lymphoma associated bone marrow necrosis with raised anticardiolipin antibody, **407**
Murray J *see* Muir SW *et al*
Musiani M *see* Venturoli S *et al*
Musler A *see* Baas IO *et al*

Nagai R *see* Matsuse T *et al*
Nagayama A *see* Notomi T *et al*
Nagy B *et al.* Apolipoprotein E alleles in women with severe pre-eclampsia, **324**
Nakano R *see* Iwahashi M and Nakano R
Nakazato I *see* Tsuhako K *et al*
Nasarek A *see* Nolte M *et al*
Nass D *see* Barshack I *et al*

Negosanti M *see* Venturoli S *et al*
Neil J *see* Savige JA *et al*
Ng WK *see* Chan GSW *et al*
Ngan HYS *see* Cheung ANY *et al*
Nicholson M *see* Kazi JI *et al*
Nikoloutsopoulos T *see* Savige JA *et al*
Nolte M *et al*. Expression of proliferation associated antigens and detection of numerical chromosome aberrations in primary human liver tumours: relevance to tumour characteristics and prognosis, **47**
Noone M *see* Bannon J *et al*
Northwood JL *see* Cunningham R *et al*
Norton AJ *see* Olson ES *et al*
Notomi T *et al*. The inhibitory effect of phosphate on the ligase chain reaction used for detecting *Chlamydia trachomatis* , **306**
Novikov I *see* Goldberg I *et al*

Odinot PT *et al*. In situ localisation of *Yersinia enterocolitica* by catalysed reporter deposition signal amplification, **444**
Oertel B *see* Oertel J *et al*
Oertel J *et al*. Detection of small numbers of immature cells in the blood of healthy subjects, **886**
Offerhaus GJA *see* Baas IO *et al*
Oguma K *see* Kobayashi K *et al*
Ohara K *see* Hatta N *et al*
O'Hara MD *see* McCluggage WG *et al*
Ohga E *see* Matsuse T *et al*
Ohmoto K *see* Shimizu M *et al*
Ohnishi T *see* Tsuzuki T *et al*
Oien K *et al*. Neuroendocrine cell hyperplasia in colonic tissue used for long term augmentation cystoplasty, **258**
Ojanguren I *see* Castellà EM *et al*
Okada S *see* Kuwabara H *et al*
Okadome A *see* Notomi T *et al*
Okumura M *see* Sohda T *et al*
Olapade-Olaopa EO *et al*. Variability of immunohistochemical reactivity on stored paraffin slides: *letter*, **943**
Olchovsky D *see* Barshack I *et al*
O'Leary JJ *et al*. Molecular analysis of ras oncogenes in CIN III and in stage I and II invasive squamous cell carcinoma of the uterine cervix, **576**
Olson ES *et al*. Not everything acid fast is *Mycobacterium tuberculosis*—a case report, **463**
O'Neill WA *see* Cooke RPD and O'Neill WA
Ong G *see* Shor A *et al*
Oppenheim BA *see* Jones ME *et al*
see Rogers MS and Oppenheim BA
O'Regan M *see* Cullen A *et al*
Orsi A *see* Dionisio D *et al*
see Dionisio D *et al*
O'Toole D *see* Terrés AM *et al*
Ouchi Y *see* Matsuse T *et al*
Owen HE *see* Ferreira MAS *et al*
Oxford JS *et al*. AIDS vaccine development: let a thousand flowers bloom: *leader*, **725**

Pajares JM *see* Terrés AM *et al*
Palombini L *see* Troncone G *et al*
Pandey M *see* Schlossberg D *et al*
Papiha SS *et al*. Age related somatic mitochondrial DNA deletions in bone, **117**
Papucci A *see* Dionisio D *et al*
Paradis V *et al*. De novo expression of CD44 in prostate carcinoma is correlated with systemic dissemination of prostate cancer, **798**
Paspaliaris B *see* Savige JA *et al*
Patel A *see* Mirshahi F *et al*
Paterson JR *et al*. The identification of salicylates as normal constituents of serum: a link between diet and health?, **430**
Paul AB *et al*. Stage 0 mucinous adenocarcinoma in situ of the urachus, **483**
Paull A *see* Flanagan PG and Paull A
Pearson TC *see* Messinezy M and Pearson TC
Pellicer I *see* Castellà EM *et al*
Pello MF *see* González MV *et al*
see González MV *et al*
Pennington TH *see* Ashburn D *et al*
Peterse JL *see* van Roggen JFG *et al*
Peuchmaur M *see* Berrebi D *et al*
Phillips JI *see* Shor A *et al*
Piccioli M *see* Sabattini E *et al*
Pickles CJ *see* Hulman G *et al*
Pieri F *see* Sabattini E *et al*
Pileri SA *see* Ceccarelli C *et al*
see Sabattini E *et al*
Pillay P *see* Chetty R *et al*
Pinto GA *see* Vassallo J *et al*
Pippard MJ *see* Baty D *et al*
Piris MA *see* Troncone G *et al*
Placa Jr ML *see* Venturoli S *et al*
Poggi S *see* Sabattini E *et al*
Poh WT *see* Lau G *et al*
Polak JM *see* Leonard N *et al*
Poller DN *see* Hamid Y and Poller DN
Poller L. Screening INR deviation of local prothrombin time systems, **356**
Poller L *et al*. The importance of "like to like" ISI calibrations with freeze dried plasmas, **275**
Pollock W *see* Savige JA *et al*
Pooley J *see* Papiha SS *et al*
Potet F *see* Berrebi D *et al*
Potter MA *et al*. A prospective controlled study of the association of *Streptococcus bovis* with colorectal carcinoma, **473**
Potts AJC *see* Williams DW *et al*
see Williams DW *et al*
Pounder RE *see* Walmsley RS *et al*
Power JSF *see* Johnson JS *et al*
Pozzi M *see* Dionisio D *et al*
see Dionisio D *et al*
Preesman AH *see* Bakels V *et al*
Prescott RJ *see* Bhatnagar S *et al*
Primrose WJ *see* McCluggage WG *et al*
Proby CM *see* Surentheran T *et al*
Puels J *see* Karim QN *et al*
Purdy G *see* Lawrie AS *et al*
Putaud I *see* Clavel C *et al*

Quereux C *see* Clavel C *et al*
see Clavel C *et al*

Radhi JM, Lukie BE. Pancreatic cancer and fibrinogen storage disease, **865**
Radhi JM *et al*. Soft tissue malignant lymphoma at sites of previous surgery, **629**
Raedle J *et al*. Rapid microsatellite analysis of paraffin embedded tumour specimens from patients with hereditary non-polyposis colorectal cancer, **621**
Ranganath L *et al*. Value of assessing parathyroid hormone-like activity in a case of extreme hypercalcaemia, **257**
Ranson DL *see* Sylvester PA *et al*
Rashbass J. Facing up to the year 2000 computer bug: *editorial*, **177**
Why use the internet to teach pathology?: *leader*, **179**
Rathbone BJ *see* Gunn MC *et al*
Rathod H *see* Papiha SS *et al*
Record CO *see* Zaitoun AM *et al*
Reddy R *see* Schlossberg D *et al*
Reid MM *see* Cavill I *et al*
see Galloway MJ and Reid MM
see Galloway MJ and Reid MM
Reid MM, Galloway MJ. Is the practice of haematology evidence based? II. Evidence based morphological diagnosis: *editorial*, **417**
Reid MM, Jeffers M. Fine needle aspiration and the diagnosis of non-Hodgkin's lymphoma: *letter*, **712**
Reid R *see* McAdam JA *et al*
Reina C *see* Guddo F *et al*
Retera JMAM *et al*. The expression of β-catenin in non-small-cell lung cancer: a clinicopathological study, **891**
Reynolds TM. Vitamin K and metabolic bone disease: *letter*, **943**
Reynolds TM *et al*. Haemoglobin Le Lamentin (α20 (B1) His → Gln) in a British family: identification by electrospray mass spectrometry, **467**
Ribeiro VLAA *et al*. Lymphocytic gastritis and *Helicobacter pylori*: a Brazilian survey: *correspondence*, **83**
Richardet J-P *see* Dupeyron C *et al*
Richmond J *see* Stewart CJR *et al*
Ridgway GL *see* Macsween KF and Ridgway GL
see Shetty N *et al*
Rigó Jr J *see* Nagy B *et al*
Rihet S *see* Clavel C *et al*
Rix GH *see* Al-Rufaie HK *et al*
Robalinho TI *see* Coutinho HB *et al*
Robertson NJ *et al*. Intravascular synovial sarcoma, **172**
Robertson R *see* Cheasty T *et al*
Rodriguez JA *see* Troncone G *et al*
Rogers MS, Oppenheim BA. The use of continuous monitoring blood culture systems in the diagnosis of catheter related sepsis, **635**
Rogerson ME *see* Hicks K *et al*
see Lwaleed BA *et al*
Rooney N *see* Milroy CM *et al*
Roskell DE *et al*. Apparent deficiency of mucosal vascular collagen type IV associated with angiodysplasia of the colon, **18**
Treated bacterial endocarditis as a histological mimic of fungal infection, **467**
Rowe B *see* Chart H *et al*
see Cheasty T *et al*
Russell NH *see* Byrne JL and Russell NH
Rutty G *see* Milroy CM *et al*
Rutty GN *see* McCulloch TA and Rutty GN

Sabattini E *et al.* The EnVision™+ system: a new immunohistochemical method for diagnostics and research. Critical comparison with the APAAP, ChemMate™, CSA, LABC, and SABC techniques, **434**
Sadler DW. The value of a thorough protocol in the investigation of sudden infant deaths, **689**
Saggioro FP *see* Milanezi MFG *et al*
Sani L *see* Dionisio D *et al*
Santini D *see* Ceccarelli C *et al*
Sarma U *see* Southgate J *et al*
Sautet A *see* Berrebi D *et al*
Savage A *see* Mainprize KS *et al*
Savige JA *et al.* A review of immunofluorescent patterns associated with antineutrophil cytoplasmic antibodies (ANCA) and their differentiation from other antibodies, **568**
Scarffe JH *see* Jones ME *et al*
Schön S *see* Gassel AM *et al*
Schleicher J *see* Oertel J *et al*
Schlossberg D *et al.* The Splendore-Hoeppli phenomenon in hepatic botryomycosis, **399**
Schmitt FC *see* Milanezi MFG *et al*
Schulman CC *see* Montironi R and Schulman CC
Schurgers LJ *see* Vermeer C *et al*
Self CH *see* Fleming SC *et al*
Séné C *see* Bertheau P *et al*
Sewell HF *see* Coutinho HB *et al*
Sharp RA *see* Stephen MR *et al*
Shastry JCM *see* Date A *et al*
Shaw G *see* Mirshahi F *et al*
Shaw PAV *see* Dobbs SP *et al*
Shembekar MV *see* Fitzgerald O'Connor I *et al*
Shen DH *see* Cheung ANY *et al*
Shepherd JH *see* Crawford RAF *et al*
Shetty N *et al.* The Vitek analyser for routine bacterial identification and susceptibility testing: protocols, problems, and pitfalls, **316**
Shijo H *see* Sohda T *et al*
Shimizu M *et al.* Intraepithelial haemorrhage of the oesophagus: a terminal event in haematological disorders, **838**
Manpower is another influential factor of necropsy rate: *correspondence*, **83**
Shimoyama T *et al.* CagA seropositivity associated with development of gastric cancer in a Japanese population, **225**
Chemokine mRNA expression in gastric mucosa is associated with *Helicobacter pylori* cagA positivity and severity of gastritis, **765**
Evaluation of *Helicobacter pylori* vacA genotype in Japanese patients with gastric cancer, **299**
Shochina M *see* Ariel I *et al*
Shor A *et al. Chlamydia pneumoniae* in atheroma: consideration of criteria for causality, **812**
Shousha S *see* Fitzgerald O'Connor I *et al*
Shousha S *et al.* CD5 positive breast carcinoma in a patient with untreated chronic lymphocytic leukaemia: molecular studies of chromosome 13q, **862**
Shroyer AL *see* Kleinschmidt-Demasters BK *et al*
Shroyer KR *see* Kleinschmidt-Demasters BK *et al*
Silva I *see* O'Leary JJ *et al*
Silvestrini R *see* Savige JA *et al*
Sim R *see* Walmsley RS *et al*
Simpson AJH *see* Olson ES *et al*
Simpson CGB. Use of histopathology in the practice of necropsy: *correspondence*, **262**
Sinclair AL *see* Surentheran T *et al*
Singer IO, Franklin IM. Autografting as first line treatment for chronic myeloid leukaemia: *leader*, **92**
Sinnett HD *see* Shousha S *et al*
Sivakumaran M *see* Burton CH *et al*
see Dasgupta R *et al*
see Murphy PT *et al*
Skillen A *see* Fleming SC *et al*
Sloan JM *see* McCluggage WG *et al*
see McCluggage WG *et al*
Sloos JH *et al.* Identification of multiresistant *Staphylococcus epidermidis* in neonates of a secondary care hospital using pulsed field gel electrophoresis and quantitative antibiogram typing, **62**
Smith A *see* Reynolds TM *et al*
Smith IE *see* Mainwaring PN *et al*
Smith M *see* Potter MA *et al*
Smith MEF *see* Robertson NJ *et al*
Smith N *see* Bethwaite P *et al*
Smith NM *see* Evans MJ *et al*
Smith S *see* Fleming SC *et al*
Snijders PJF *see* Meijer GA *et al*
Sohda T *et al.* Increased expression of proliferating cell nuclear antigen in autoimmune hepatitis in a patient with raised serum concentration of CA19-9, **167**
Soin A *see* Evans PC *et al*
Solanki KK *see* Hall AV *et al*
Sonnex C. Human papillomavirus infection with particular reference to genital disease: *leader*, **643**
Sormunen RT *see* Houang ETS *et al*
Southgate J *et al.* Study of the cell biology and biochemistry of cherubism, **831**
Sowter C. Telepathology: assessment of the implications and applications of telepathology for practical diagnostic pathology: *editorial*, **714**
Spink PJ *see* Surentheran T *et al*
Sprey J *see* Gray E *et al*
Steininger H *see* Faller G *et al*
Stenning S *see* Curling M *et al*
Stephen MR, Lindop GBM. A renin secreting ovarian steroid cell tumour associated with secondary polycythaemia, **75**
Stephen MR *et al.* Sequential malt lymphomas of the stomach, small intestine, and gall bladder, **77**
Stephens JC *see* Gunn MC *et al*
Sterrantino G *see* Dionisio D *et al*
see Dionisio D *et al*
Stevens FM *see* Feeley KM *et al*
Stevenson KJ *see* Leeming DR *et al*
Steward M *see* Kearns AM *et al*
Stewart CJR *et al.* Fine needle aspiration cytology diagnosis of malignant lymphoma and reactive lymphoid hyperplasia, **197**
Stewart F *see* McAdam JA *et al*
Stewart JAD *see* Gunn MC *et al*
Stewart JA *et al.* Endometrial leucocytes: expression of steroid hormone receptors, **121**
Stewart JH *see* Vujanić GM *et al*
Still RA, McDowell IFW. Clinical implications of plasma homocysteine measurement in cardiovascular disease: *leader*, **183**
Stocks PJ *see* Hulman G *et al*
Stott GJ *see* Lewis SM *et al*
Straube E *see* Berlau J *et al*
Sturgess A *see* Savige JA *et al*
Suárez C *see* González MV *et al*
see González MV *et al*
Sulzer MA *see* Retera JMAM *et al*
Sunakawa H *see* Tsuhako K *et al*
Surentheran T *et al.* Detection and typing of human papillomaviruses in mucosal and cutaneous biopsies from immunosuppressed and immunocompetent patients and patients with epidermodysplasia verruciformis: a unified diagnostic approach, **606**
Suvarna SK, Kay MS. KU activity: a method for calculating histopathologists' workloads, **458**
Syed Q *see* Cheasty T *et al*
Sylvester PA *et al.* Unacceptably high site variability in postmortem blood alcohol analysis, **250**
Sze C-I *see* Kleinschmidt-Demasters BK *et al*

Taberner DA *see* Leeming DR *et al*
Taffurelli M *see* Ceccarelli C *et al*
Takata M *see* Hatta N *et al*
Takehara K *see* Hatta N *et al*
Talbot IC *see* Leonard N *et al*
Talerman A *see* Minimo C and Talerman A
Tan SY *see* Lau G *et al*
Tanaka M *see* Shimoyama T *et al*
Tani A *see* Dionisio D *et al*
Taylor PRA *see* Irving JAE *et al*
Taylor-Robinson D *see* Shor A *et al*
Taylor-Robinson D, Thomas BJ. *Chlamydia pneumoniae* in arteries: the facts, their interpretation, and future studies: *leader*, **793**
Teramoto S *see* Matsuse T *et al*
Terrés AM *et al. H pylori* infection is associated with downregulation of E-cadherin, a molecule involved in epithelial cell adhesion and proliferation control, **410**
Terron-Kwiatkowski A *see* Baty D *et al*
Theaker JM *see* Beer TW *et al*
Theunissen PHMH *see* Retera JMAM *et al*
Thilagarajah R *et al.* Quantitative histopathology can aid diagnosis in painful bladder syndrome, **211**
Thiruchelvan N *et al.* A pseudo-cryptococcal artefact derived from leucocytes in wet India ink mounts of centrifuged cerebrospinal fluid, **246**
Thomas BJ *see* Shor A *et al*
see Taylor-Robinson D and Thomas BJ
Thomas K *see* Clavel C *et al*
Thomas S. Sample dilution to resolve mistaken identification of haemoglobin D as haemoglobin E using the Variant automated system, **253**
Thornton CM *see* Evans MJ *et al*
Threlfall EJ *see* Galloway A *et al*
Thwaites RT *see* Galloway A *et al*
Toner PG *see* Jones TJ *et al*
see McCluggage WG *et al*
see McCluggage WG *et al*
Topley E. Inexpensive and reliable haemoglobin colour scale: *letter*, **878**
Tóth T *see* Nagy B *et al*
Townend JV *see* Southgate J *et al*
Tripodi A *see* Poller L *et al*
Trojan J *see* Raedle J *et al*

Troncone G *et al.* Immunohistochemical expression of mdm2 and $p21^{WAF1}$ in invasive cervical cancer: correlation with p53 protein and high risk HPV infection, **754**
Trotta M *see* Dionisio D *et al*
Trowell JE, Bell GD. Biopsy specimen appearances of ischaemic gastritis in splanchnic arterial insufficiency, **255**
Tsuhako K *et al.* Human papillomavirus DNA in adenosquamous carcinoma of the lung, **741**
Tsuzuki T *et al.* Neural cell adhesion molecule L1 in gliomas: correlation with TGF-β and p53, **13**
Tulloch DN *see* Beer TW *et al*
Tungekar MF, Linehan J. Patterns of expressions of transforming growth factor and epidermal growth factor receptor in squamous cell lesions of the urinary bladder, **583**
Tytgat GNJ *see* Baas IO *et al*

Uhl JR *see* Wilkinson SM *et al*
Uhlmann V *see* O'Leary JJ *et al*
UK Forum for Haemoglobin Disorders *see* Bain BJ *et al*

van Boven CPA *see* Sloos JH *et al*
van den Berg FM *see* Baas IO *et al*
van den Besselaar AMHP *see* Poller L *et al*
van der Valk P. Prion diseases: what will be next?: *leader*, **265**
van Deursen FJ *et al.* Use of PCR in resolving diagnostic difficulties potentially caused by genetic variation of hepatitis B virus, **149**
van Diest PJ *see* Meijer GA *et al*
van Diest PJ *et al.* Pathology of silicone leakage from breast implants: *leader*, **421**
Proliferation markers in tumours: interpretation and clinical value: *leader*, **716**
van Dorst EBL *et al.* The limited difference between keratin patterns of squamous cell carcinomas and adenocarcinomas is explicable by both cell lineage and state of differentiation of tumour cells, **679**
van Krieken JHJM *see* van Roggen JFG and van Krieken JHJM
van Muijen GNP *see* van Dorst EBL *et al*
van Oostveen JW *see* Bakels V *et al*
van Rees BP *see* Baas IO *et al*
van Roggen JFG, van Krieken JHJM. Adult hypertrophic pyloric stenosis: case report and review, **479**
van Roggen JFG *et al.* Local recurrence of a phyllodes tumour of the breast presenting with widespread differentiation to a telangiectatic osteosarcoma, **706**
Vassallo J *et al.* Antibody panel in diagnosis of lymphoid neoplasms: *letter*, **638**
Venturoli S *et al.* Evaluation of immunoassays for the detection and typing of PCR amplified human papillomavirus DNA, **143**
Verbist L *see* Zaman Z *et al*
Verhaegen J *see* Zaman Z *et al*
Vermeer C *et al.* Vitamin K and metabolic bone disease: *leader*, **424**
Vérola O *see* Bertheau P *et al*
Verweij PE *see* Fletcher HA *et al*
Vignola A-M *see* Guddo F *et al*
Vinattieri MA *see* Dionisio D *et al*
Vincent A. Antiganglioside antibodies in peripheral neuropathies: *editorial*, **641**
Vinjamuri S *see* Hall AV *et al*
von Wasielewski R *see* Nolte M *et al*
Vujanić GM *et al.* Improving the quality of perinatal and infant necropsy examinations: a follow up study, **850**

Wakefield AJ *see* Walmsley RS *et al*
Wakelin D *see* Coutinho HB *et al*
Walboomers JMM *see* Meijer GA *et al*
Walker E *see* Coutinho HB *et al*
Walker MM *see* Thilagarajah R *et al*
Wallace LA *see* van Deursen FJ *et al*
Walmsley RS *et al.* Absence of *Escherichia coli*, *Listeria monocytogenes*, and *Klebsiella pneumoniae* antigens within inflammatory bowel disease tissues, **657**
Wang D-X *see* Fang D-C *et al*
Warburton VJ *et al.* Clinical and histological associations of cagA and vacA genotypes in *Helicobacter pylori* gastritis, **55**
Ward LR *see* Chart H *et al*
Warren BF *see* Mainprize KS *et al*
see Roskell DE *et al*
see Sylvester PA *et al*
Watanabe M *et al.* Interphase cytogenetic and AgNOR analyses of hydatidiform moles, **438**
Waters MGJ *see* Williams DW *et al*
Watson JV *see* Curling M *et al*
Wells M *see* Arends MJ *et al*
Welvaart K *see* van Roggen JFG *et al*
Werner M *see* Nolte M *et al*
West KP *see* Gunn MC *et al*
Wheatley DJ *see* Muir SW *et al*
Widgren S, Leyvraz S. Adenocarcinoma of the small bowel, coeliac disease, and lymphocytic gastritis: *letter*, **878**
Wiles D *see* Paterson JR *et al*
Wilkins R *see* Mayall F *et al*
Wilkinson SM *et al.* Assessment of invasion frequencies of cultured HEp-2 cells by clinical isolates of *Helicobacter pylori* using an acridine orange assay, **127**
Willemze R *see* Bakels V *et al*
Williams DW *et al.* A novel technique for assessment of adherence of *Candida albicans* to solid surfaces, **390**
Immunocytochemical detection of *Candida albicans* in formalin fixed, paraffin embedded material, **857**
Winder AF. Homocysteine and cardiovascular disease: *editorial*, **713**
Witherow RO'N *see* Thilagarajah R *et al*
Womack C *see* Dasgupta R *et al*
Wong KF *see* Kwong YL and Wong KF
Wong LC *see* Cheung ANY *et al*
Wong NACS *see* Sylvester PA *et al*
Wong NACS *et al.* Primary yolk sac tumour of the liver in adulthood, **939**
Wood JK *see* Murphy PT *et al*
Worku ML *see* Karim QN *et al*
Wreghitt TG *see* Evans PC *et al*
Wright C. Detection of parvovirus B19 in macerated fetal tissue using in situ hybridisation: *correspondence*, **262**
Wu PC *see* Chan GSW *et al*
Wuu KY *see* Thiruchelvan N *et al*
Wyatt D *see* van Deursen FJ *et al*
Wynn KJ *see* Lewis SM *et al*

Yamane M *see* Kuwabara H *et al*
Yates P *see* van Deursen FJ *et al*
Yokota K *see* Kobayashi K *et al*
Yoshimura T *see* Shimoyama T *et al*
Yoshino T *see* Kobayashi K *et al*
Youngson GG *see* Evans MJ *et al*
Yuen ST *see* Leung SY *et al*

Zaitoun AM *et al.* Quantitative assessment of gastric atrophy using the syntactic structure analysis, **895**
Zaman Z *et al.* Disappointing dipstick screening for urinary tract infection in hospital inpatients, **471**
Zanati SG *see* Milanezi MFG *et al*
Zardawi IM *et al.* Internal quality assurance activities of a surgical pathology department in an Australian teaching hospital, **695**
Zeppa P *see* Troncone G *et al*
Zerbini M *see* Venturoli S *et al*
Zeuzem S *see* Raedle J *et al*
Zonderland HM *see* van Roggen JFG *et al*

VOLUME 51 • SUBJECT INDEX

2,3- and 2,5-dihydroxybenzoic acids The identification of salicylates as normal constituents of serum: a link between diet and health?, **430**

acid fast organisms, Not everything acid fast is *Mycobacterium tuberculosis*—a case report, **463**
Acinetobacter baumannii, Effect of desiccation on the ultrastructural appearances of *Acinetobacter baumannii* and *Acinetobacter lwoffii* , **786**
Acinetobacter lwoffii, Effect of desiccation on the ultrastructural appearances of *Acinetobacter baumannii* and *Acinetobacter lwoffii* , **786**
acrylic, A novel technique for assessment of adherence of *Candida albicans* to solid surfaces, **390**
actinic reticuloid, Differentiation between actinic reticuloid and cutaneous T cell lymphoma by T cell receptor γ gene rearrangement analysis and immunophenotyping, **154**
activity analysis, KU activity: a method for calculating histopathologists' workloads, **458**
acute leukaemia, Classification of acute leukaemia: the need to incorporate cytogenetic and molecular genetic information: *leader,* **420**
adenocarcinoma, Histological identification of carcinoma in 21 gauge needle tracks after fine needle aspiration biopsy of head and neck carcinoma, **241**
Stage 0 mucinous adenocarcinoma in situ of the urachus, **483**
adenocarcinoma of the small bowel, Adenocarcinoma of the small bowel, coeliac disease, and lymphocytic gastritis: *letter,* **878**
adenosquamous carcinoma, Human papillomavirus DNA in adenosquamous carcinoma of the lung, **741**
adherence, A novel technique for assessment of adherence of *Candida albicans* to solid surfaces, **390**
adrenal cortical neoplasm, CD44 expression in normal adrenal tissue and adrenal tumours, **52**
adrenal gland neoplasm, Immunohistochemical staining of normal, hyperplastic, and neoplastic adrenal cortex with a monoclonal antibody against α inhibin, **114**
adult hypertrophic pyloric stenosis, Adult hypertrophic pyloric stenosis: case report and review, **479**
advanced glycation end product, Immunohistochemical localisation of advanced glycation end products in pulmonary fibrosis, **443**
AgNOR count, Interphase cytogenetic and AgNOR analyses of hydatidiform moles, **438**
AIDS, AIDS vaccine development: let a thousand flowers bloom: *leader,* **725**
Chronic cryptosporidiosis in patients with AIDS: stable remission and possible eradication after long term, low dose azithromycin, **138**
airguns, Air weapon fatalities, **453**
albendazole, Persistent damage to *Enterocytozoon bieneusi,* with persistent symptomatic relief, after combined furazolidone and albendazole in AIDS patients, **731**
Amblyomma americanum, The travels of a lone star tick, **403**
anaemia, An inexpensive and reliable new haemoglobin colour scale for assessing anaemia, **21**
Inexpensive and reliable haemoglobin colour scale: *correspondence,* **416**
anaerobic infection, Anaerobic infections of the urinary tract: are they being missed?, **709**
androgen receptor, Variability of immunohistochemical reactivity on stored paraffin slides: *letter,* **943**
androgens, Pathological changes in prostate lesions after androgen manipulation: *leader,* **5**
angiodysplasia, Apparent deficiency of mucosal vascular collagen type IV associated with angiodysplasia of the colon, **18**
angiosarcoma, Vaginal epithelioid angiosarcoma, **928**
antenatal screening, A survey of current United Kingdom practice for antenatal screening for inherited disorders of globin chain synthesis, **382**
Routine antenatal screening for hepatitis B using pooled sera: validation and review of 10 years experience, **392**
antibiogram, Identification of multiresistant *Staphylococcus epidermidis* in neonates of a secondary care hospital using pulsed field gel electrophoresis and quantitative antibiogram typing, **62**
antibiotic resistance, Changes in nature and antibiotic resistance of bacteria causing peritonitis in cirrhotic patients over a 20 year period, **614**
Identification of multiresistant *Staphylococcus epidermidis* in neonates of a secondary care hospital using pulsed field gel electrophoresis and quantitative antibiogram typing, **62**
anticardiolipin antibody, Lymphoma associated bone marrow necrosis with raised anticardiolipin antibody, **407**
anticoagulant treatment, Decentralised anticoagulant care: *editorial,* **89**
Decentralised anticoagulant care: *letter,* **711**
anticoagulation clinics, Decentralised anticoagulant care: *letter,* **711**
antiganglioside antibodies, Antiganglioside antibodies in peripheral neuropathies: *editorial,* **641**
antigastric autoantibodies, Evidence of novel pathogenic pathways for the formation of antigastric autoantibodies in *Helicobacter pylori* gastritis, **244**
antigen retrieval, The EnVision™+ system: a new immunohistochemical method for diagnostics and research. Critical comparison with the APAAP, ChemMate™, CSA, LABC, and SABC techniques, **434**
antigens, A review of immunofluorescent patterns associated with antineutrophil cytoplasmic antibodies (ANCA) and their differentiation from other antibodies, **568**
antimony, Antimony in blood and urine of infants, **238**
Sudden infant death syndrome (SIDS): the search for the cause: *editorial,* **419**
antineutrophil cytoplasmic antibodies, A review of immunofluorescent patterns associated with antineutrophil cytoplasmic antibodies (ANCA) and their differentiation from other antibodies, **568**
apolipoprotein E, Apolipoprotein E alleles in women with severe pre-eclampsia, **324**
apoptosis, Comparison of in situ methods to assess DNA cleavage in apoptotic cells in patients with breast cancer, **34**
Histochemical investigation into the molecular mechanisms of malignant transformation in a benign glomus tumour, **872**
Ticlopidine induced colitis: a histopathological study including apoptosis, **280**
aspergillosis, Detection of *Aspergillus fumigatus* PCR products by a microtitre plate based DNA hybridisation assay, **617**
PCR-ELISA for the early diagnosis of invasive pulmonary aspergillus infection in neutropenic patients, **652**
atherosclerosis, Clinical implications of plasma homocysteine measurement in cardiovascular disease: *leader,* **183**
Chlamydia pneumoniae in atheroma: consideration of criteria for causality, **812**
atrophy, Quantitative assessment of gastric atrophy using the syntactic structure analysis, **895**
atypical lymphoid infiltrates, Soft tissue malignant lymphoma at sites of previous surgery, **629**
atypical mycobacteria, Atypical mycobacterial lymphadenitis in childhood—a clinicopathological study of 17 cases, **925**
audit, Assessing diagnostic errors: when is suspension of a pathologist justified?, **649**
Audit of the histopathological diagnosis of non-neoplastic colorectal biopsies: achievable standards for the diagnosis of inflammatory bowel disease, **378**
Evidence of effectiveness of clinical audit in improving histopathology reporting standards of mastectomy specimens, **30**
How to improve low lymph node recovery rates from axillary clearance specimens of breast cancer? A short term audit, **846**
Improved FNA cytology results with a near patient diagnosis service for non-breast lesions, **469**
Improving the quality of perinatal and infant necropsy examinations: a follow up study, **850**
Internal quality assurance activities of a surgical pathology department in an Australian teaching hospital, **695**
autoantibodies, A review of immunofluorescent patterns associated with antineutrophil cytoplasmic antibodies (ANCA) and their differentiation from other antibodies, **568**
autografting, Autografting as first line treatment for chronic myeloid leukaemia: *leader,* **92**
autoimmune hepatitis, Increased expression of proliferating cell nuclear antigen in autoimmune hepatitis in a patient with raised serum concentration of CA19-9, **167**
automation, The Vitek analyser for routine bacterial identification and susceptibility testing: protocols, problems, and pitfalls, **316**
axillary clearance, How to improve low lymph node recovery rates from axillary clearance specimens of breast cancer? A short term audit, **846**
azithromycin, Chronic cryptosporidiosis in patients with AIDS: stable remission and possible eradication after long term, low dose azithromycin, **138**

B cell leukaemias, Levels of expression of CD19 and CD20 in chronic B cell leukaemias, **364**
B cell lymphoma, Comparison of in situ hybridisation and polymerase chain reaction in the diagnosis of B cell lymphoma, **229**
B lymphocytes, Levels of expression of CD19 and CD20 in chronic B cell leukaemias, **364**
bacteraemia, Experience of changing between signal and Bactec 9240 blood culture systems in a children's hospital, **302**
bacterial growth, Effect of kidney function and disease status on urinary tissue factor measurements, **234**

bacterial identification and susceptibility testing, The Vitek analyser for routine bacterial identification and susceptibility testing: protocols, problems, and pitfalls, **316**
bacterial infection, Evaluation of the efficacy of ^{99m}Tc-Infecton, a novel agent for detecting sites of infection, **215**
bacterial invasion, Absence of lysozyme (muramidase) in the intestinal Paneth cells of newborn infants with necrotising enterocolitis, **440**
bacterial motility measurement, Measurement of motility of *Helicobacter pylori*, *Campylobacter jejuni*, and *Escherichia coli* by real time computer tracking using the Hobson BacTracker, **623**
bacterial tracking, Measurement of motility of *Helicobacter pylori*, *Campylobacter jejuni*, and *Escherichia coli* by real time computer tracking using the Hobson BacTracker, **623**
Banff classification, Diagnosis of early acute renal allograft rejection by evaluation of multiple histological features using a Bayesian belief network, **108**
Bayesian belief network, Diagnosis of early acute renal allograft rejection by evaluation of multiple histological features using a Bayesian belief network, **108**
Bcl-2, Breast carcinoma developing in patients on hormone replacement therapy: a histological and immunohistological study, **935**
bladder, Patterns of expressions of transforming growth factor and epidermal growth factor receptor in squamous cell lesions of the urinary bladder, **583**
bladder augmentation, Neuroendocrine cell hyperplasia in colonic tissue used for long term augmentation cystoplasty, **258**
blood, Antimony in blood and urine of infants, **238**
blood alcohol concentration, Unacceptably high site variability in postmortem blood alcohol analysis, **250**
blood culture systems, Experience of changing between signal and Bactec 9240 blood culture systems in a children's hospital, **302**
blood cultures, The use of continuous monitoring blood culture systems in the diagnosis of catheter related sepsis, **635**
blood smear, *Candida albicans* blastoconidia in peripheral blood smears from non-neutropenic surgical patients, **465**
blood transfusion, Hepatitis G virus infection in lymphoma and in blood donors, **676**
bone, Age related somatic mitochondrial DNA deletions in bone, **117**
bone marrow biopsy, Antibody panel in diagnosis of lymphoid neoplasms: *letter*, **638**
bone marrow necrosis, Lymphoma associated bone marrow necrosis with raised anticardiolipin antibody, **407**
bone resorption, Study of the cell biology and biochemistry of cherubism, **831**
borderline malignant change, Borderline malignant change in recurrent müllerian papilloma of the vagina, **875**
bovine spongiform encephalopathy, Prion diseases: what will be next?: *leader*, **265**
breast, Local recurrence of a phyllodes tumour of the breast presenting with widespread differentiation to a telangiectatic osteosarcoma, **706**
Reproducibility of new classification schemes for the pathology of ductal carcinoma in situ of the breast, **450**
Secretory breast carcinoma in a 66 year old man, **473**
breast cancer, Breast carcinoma developing in patients on hormone replacement therapy: a histological and immunohistological study, **935**
Comparison of in situ methods to assess DNA cleavage in apoptotic cells in patients with breast cancer, **34**
Evidence of effectiveness of clinical audit in improving histopathology reporting standards of mastectomy specimens, **30**
Retinoblastoma (RB1) gene product expression in breast carcinoma. Correlation with Ki-67 growth fraction and biopathological profile, **818**
CD5 positive breast carcinoma in a patient with untreated chronic lymphocytic leukaemia: molecular studies of chromosome 13q, **862**
breast implants, Pathology of silicone leakage from breast implants: *leader*, **421**
Broadsheet, The laboratory investigation of vaginal discharge: *leader*, **564**
bronchioloalveolar carcinoma, Bronchioloalveolar carcinoma with metastasis to the pituitary gland: a case report, **931**
Burkholderia cepacia, Isolation of *Burkholderia cepacia* by enrichment, **485**

C282Y mutation, Development of a multiplex ARMS test for mutations in the HFE gene associated with hereditary haemochromatosis, **73**
CA19-9, Increased expression of proliferating cell nuclear antigen in autoimmune hepatitis in a patient with raised serum concentration of CA19-9, **167**
CagA, CagA seropositivity associated with development of gastric cancer in a Japanese population, **225**
Chemokine mRNA expression in gastric mucosa is associated with *Helicobacter pylori* cagA positivity and severity of gastritis, **765**
Clinical and histological associations of cagA and vacA genotypes in *Helicobacter pylori* gastritis, **55**
The significance of cagA and vacA subtypes of *Helicobacter pylori* in the pathogenesis of inflammation and peptic ulceration, **761**
calcitonin, Study of the cell biology and biochemistry of cherubism, **831**
campylobacter, Ciprofloxacin resistant campylobacter: *letter*, **487**
Candida albicans, A novel technique for assessment of adherence of *Candida albicans* to solid surfaces, **390**
Immunocytochemical detection of *Candida albicans* in formalin fixed, paraffin embedded material, **857**
***Candida* diagnosis,** *Candida albicans* blastoconidia in peripheral blood smears from non-neutropenic surgical patients, **465**
carcinoma, *Helicobacter pylori* and Epstein–Barr virus infection and the p53 tumour suppressor pathway in gastric stump cancer compared with carcinoma in the non-operated stomach, **662**
Pancreatic cancer and fibrinogen storage disease, **865**
The limited difference between keratin patterns of squamous cell carcinomas and adenocarcinomas is explicable by both cell lineage and state of differentiation of tumour cells, **679**
carcinoma in situ, Reproducibility of new classification schemes for the pathology of ductal carcinoma in situ of the breast, **450**
Stage 0 mucinous adenocarcinoma in situ of the urachus, **483**
cardiac enzymes, Early diagnosis of myocardial infarction: why measure cardiac enzymes?: *editorial*, **2**
Early diagnosis of myocardial infarction: *letter*, **487**
cardiovascular disease, Clinical implications of plasma homocysteine measurement in cardiovascular disease: *leader*, **183**
Homocysteine and cardiovascular disease: *editorial*, **713**
β-cat gene Chromosome 3p loss of heterozygosity and mutation analysis of the FHIT and β-cat genes in squamous cell carcinoma of the head and neck, **448**
β-catenin The expression of β-catenin in non-small-cell lung cancer: a clinicopathological study, **891**
catheter related sepsis, The use of continuous monitoring blood culture systems in the diagnosis of catheter related sepsis, **635**
catheter urine, Fatal *Serratia marcescens* meningitis and myocarditis in a patient with an indwelling urinary catheter, **789**
CD19 and CD20 antigens, Levels of expression of CD19 and CD20 in chronic B cell leukaemias, **364**
CD44, CD44 expression in normal adrenal tissue and adrenal tumours, **52**
De novo expression of CD44 in prostate carcinoma is correlated with systemic dissemination of prostate cancer, **798**
Differential expression of CD44v6 in metastases of intestinal and diffuse types of gastric carcinoma, **134**
The role of alternative splicing of the adhesion molecule, CD44, in lymphoid malignancy, **776**
CD45RO, Immunophenotypic and genotypic characterisation of multiple myelomas with adverse prognosis characterised by immunohistological expression of the T cell related antigen CD45RO (UCHL-1), **432**
CD5, CD5 positive breast carcinoma in a patient with untreated chronic lymphocytic leukaemia: molecular studies of chromosome 13q, **862**
cell adhesion molecules, Neural cell adhesion molecule L1 in gliomas: correlation with TGF-β and p53, **13**
c-erbB-2, MUC1 (episialin) expression in non-small cell lung cancer is independent of EGFR and c-erbB-2 expression and correlates with poor survival in node positive patients, **667**
cervical cancer, Immunohistochemical expression of mdm2 and $p21^{WAF1}$ in invasive cervical cancer: correlation with p53 protein and high risk HPV infection, **754**
Molecular analysis of ras oncogenes in CIN III and in stage I and II invasive squamous cell carcinoma of the uterine cervix, **576**
The prognostic significance of β human chorionic gonadotrophin and its metabolites in women with cervical carcinoma, **685**
cervical intraepithelial neoplasia, Frequency of cervical intraepithelial neoplasia following large loop excision of the transformation zone, **375**
Hybrid capture II, a new sensitive test for human papillomavirus detection. Comparison with hybrid capture I and PCR results in cervical lesions, **737**
cervical neoplasia, Aetiology, pathogenesis, and pathology of cervical neoplasia: *leader*, **96**
chemokine, Chemokine mRNA expression in gastric mucosa is associated with *Helicobacter pylori* cagA positivity and severity of gastritis, **765**
cherubism, Study of the cell biology and biochemistry of cherubism, **831**
Chlamydia pneumoniae, *Chlamydia pneumoniae* in atheroma: consideration of criteria for causality, **812**
Comparison of throat swabs with sputum specimens for the detection of *Chlamydia pneumoniae* antigen by direct immunofluorescence, **309**
Chlamydia pneumoniae in arteries: the facts, their interpretation, and future studies: *leader*, **793**
Chlamydia trachomatis, In situ hybridisation and direct fluorescence antibodies for the detection of *Chlamydia trachomatis* in synovial tissue from patients with reactive arthritis, **803**
The inhibitory effect of phosphate on the ligase chain reaction used for detecting *Chlamydia trachomatis*, **306**

cholangiocarcinoma, Expression of proliferation associated antigens and detection of numerical chromosome aberrations in primary human liver tumours: relevance to tumour characteristics and prognosis, **47**

choriocarcinoma, Raised serum hCG in a male patient caused by primary jejunal choriocarcinoma, **413**

chromosome 13, CD5 positive breast carcinoma in a patient with untreated chronic lymphocytic leukaemia: molecular studies of chromosome 13q, **862**

chronic gastritis, Clinical and histological associations of cagA and vacA genotypes in *Helicobacter pylori* gastritis, **55**

chronic hyperplastic candidosis, Immunocytochemical detection of *Candida albicans* in formalin fixed, paraffin embedded material, **857**

chronic lymphocytic leukaemia, CD5 positive breast carcinoma in a patient with untreated chronic lymphocytic leukaemia: molecular studies of chromosome 13q, **862**

The role of alternative splicing of the adhesion molecule, CD44, in lymphoid malignancy, **776**

chronic myeloid leukaemia, Autografting as first line treatment for chronic myeloid leukaemia: *leader,* **92**

chronic myelomonocytic leukaemia, Obstructive uropathy associated with myelomonocytic infiltration of the prostate, **340**

CIN III, Molecular analysis of ras oncogenes in CIN III and in stage I and II invasive squamous cell carcinoma of the uterine cervix, **576**

ciprofloxacin, Evaluation of the efficacy of ^{99m}Tc-Infecton, a novel agent for detecting sites of infection, **215**

Ciprofloxacin resistant campylobacter: *letter,* **487**

classification, Classification of acute leukaemia: the need to incorporate cytogenetic and molecular genetic information: *leader,* **420**

Reproducibility of new classification schemes for the pathology of ductal carcinoma in situ of the breast, **450**

c-myc, Multivariate analyses of DNA index, p62$^{c\text{-}myc}$, and clinicopathological status of patients with ovarian cancer, **455**

coagulometers, Screening INR deviation of local prothrombin time systems, **356**

coeliac disease, Adenocarcinoma of the small bowel, coeliac disease, and lymphocytic gastritis: *letter,* **878**

Lymphocytic gastritis and coeliac disease: evidence of a positive association, **207**

collagen type IV, Apparent deficiency of mucosal vascular collagen type IV associated with angiodysplasia of the colon, **18**

Expression of extracellular matrix proteins in cervical squamous cell carcinoma—a clinicopathological study, **781**

collagen type V, Decreased type V collagen expression in human decidual tissues of spontaneous abortion during early pregnancy, **44**

colon, Apparent deficiency of mucosal vascular collagen type IV associated with angiodysplasia of the colon, **18**

Progression from colorectal adenoma to carcinoma is associated with non-random chromosomal gains as detected by comparative genomic hybridisation, **901**

colonic carcinoma, Mutations of p53 gene can be detected in the plasma of patients with large bowel carcinoma, **611**

colorectal biopsies, Audit of the histopathological diagnosis of non-neoplastic colorectal biopsies: achievable standards for the diagnosis of inflammatory bowel disease, **378**

colorectal cancer, A prospective controlled study of the association of *Streptococcus bovis* with colorectal carcinoma, **473**

How many lymph nodes to stage colorectal carcinoma?, **165**

The effect of four interventions on the informational content of histopathology reports of resected colorectal carcinomas, **481**

comparative genomic hybridisation, Progression from colorectal adenoma to carcinoma is associated with non-random chromosomal gains as detected by comparative genomic hybridisation, **901**

complement component C9, High prevalence of acute myocardial damage in a hospital necropsy series, shown by C9 immunohistology, **476**

computer image processing technology, Measurement of motility of *Helicobacter pylori, Campylobacter jejuni,* and *Escherichia coli* by real time computer tracking using the Hobson BacTracker, **623**

computerised microscope training, Pathologists dislike sound? Evaluation of a computerised training microscope, **330**

computers, Facing up to the year 2000 computer bug: *editorial,* **177**

β-core The prognostic significance of β human chorionic gonadotrophin and its metabolites in women with cervical carcinoma, **685**

coronary heart disease, *Chlamydia pneumoniae* in arteries: the facts, their interpretation, and future studies: *leader,* **793**

cost-effectiveness, Health economics and clinical pathology: *editorial,* **90**

Creutzfeldt-Jakob disease, Prion diseases: what will be next?: *leader,* **265**

Crohn's disease, Absence of *Escherichia coli, Listeria monocytogenes,* and *Klebsiella pneumoniae* antigens within inflammatory bowel disease tissues, **657**

Expression of nitric oxide synthase in inflammatory bowel disease is not affected by corticosteroid treatment, **750**

cryptococcosis, A pseudo-cryptococcal artefact derived from leucocytes in wet India ink mounts of centrifuged cerebrospinal fluid, **246**

cryptosporidiosis, Chronic cryptosporidiosis in patients with AIDS: stable remission and possible eradication after long term, low dose azithromycin, **138**

cutaneous manifestation, An unusual cutaneous manifestation of myelodysplastic syndrome: "pseudo-Koebner phenomenon", **860**

cutaneous T cell lymphoma, Differentiation between actinic reticuloid and cutaneous T cell lymphoma by T cell receptor γ gene rearrangement analysis and immunophenotyping, **154**

cytochrome P450IID6, Genetic polymorphism of N-acetyltransferase-2, glutathione S-transferase-M1, and cytochromes P450IIE1 and P450IID6 in the susceptibility to head and neck cancer, **294**

cytochrome P450IIE1, Genetic polymorphism of N-acetyltransferase-2, glutathione S-transferase-M1, and cytochromes P450IIE1 and P450IID6 in the susceptibility to head and neck cancer, **294**

cytogenetics, Classification of acute leukaemia: the need to incorporate cytogenetic and molecular genetic information: *leader,* **420**

cytokeratin, Cytokeratin expression in adrenal phaeochromocytomas and extra-adrenal paragangliomas, **477**

cytokeratin intermediate filaments, Cytokeratin positive T cell malignant lymphoma, **404**

cytology, Fine needle aspiration cytology diagnosis of malignant lymphoma and reactive lymphoid hyperplasia, **197**

cytomegalovirus, Detection of cytomegalovirus in upper gastrointestinal biopsies from heart transplant recipients: comparison of light microscopy, immunocytochemistry, in situ hybridisation, and nested PCR, **807**

Qualitative and semiquantitative polymerase chain reaction testing for cytomegalovirus DNA in serum allows prediction of CMV related disease in liver transplant recipients, **914**

cytomegalovirus colitis, Cytomegalovirus colitis in immunocompetent individual, **475**

cytotoxin, Evaluation of *Helicobacter pylori* vacA genotype in Japanese patients with gastric cancer, **299**

DCC gene, Loss of heterozygosity and loss of expression of the DCC gene in gastric cancer, **593**

death, Air weapon fatalities, **453**

decentralisation, Decentralised anticoagulant care: *editorial,* **89**

decidua, Decreased type V collagen expression in human decidual tissues of spontaneous abortion during early pregnancy, **44**

degenerate PCR, Detection and typing of human papillomaviruses in mucosal and cutaneous biopsies from immunosuppressed and immunocompetent patients and patients with epidermodysplasia verruciformis: a unified diagnostic approach, **606**

dendritic blood cells, Detection of small numbers of immature cells in the blood of healthy subjects, **886**

desiccation, Effect of desiccation on the ultrastructural appearances of *Acinetobacter baumannii* and *Acinetobacter lwoffii* , **786**

detection method, The EnVision™+ system: a new immunohistochemical method for diagnostics and research. Critical comparison with the APAAP, ChemMate™, CSA, LABC, and SABC techniques, **434**

diagnosis, Quantitative histopathology can aid diagnosis in painful bladder syndrome, **211**

diagnostic errors, Assessing diagnostic errors: when is suspension of a pathologist justified?, **649**

diagnostic pathology, Telepathology: assessment of the implications and applications of telepathology for practical diagnostic pathology: *editorial,* **714**

diagnostic tests, Is the practice of haematology evidence based? III. Evidence based diagnostic testing: *editorial,* **417**

Latest tests for prostatic neoplasia: *leader,* **347**

diet, The identification of salicylates as normal constituents of serum: a link between diet and health?, **430**

differentiation, The limited difference between keratin patterns of squamous cell carcinomas and adenocarcinomas is explicable by both cell lineage and state of differentiation of tumour cells, **679**

diffuse carcinoma, Differential expression of CD44v6 in metastases of intestinal and diffuse types of gastric carcinoma, **134**

dipstick, Disappointing dipstick screening for urinary tract infection in hospital inpatients, **471**

direct immunofluorescence, Comparison of throat swabs with sputum specimens for the detection of *Chlamydia pneumoniae* antigen by direct immunofluorescence, **309**

discitis, Unusual aetiology of persistent back pain in a patient with multiple myeloma: infectious discitis, **633**

DNA ploidy, Multivariate analyses of DNA index, p62$^{c\text{-}myc}$, and clinicopathological status of patients with ovarian cancer, **455**

DNP labelling, DNA–EIA to detect high and low risk HPV genotypes in cervical lesions with E6/E7 primer mediated multiplex PCR, **38**

drugs of misuse, A method for the confirmation and identification of drugs of misuse in urine using solid phase extraction and gas–liquid chromatography with mass spectrometry, **326**

dysplastic naevus, The dysplastic naevus: *correspondence,* **174**

ear, Presence of Epstein-Barr virus in lymphoepithelioma-like carcinoma of the middle ear, **602**
E-cadherin, Breast carcinoma developing in patients on hormone replacement therapy: a histological and immunohistological study, **935**
H pylori infection is associated with downregulation of E-cadherin, a molecule involved in epithelial cell adhesion and proliferation control, **410**
education, Why use the internet to teach pathology?: *leader,* **179**
electrospray mass spectrometry, Haemoglobin Le Lamentin (α20 (B1) His → Gln) in a British family: identification by electrospray mass spectrometry, **467**
endodermal sinus tumour, Primary yolk sac tumour of the liver in adulthood, **939**
endometrial carcinoma, Endometrial carcinoma: immunohistochemically detected proliferation index is a prognosticator of long term outcome, **25**
endometrium, Endometrial leucocytes: expression of steroid hormone receptors, **121**
Pinworms and postmenopausal bleeding, **401**
endoscopic biopsies, Audit of the histopathological diagnosis of non-neoplastic colorectal biopsies: achievable standards for the diagnosis of inflammatory bowel disease, **378**
enrichment broth, Isolation of *Burkholderia cepacia* by enrichment, **485**
Enterobius vermicularis, Pinworms and postmenopausal bleeding, **401**
Enterocytozoon bieneusi, Persistent damage to *Enterocytozoon bieneusi,* with persistent symptomatic relief, after combined furazolidone and albendazole in AIDS patients, **731**
enteropathy associated T cell lymphoma, Lymphocytic gastritis and coeliac disease: evidence of a positive association, **207**
EnVision™+, The EnVision™+ system: a new immunohistochemical method for diagnostics and research. Critical comparison with the APAAP, ChemMate™, CSA, LABC, and SABC techniques, **434**
enzyme immunoassay, DNA–EIA to detect high and low risk HPV genotypes in cervical lesions with E6/E7 primer mediated multiplex PCR, **38**
enzyme linked immunosorbent assay, Detection of *Aspergillus fumigatus* PCR products by a microtitre plate based DNA hybridisation assay, **617**
epidemiology, Application of molecular typing to the epidemiology of *Streptococcus pneumoniae* : *leader,* **270**
epidermal growth factor, Patterns of expressions of transforming growth factor and epidermal growth factor receptor in squamous cell lesions of the urinary bladder, **583**
epidermal growth factor receptor, Variability of immunohistochemical reactivity on stored paraffin slides: *letter,* **943**
episialin, MUC1 (episialin) expression in non-small cell lung cancer is independent of EGFR and c-erbB-2 expression and correlates with poor survival in node positive patients, **667**
epithelioid angiosarcoma, Vaginal epithelioid angiosarcoma, **928**
Epstein-Barr virus, *Helicobacter pylori* and Epstein–Barr virus infection and the p53 tumour suppressor pathway in gastric stump cancer compared with carcinoma in the non-operated stomach, **662**
Presence of Epstein-Barr virus in lymphoepithelioma-like carcinoma of the middle ear, **602**
erythrocytosis, Diagnosis of polycythaemia: *editorial,* **1**
***Escherichia coli* O157,** The use of serodiagnosis in the retrospective investigation of a nursery outbreak associated with *Escherichia coli* O157:H7, **426**
Escherichia coli, Absence of *Escherichia coli, Listeria monocytogenes,* and *Klebsiella pneumoniae* antigens within inflammatory bowel disease tissues, **657**
evidence based haematology, Is the practice of haematology evidence based? I. Evidence based clinical practice: *editorial,* **345**
Is the practice of haematology evidence based? II. Evidence based morphological diagnosis: *editorial,* **417**
Is the practice of haematology evidence based? III. Evidence based diagnostic testing: *editorial,* **489**
Is the practice of haematology evidence based?: *letter,* **944**
external quality assessment, An assessment of the operation of an external quality assessment (EQA) scheme in histopathology in the South Thames (West) Region: 1995–1998, **910**
extranodal marginal zone lymphoma, Sequential malt lymphomas of the stomach, small intestine, and gall bladder, **77**
extraskeletal osteosarcoma, Local recurrence of a phyllodes tumour of the breast presenting with widespread differentiation to a telangiectatic osteosarcoma, **706**

familial, Familial pancreatic lymphoma, **80**
femoral vein, Intravascular synovial sarcoma, **172**
α-fetoprotein Primary yolk sac tumour of the liver in adulthood, **939**
FHIT gene, Chromosome 3p loss of heterozygosity and mutation analysis of the FHIT and β-cat genes in squamous cell carcinoma of the head and neck, **448**
fibrinogen assay, Prothrombin time derived fibrinogen determination on Sysmex CA-6000™, **462**
fibrinogen storage disease, Pancreatic cancer and fibrinogen storage disease, **865**
fibronectin, Expression of extracellular matrix proteins in cervical squamous cell carcinoma—a clinicopathological study, **781**
fibrothecoma, Malignant fibrothecomatous tumour of the ovary: diagnostic value of anti-inhibin immunostaining, **868**
fine needle aspiration cytology, Fine needle aspiration and the diagnosis of non-Hodgkin's lymphoma: *letter,* **712**
Fine needle aspiration cytology diagnosis of malignant lymphoma and reactive lymphoid hyperplasia, **197**
Fine needle aspiration cytology in the investigation of non-Hodgkin's lymphoma, **189**
Fine needle aspiration of lymph nodes: *leader,* **881**
Histological identification of carcinoma in 21 gauge needle tracks after fine needle aspiration biopsy of head and neck carcinoma, **241**
Improved FNA cytology results with a near patient diagnosis service for non-breast lesions, **469**
flow cytometry, Fine needle aspiration cytology in the investigation of non-Hodgkin's lymphoma, **189**
fluorescence in situ hybridisation, Expression of proliferation associated antigens and detection of numerical chromosome aberrations in primary human liver tumours: relevance to tumour characteristics and prognosis, **47**
focal nodular hyperplasia, Expression of proliferation associated antigens and detection of numerical chromosome aberrations in primary human liver tumours: relevance to tumour characteristics and prognosis, **47**
forensic investigation, The value of a thorough protocol in the investigation of sudden infant deaths, **689**
freeze dried plasma, The importance of "like to like" ISI calibrations with freeze dried plasmas, **275**
fungal infection, Treated bacterial endocarditis as a histological mimic of fungal infection, **467**
furazolidone, Persistent damage to *Enterocytozoon bieneusi,* with persistent symptomatic relief, after combined furazolidone and albendazole in AIDS patients, **731**

gall bladder., Sequential malt lymphomas of the stomach, small intestine, and gall bladder, **77**
gas chromatography/mass spectrometry, A method for the confirmation and identification of drugs of misuse in urine using solid phase extraction and gas–liquid chromatography with mass spectrometry, **326**
gastric adenocarcinoma, Differential expression of CD44v6 in metastases of intestinal and diffuse types of gastric carcinoma, **134**
gastric cancer, CagA seropositivity associated with development of gastric cancer in a Japanese population, **225**
Evaluation of *Helicobacter pylori* vacA genotype in Japanese patients with gastric cancer, **299**
Loss of heterozygosity and loss of expression of the DCC gene in gastric cancer, **593**
H pylori infection is associated with downregulation of E-cadherin, a molecule involved in epithelial cell adhesion and proliferation control, **410**
gastric cancer, Clinical and histological associations of cagA and vacA genotypes in *Helicobacter pylori* gastritis, **55**
gastric mucosa, Villous adenoma arising in Meckel's diverticulum, **485**
gastric stump, *Helicobacter pylori* and Epstein–Barr virus infection and the p53 tumour suppressor pathway in gastric stump cancer compared with carcinoma in the non-operated stomach, **662**
gastritis, Chemokine mRNA expression in gastric mucosa is associated with *Helicobacter pylori* cagA positivity and severity of gastritis, **765**
Evidence of novel pathogenic pathways for the formation of antigastric autoantibodies in *Helicobacter pylori* gastritis, **244**
Quantitative assessment of gastric atrophy using the syntactic structure analysis, **895**
gene polymorphism, Apolipoprotein E alleles in women with severe pre-eclampsia, **324**
general histopathology, An assessment of the operation of an external quality assessment (EQA) scheme in histopathology in the South Thames (West) Region: 1995–1998, **910**
genetic variation, Use of PCR in resolving diagnostic difficulties potentially caused by genetic variation of hepatitis B virus, **149**
genital disease, Human papillomavirus infection with particular reference to genital disease: *leader,* **643**
gestational trophoblastic disease, $p21^{WAF1/CIP1}$ expression in gestational trophoblastic disease: correlation with clinicopathological parameters, and Ki67 and p53 gene expression, **159**
glioblastoma multiforme, Telomerase expression shows differences across multiple regions of oligodendroglioma versus high grade astrocytomas but shows correlation with Mib-1 labelling, **284**
glioma, Neural cell adhesion molecule L1 in gliomas: correlation with TGF-β and p53, **13**
glomangiosarcoma, Histochemical investigation into the molecular mechanisms of malignant transformation in a benign glomus tumour, **872**
glomerular permeability and filtration, Effect of kidney function and disease status on urinary tissue factor measurements, **234**

glomus tumour, Histochemical investigation into the molecular mechanisms of malignant transformation in a benign glomus tumour, **872**
glutathione S-transferase, Genetic polymorphism of N-acetyltransferase-2, glutathione S-transferase-M1, and cytochromes P450IIE1 and P450IID6 in the susceptibility to head and neck cancer, **294**
granulated lymphocyte, Endometrial leucocytes: expression of steroid hormone receptors, **121**
guidelines, Use of histopathology in the practice of necropsy: *correspondence*, **262**
gynaecomastia, Pseudoangiomatous hyperplasia of mammary stroma associated with gynaecomastia, **204**
Secretory breast carcinoma in a 66 year old man, **473**

H63D mutation, Development of a multiplex ARMS test for mutations in the HFE gene associated with hereditary haemochromatosis, **73**
haematological disorders, Intraepithelial haemorrhage of the oesophagus: a terminal event in haematological disorders, **838**
haematological malignancy, Peripheral blood stem cell transplants: *leader*, **351**
haematology, Is the practice of haematology evidence based? II. Evidence based morphological diagnosis: *editorial*, **417**
haematuria, Effect of kidney function and disease status on urinary tissue factor measurements, **234**
haemoglobin colour scale, Inexpensive and reliable haemoglobin colour scale: *correspondence*, **416**
Inexpensive and reliable haemoglobin colour scale: *letter*, **878**
haemoglobin Le Lamentin, Haemoglobin Le Lamentin (α20 (B1) His → Gln) in a British family: identification by electrospray mass spectrometry, **467**
haemoglobin measurement, Measurement of haemoglobin using single drops of skin puncture blood: is precision acceptable?, **248**
haemoglobin variants, Haemoglobin Le Lamentin (α20 (B1) His → Gln) in a British family: identification by electrospray mass spectrometry, **467**
Sample dilution to resolve mistaken identification of haemoglobin D as haemoglobin E using the Variant automated system, **253**
haemoglobinometry, An inexpensive and reliable new haemoglobin colour scale for assessing anaemia, **21**
haemoglobinopathies, A survey of current United Kingdom practice for antenatal screening for inherited disorders of globin chain synthesis, **382**
Sample dilution to resolve mistaken identification of haemoglobin D as haemoglobin E using the Variant automated system, **253**
haemopoietic progenitor cells, Detection of small numbers of immature cells in the blood of healthy subjects, **886**
haemostasis, Prothrombin time derived fibrinogen determination on Sysmex CA-6000™, **462**
hCG, Raised serum hCG in a male patient caused by primary jejunal choriocarcinoma, **413**
head and neck carcinoma, Genetic polymorphism of N-acetyltransferase-2, glutathione S-transferase-M1, and cytochromes P450IIE! and P450IID6 in the susceptibility to head and neck cancer, **294**
Histological identification of carcinoma in 21 gauge needle tracks after fine needle aspiration biopsy of head and neck carcinoma, **241**
health economics, Application of the principle of marginal analysis to sampling practice using prostatic chippings as a model, **104**
Health economics and clinical pathology: *editorial*, **90**
heart, High prevalence of acute myocardial damage in a hospital necropsy series, shown by C9 immunohistology, **476**
heart transplantation, Detection of cytomegalovirus in upper gastrointestinal biopsies from heart transplant recipients: comparison of light microscopy, immunocytochemistry, in situ hybridisation, and nested PCR, **807**
Helicobacter pylori, *H pylori* infection is associated with downregulation of E-cadherin, a molecule involved in epithelial cell adhesion and proliferation control, **410**
Assessment of invasion frequencies of cultured HEp-2 cells by clinical isolates of *Helicobacter pylori* using an acridine orange assay, **127**
CagA seropositivity associated with development of gastric cancer in a Japanese population, **225**
Chemokine mRNA expression in gastric mucosa is associated with *Helicobacter pylori* cagA positivity and severity of gastritis, **765**
Clinical and histological associations of cagA and vacA genotypes in *Helicobacter pylori* gastritis, **55**
Detection of *Helicobacter pylori* associated antigen and heat shock protein 60 on follicular dendritic cells in the germinal centres of low grade B cell lymphoma of gastric mucosa associated lymphoid tissue (MALT), **396**
Evaluation of *Helicobacter pylori* vacA genotype in Japanese patients with gastric cancer, **299**
Evidence of novel pathogenic pathways for the formation of antigastric autoantibodies in *Helicobacter pylori* gastritis, **244**
Helicobacter pylori and Epstein–Barr virus infection and the p53 tumour suppressor pathway in gastric stump cancer compared with carcinoma in the non-operated stomach, **662**
Lymphocytic gastritis and *Helicobacter pylori*: a Brazilian survey: *correspondence*, **83**
Lymphocytic gastritis and coeliac disease: evidence of a positive association, **207**
Omeprazole may exert both a bacteriostatic and a bacteriocidal effect on the growth of *Helicobacter pylori* (NCTC 11637) in vitro by inhibiting bacterial urease activity, **220**
Sudden infant death syndrome, long QT interval, and *Helicobacter pylori: letter*, **943**
The significance of cagA and vacA subtypes of *Helicobacter pylori* in the pathogenesis of inflammation and peptic ulceration, **761**
hepatitis B, Routine antenatal screening for hepatitis B using pooled sera: validation and review of 10 years experience, **392**
The polymerase chain reaction—a time of transition from research to routine: *editorial*, **420**
Use of PCR in resolving diagnostic difficulties potentially caused by genetic variation of hepatitis B virus, **149**
hepatitis C, The polymerase chain reaction—a time of transition from research to routine: *editorial*, **420**
hepatitis G, The polymerase chain reaction—a time of transition from research to routine: *editorial*, **420**
hepatocellular carcinoma, Expression of proliferation associated antigens and detection of numerical chromosome aberrations in primary human liver tumours: relevance to tumour characteristics and prognosis, **47**
hereditary haemochromatosis, Development of a multiplex ARMS test for mutations in the HFE gene associated with hereditary haemochromatosis, **73**
hereditary non-polyposis colorectal cancer, Rapid microsatellite analysis of paraffin embedded tumour specimens from patients with hereditary non-polyposis colorectal cancer, **621**
heterozygosity, Loss of heterozygosity and loss of expression of the DCC gene in gastric cancer, **593**
high performance liquid chromatography, Sample dilution to resolve mistaken identification of haemoglobin D as haemoglobin E using the Variant automated system, **253**
histopathology, How to improve low lymph node recovery rates from axillary clearance specimens of breast cancer? A short term audit, **846**
KU activity: a method for calculating histopathologists' workloads, **458**
histopathology audit, The effect of four interventions on the informational content of histopathology reports of resected colorectal carcinomas, **481**
homocysteine, Clinical implications of plasma homocysteine measurement in cardiovascular disease: *leader*, **183**
Homocysteine and cardiovascular disease: *editorial*, **713**
hormone replacement therapy, Breast carcinoma developing in patients on hormone replacement therapy: a histological and immunohistological study, **935**
β human chorionic gonadotrophin, The prognostic significance of β human chorionic gonadotrophin and its metabolites in women with cervical carcinoma, **685**
human papilloma virus, Immunohistochemical expression of mdm2 and $p21^{WAF1}$ in invasive cervical cancer: correlation with p53 protein and high risk HPV infection, **754**
Molecular analysis of ras oncogenes in CIN III and in stage I and II invasive squamous cell carcinoma of the uterine cervix, **576**
human papillomavirus, Aetiology, pathogenesis, and pathology of cervical neoplasia: *leader*, **96**
Detection and typing of human papillomaviruses in mucosal and cutaneous biopsies from immunosuppressed and immunocompetent patients and patients with epidermodysplasia verruciformis: a unified diagnostic approach, **606**
DNA–EIA to detect high and low risk HPV genotypes in cervical lesions with E6/E7 primer mediated multiplex PCR, **38**
Evaluation of immunoassays for the detection and typing of PCR amplified human papillomavirus DNA, **143**
Human papillomavirus DNA in adenosquamous carcinoma of the lung, **741**
Hybrid capture II, a new sensitive test for human papillomavirus detection. Comparison with hybrid capture I and PCR results in cervical lesions, **737**
hybrid capture, Hybrid capture II, a new sensitive test for human papillomavirus detection. Comparison with hybrid capture I and PCR results in cervical lesions, **737**
hydatidiform moles, Interphase cytogenetic and AgNOR analyses of hydatidiform moles, **438**
hypercalcaemia, Value of assessing parathyroid hormone-like activity in a case of extreme hypercalcaemia, **257**
hyperoxaluria, Jejuno-ileal bypass, enteric hyperoxaluria, and oxalate nephrosis: a role for polarised light in the renal biopsy, **700**

imaging, Evaluation of the efficacy of ^{99m}Tc-Infecton, a novel agent for detecting sites of infection, **215**
immune competence, Cytomegalovirus colitis in immunocompetent individual, **475**
immune deficiency, Persistent damage to *Enterocytozoon bieneusi*, with persistent symptomatic relief, after combined furazolidone and albendazole in AIDS patients, **731**

immunoblotting, An immunoblotting procedure comprising O = 9,12 and H = d antigens as an alternative to the Widal agglutination assay, **854**
immunocytochemistry, Detection of small numbers of immature cells in the blood of healthy subjects, **886**
Expression of nitric oxide synthase in inflammatory bowel disease is not affected by corticosteroid treatment, **750**
Fine needle aspiration cytology in the investigation of non-Hodgkin's lymphoma, **189**
Immunocytochemical detection of *Candida albicans* in formalin fixed, paraffin embedded material, **857**
immunodeficiency, Detection of parvovirus B19 in macerated fetal tissue using in situ hybridisation: *correspondence,* **262**
immunofluorescence, The effect on patient management of temporary non-availability of immunofluorescence for renal biopsy reporting, **337**
immunoglobulin avidity, Do IgA, IgE, and IgG avidity tests have any value in the diagnosis of toxoplasma infection in pregnancy?, **312**
immunohistochemistry, Antibody panel in diagnosis of lymphoid neoplasms: *letter,* **638**
Cytokeratin positive T cell malignant lymphoma, **404**
Detection of *Helicobacter pylori* associated antigen and heat shock protein 60 on follicular dendritic cells in the germinal centres of low grade B cell lymphoma of gastric mucosa associated lymphoid tissue (MALT), **396**
Differential expression of CD44v6 in metastases of intestinal and diffuse types of gastric carcinoma, **134**
Expression of proliferation associated antigens and detection of numerical chromosome aberrations in primary human liver tumours: relevance to tumour characteristics and prognosis, **47**
Immunohistochemical localisation of advanced glycation end products in pulmonary fibrosis, **443**
Immunohistochemical staining of normal, hyperplastic, and neoplastic adrenal cortex with a monoclonal antibody against α inhibin, **114**
Immunophenotypic and genotypic characterisation of multiple myelomas with adverse prognosis characterised by immunohistological expression of the T cell related antigen CD45RO (UCHL-1), **432**
Increased expression of proliferating cell nuclear antigen in autoimmune hepatitis in a patient with raised serum concentration of CA19-9, **167**
Malignant fibrothecomatous tumour of the ovary: diagnostic value of anti-inhibin immunostaining, **868**
Polymerase chain reaction and immunohistochemistry frequently detect occult melanoma cells in regional lymph nodes of melanoma patients, **597**
Retinoblastoma (RB1) gene product expression in breast carcinoma. Correlation with Ki-67 growth fraction and biopathological profile, **818**
The EnVision™+ system: a new immunohistochemical method for diagnostics and research. Critical comparison with the APAAP, ChemMate™, CSA, LABC, and SABC techniques, **434**
The expression of β-catenin in non-small-cell lung cancer: a clinicopathological study, **891**
The prognostic significance of β human chorionic gonadotrophin and its metabolites in women with cervical carcinoma, **685**
Variability of immunohistochemical reactivity on stored paraffin slides, **370**
Variability of immunohistochemical reactivity on stored paraffin slides: *letter,* **943**
immunosuppression, The Splendore-Hoeppli phenomenon in hepatic botryomycosis, **399**
in situ end labelling, Comparison of in situ methods to assess DNA cleavage in apoptotic cells in patients with breast cancer, **34**
in situ hybridisation, Comparison of in situ hybridisation and polymerase chain reaction in the diagnosis of B cell lymphoma, **229**
Detection of parvovirus B19 in macerated fetal tissue using in situ hybridisation: *correspondence,* **262**
In situ hybridisation and direct fluorescence antibodies for the detection of *Chlamydia trachomatis* in synovial tissue from patients with reactive arthritis, **803**
In situ localisation of *Yersinia enterocolitica* by catalysed reporter deposition signal amplification, **444**
in situ localisation, In situ localisation of *Yersinia enterocolitica* by catalysed reporter deposition signal amplification, **444**
in situ nick translation, Comparison of in situ methods to assess DNA cleavage in apoptotic cells in patients with breast cancer, **34**
India ink, A pseudo-cryptococcal artefact derived from leucocytes in wet India ink mounts of centrifuged cerebrospinal fluid, **246**
inducible nitric oxide synthase, Expression of nitric oxide synthase in inflammatory bowel disease is not affected by corticosteroid treatment, **750**
infant, Improving the quality of perinatal and infant necropsy examinations: a follow up study, **850**
infective endocarditis, Treated bacterial endocarditis as a histological mimic of fungal infection, **467**
infecton, Evaluation of the efficacy of ^{99m}Tc-Infecton, a novel agent for detecting sites of infection, **215**
inflammation, The significance of cagA and vacA subtypes of *Helicobacter pylori* in the pathogenesis of inflammation and peptic ulceration, **761**
inflammatory bowel disease, Audit of the histopathological diagnosis of non-neoplastic colorectal biopsies: achievable standards for the diagnosis of inflammatory bowel disease, **378**
Expression of nitric oxide synthase in inflammatory bowel disease is not affected by corticosteroid treatment, **750**
inhibin, Immunohistochemical staining of normal, hyperplastic, and neoplastic adrenal cortex with a monoclonal antibody against α inhibin, **114**
Malignant fibrothecomatous tumour of the ovary: diagnostic value of anti-inhibin immunostaining, **868**
injury, Air weapon fatalities, **453**
INR, Accuracy and precision of the TAS analyser for near-patient INR testing by non-pathology staff in the community, **68**
Screening INR deviation of local prothrombin time systems, **356**
α interferon, Autografting as first line treatment for chronic myeloid leukaemia: *leader,* **92**
internalisation, Assessment of invasion frequencies of cultured HEp-2 cells by clinical isolates of *Helicobacter pylori* using an acridine orange assay, **127**
international normalised ratio, The determination of INR in stored whole blood, **360**
international sensitivity index, The importance of "like to like" ISI calibrations with freeze dried plasmas, **275**
internet, Why use the internet to teach pathology?: *leader,* **179**
interphase cytogenetics, Interphase cytogenetic and AgNOR analyses of hydatidiform moles, **438**
intestinal carcinoma, Differential expression of CD44v6 in metastases of intestinal and diffuse types of gastric carcinoma, **134**
intestinal metaplasia, Clinical and histological associations of cagA and vacA genotypes in *Helicobacter pylori* gastritis, **55**
invasion, Differential expression of CD44v6 in metastases of intestinal and diffuse types of gastric carcinoma, **134**
ischaemic gastritis, Biopsy specimen appearances of ischaemic gastritis in splanchnic arterial insufficiency, **255**

jejuno-ileal bypass, Jejuno-ileal bypass, enteric hyperoxaluria, and oxalate nephrosis: a role for polarised light in the renal biopsy, **700**
jejunum, Raised serum hCG in a male patient caused by primary jejunal choriocarcinoma, **413**

keratin, The limited difference between keratin patterns of squamous cell carcinomas and adenocarcinomas is explicable by both cell lineage and state of differentiation of tumour cells, **679**
Ki67, p21$^{WAF1\text{-}CIP1}$ expression in gestational trophoblastic disease: correlation with clinicopathological parameters, and Ki67 and p53 gene expression, **159**
kidney, Unilateral and segmental localised polycystic kidney disease, **703**
Klebsiella pneumoniae, Absence of *Escherichia coli, Listeria monocytogenes,* and *Klebsiella pneumoniae* antigens within inflammatory bowel disease tissues, **657**

laboratory diagnosis, The polymerase chain reaction—a time of transition from research to routine: *editorial,* **420**
laboratory investigation, The laboratory investigation of vaginal discharge: *leader,* **564**
laminin, Expression of extracellular matrix proteins in cervical squamous cell carcinoma—a clinicopathological study, **781**
large granular lymphocyte leukaemia, Association of pure red cell aplasia with T large granular lymphocyte leukaemia, **672**
large loop excision of cervix, Frequency of cervical intraepithelial neoplasia following large loop excision of the transformation zone, **375**
leucocyte artefacts, A pseudo-cryptococcal artefact derived from leucocytes in wet India ink mounts of centrifuged cerebrospinal fluid, **246**
leucocyte esterase, Disappointing dipstick screening for urinary tract infection in hospital inpatients, **471**
ligase chain reaction, The inhibitory effect of phosphate on the ligase chain reaction used for detecting *Chlamydia trachomatis* , **306**
Listeria monocytogenes, Absence of *Escherichia coli, Listeria monocytogenes,* and *Klebsiella pneumoniae* antigens within inflammatory bowel disease tissues, **657**
liver, Thorotrast associated nodular regenerative hyperplasia of the liver, **941**
liver cell adenoma, Expression of proliferation associated antigens and detection of numerical chromosome aberrations in primary human liver tumours: relevance to tumour characteristics and prognosis, **47**
liver neoplasms, Primary yolk sac tumour of the liver in adulthood, **939**
liver transplant, Qualitative and semiquantitative polymerase chain reaction testing for cytomegalovirus DNA in serum allows prediction of CMV related disease in liver transplant recipients, **914**
localised polycystic disease, Unilateral and segmental localised polycystic kidney disease, **703**
lone-star tick, The travels of a lone star tick, **403**

long QT interval, Sudden infant death syndrome, long QT interval, and *Helicobacter pylori*: *letter,* **943**
loss of heterozygosity, Chromosome 3p loss of heterozygosity and mutation analysis of the FHIT and β-cat genes in squamous cell carcinoma of the head and neck, **448**
lung cancer, MUC1 (episialin) expression in non-small cell lung cancer is independent of EGFR and c-erbB-2 expression and correlates with poor survival in node positive patients, **667**
lungs, Postmortem examination of the lungs: a preservation technique for opening the bronchi and pulmonary arteries individually without transection problems, **163**
lymph node, Fine needle aspiration cytology diagnosis of malignant lymphoma and reactive lymphoid hyperplasia, **197**
lymph node recovery, How to improve low lymph node recovery rates from axillary clearance specimens of breast cancer? A short term audit, **846**
lymph nodes, Fine needle aspiration of lymph nodes: *leader,* **881**
How many lymph nodes to stage colorectal carcinoma?, **165**
lymphadenitis, Atypical mycobacterial lymphadenitis in childhood—a clinicopathological study of 17 cases, **925**
lymphocytic gastritis, Adenocarcinoma of the small bowel, coeliac disease, and lymphocytic gastritis: *letter,* **878**
Lymphocytic gastritis and coeliac disease: evidence of a positive association, **207**
Lymphocytic gastritis and *Helicobacter pylori*: a Brazilian survey: *correspondence,* **83**
lymphoepithelioma, Presence of Epstein-Barr virus in lymphoepithelioma-like carcinoma of the middle ear, **602**
lymphoma, Familial pancreatic lymphoma, **80**
Fine needle aspiration cytology diagnosis of malignant lymphoma and reactive lymphoid hyperplasia, **197**
Fine needle aspiration cytology in the investigation of non-Hodgkin's lymphoma, **189**
Hepatitis G virus infection in lymphoma and in blood donors, **676**
Lymphoma associated bone marrow necrosis with raised anticardiolipin antibody, **407**
Soft tissue malignant lymphoma at sites of previous surgery, **629**
lysozyme, Absence of lysozyme (muramidase) in the intestinal Paneth cells of newborn infants with necrotising enterocolitis, **440**

male breast tissue, Pseudoangiomatous hyperplasia of mammary stroma associated with gynaecomastia, **204**
malignant lymphoma, Cytokeratin positive T cell malignant lymphoma, **404**
MALT lymphoma, Detection of *Helicobacter pylori* associated antigen and heat shock protein 60 on follicular dendritic cells in the germinal centres of low grade B cell lymphoma of gastric mucosa associated lymphoid tissue (MALT), **396**
Sequential malt lymphomas of the stomach, small intestine, and gall bladder, **77**
Manpower necropsy rate, Manpower is another influential factor of necropsy rate: *correspondence,* **83**
marginal analysis, Application of the principle of marginal analysis to sampling practice using prostatic chippings as a model, **104**
Health economics and clinical pathology: *editorial,* **90**
mdm2, Immunohistochemical expression of mdm2 and p21^{WAF1} in invasive cervical cancer: correlation with p53 protein and high risk HPV infection, **754**
Meckel's diverticulum, Villous adenoma arising in Meckel's diverticulum, **485**
melanoma, Polymerase chain reaction and immunohistochemistry frequently detect occult melanoma cells in regional lymph nodes of melanoma patients, **597**
The dysplastic naevus: *correspondence,* **174**
meningitis, Fatal *Serratia marcescens* meningitis and myocarditis in a patient with an indwelling urinary catheter, **789**
metabolic bone disease, Vitamin K and metabolic bone disease: *leader,* **424**
Vitamin K and metabolic bone disease: *letter,* **943**
metabolic medicine, Clinical experience of trainees in chemical pathology: a survey of junior medical staff in the United Kingdom: *letter,* **711**
metastases, Differential expression of CD44v6 in metastases of intestinal and diffuse types of gastric carcinoma, **134**
Polymerase chain reaction and immunohistochemistry frequently detect occult melanoma cells in regional lymph nodes of melanoma patients, **597**
metastatic carcinomas, Differential expression of the cancer associated antigens T (Thomsen-Friedenreich) and Tn to the skin in primary and metastatic carcinomas, **588**
Mib-1, Telomerase expression shows differences across multiple regions of oligodendroglioma versus high grade astrocytomas but shows correlation with Mib-1 labelling, **284**
microbiology, The value of a thorough protocol in the investigation of sudden infant deaths, **689**
microscopic colitis, Ticlopidine induced colitis: a histopathological study including apoptosis, **280**
millennium bug, Facing up to the year 2000 computer bug: *editorial,* **177**
minimum spanning tree, Quantitative assessment of gastric atrophy using the syntactic structure analysis, **895**
misdiagnosis, Treated bacterial endocarditis as a histological mimic of fungal infection, **467**
mitochondrial deletions, Age related somatic mitochondrial DNA deletions in bone, **117**
müllerian papilloma, Borderline malignant change in recurrent müllerian papilloma of the vagina, **875**
molecular genetics, Classification of acute leukaemia: the need to incorporate cytogenetic and molecular genetic information: *leader,* **420**
molecular mimicry, Evidence of novel pathogenic pathways for the formation of antigastric autoantibodies in *Helicobacter pylori* gastritis, **244**
molecular typing, Application of molecular typing to the epidemiology of *Streptococcus pneumoniae* : *leader,* **270**
morphological diagnosis, Is the practice of haematology evidence based? II. Evidence based morphological diagnosis: *editorial,* **417**
morphometry, Quantitative histopathology can aid diagnosis in painful bladder syndrome, **211**
mRNA expression, Loss of heterozygosity and loss of expression of the DCC gene in gastric cancer, **593**
multiple myeloma, Immunophenotypic and genotypic characterisation of multiple myelomas with adverse prognosis characterised by immunohistological expression of the T cell related antigen CD45RO (UCHL-1), **432**
Increased sialylation of oligosaccharides on IgG paraproteins—a potential new tumour marker in multiple myeloma, **825**
Unusual aetiology of persistent back pain in a patient with multiple myeloma: infectious discitis, **633**
multiplex ARMS analysis, Development of a multiplex ARMS test for mutations in the HFE gene associated with hereditary haemochromatosis, **73**
mutation analysis, Chromosome 3p loss of heterozygosity and mutation analysis of the FHIT and β-cat genes in squamous cell carcinoma of the head and neck, **448**
Mycobacterium tuberculosis, Not everything acid fast is *Mycobacterium tuberculosis*—a case report, **463**
Mycobacterium tuberculosis, A rapid polymerase chain reaction technique for detecting *M tuberculosis* in a variety of clinical specimens, **922**
myelodysplastic syndrome, An unusual cutaneous manifestation of myelodysplastic syndrome: "pseudo-Koebner phenomenon", **860**
myelomonocytes, Obstructive uropathy associated with myelomonocytic infiltration of the prostate, **340**
myocardial damage, High prevalence of acute myocardial damage in a hospital necropsy series, shown by C9 immunohistology, **476**
myocardial infarction, Early diagnosis of myocardial infarction: why measure cardiac enzymes?: *editorial,* **2**
Early diagnosis of myocardial infarction: *letter,* **487**
myocarditis, Fatal *Serratia marcescens* meningitis and myocarditis in a patient with an indwelling urinary catheter, **789**
myoepithelial carcinoma, Epithelial-myoepithelial carcinoma?: *letter,* **944**
Myoepithelial carcinoma (malignant myoepithelioma) of the parotid gland arising in a pleomorphic adenoma, **480**

N-acetyltransferase, Genetic polymorphism of N-acetyltransferase-2, glutathione S-transferase-M1, and cytochromes P450IIE1 and P450IID6 in the susceptibility to head and neck cancer, **294**
near patient diagnosis, Improved FNA cytology results with a near patient diagnosis service for non-breast lesions, **469**
near-patient testing, Accuracy and precision of the TAS analyser for near-patient INR testing by non-pathology staff in the community, **68**
Decentralised anticoagulant care: *editorial,* **89**
necropsy, A practical approach to suspicious death in infancy—a personal view: *leader,* **561**
Improving the quality of perinatal and infant necropsy examinations: a follow up study, **850**
Postmortem examination of the lungs: a preservation technique for opening the bronchi and pulmonary arteries individually without transection problems, **163**
The value of a thorough protocol in the investigation of sudden infant deaths, **689**
necropsy examination, Unacceptably high site variability in postmortem blood alcohol analysis, **250**
necropsy reporting, Use of histopathology in the practice of necropsy: *correspondence,* **262**
necrosis, Spontaneous regression of renal cell carcinoma: a pitfall in diagnosis of renal lesions, **334**
necrotising enterocolitis, Absence of lysozyme (muramidase) in the intestinal Paneth cells of newborn infants with necrotising enterocolitis, **440**
neoadjuvant hormonal treatment, Pathological changes in prostate lesions after androgen manipulation: *leader,* **5**
neonates, Identification of multiresistant *Staphylococcus epidermidis* in neonates of a secondary care hospital using pulsed field gel electrophoresis and quantitative antibiogram typing, **62**
neuroblastoma-like tumour, Schwannoma with features mimicking neuroblastoma: report of two cases with immunohistochemical and ultrastructural findings, **842**

neuroendocrine cell hyperplasia, Neuroendocrine cell hyperplasia in colonic tissue used for long term augmentation cystoplasty, **258**
neutrophil, Chemokine mRNA expression in gastric mucosa is associated with *Helicobacter pylori* cagA positivity and severity of gastritis, **765**
nitric oxide synthase, Endothelial nitric oxide synthase immunoreactivity in early gestation and in trophoblastic disease, **427**
nitrite, Disappointing dipstick screening for urinary tract infection in hospital inpatients, **471**
Nocardia asteroides, Not everything acid fast is *Mycobacterium tuberculosis*—a case report, **463**
nodular regenerative hyperplasia, Thorotrast associated nodular regenerative hyperplasia of the liver, **941**
nomogram for calcium excretion, Value of assessing parathyroid hormone-like activity in a case of extreme hypercalcaemia, **257**
non-accidental injury, A practical approach to suspicious death in infancy—a personal view: *leader,* **561**
non-Hodgkin's lymphoma, Familial pancreatic lymphoma, **80**
Fine needle aspiration and the diagnosis of non-Hodgkin's lymphoma: *letter,* **712**
Fine needle aspiration cytology in the investigation of non-Hodgkin's lymphoma, **189**
The role of alternative splicing of the adhesion molecule, CD44, in lymphoid malignancy, **776**
Value of assessing parathyroid hormone-like activity in a case of extreme hypercalcaemia, **257**
non-small-cell lung cancer, The expression of β-catenin in non-small-cell lung cancer: a clinicopathological study, **891**
normal serum constituents, The identification of salicylates as normal constituents of serum: a link between diet and health?, **430**
nutrition, Clinical experience of trainees in chemical pathology: a survey of junior medical staff in the United Kingdom: *letter,* **711**

oesophagus, Intraepithelial haemorrhage of the oesophagus: a terminal event in haematological disorders, **838**
oligodendroglioma, Telomerase expression shows differences across multiple regions of oligodendroglioma versus high grade astrocytomas but shows correlation with Mib-1 labelling, **284**
omeprazole, Omeprazole may exert both a bacteriostatic and a bacteriocidal effect on the growth of *Helicobacter pylori* (NCTC 11637) in vitro by inhibiting bacterial urease activity, **220**
oral squamous cell carcinoma, Expression of vascular endothelial growth factor in human oral squamous cell carcinoma: its association with tumour progression and p53 gene status, **771**
orthopaedic surgery, Soft tissue malignant lymphoma at sites of previous surgery, **629**
osteoclast, Study of the cell biology and biochemistry of cherubism, **831**
outbreak, The use of serodiagnosis in the retrospective investigation of a nursery outbreak associated with *Escherichia coli* O157:H7, **426**
ovarian cancer, Multivariate analyses of DNA index, p62$^{c\text{-}erbB\text{-}2}$, and clinicopathological status of patients with ovarian cancer, **455**
ovarian steroid cell tumour, A renin secreting ovarian steroid cell tumour associated with secondary polycythaemia, **75**
ovarian tumour, Malignant fibrothecomatous tumour of the ovary: diagnostic value of anti-inhibin immunostaining, **868**
oxidative stress, Age related somatic mitochondrial DNA deletions in bone, **117**

p21$^{WAF1/CIP1}$, p21$^{WAF1/CIP1}$ expression in gestational trophoblastic disease: correlation with clinicopathological parameters, and Ki67 and p53 gene expression, **159**
p21/WAF1/Cip1, Immunohistochemical expression of mdm2 and p21^{WAF1} in invasive cervical cancer: correlation with p53 protein and high risk HPV infection, **754**
p53, Breast carcinoma developing in patients on hormone replacement therapy: a histological and immunohistological study, **935**
Expression of vascular endothelial growth factor in human oral squamous cell carcinoma: its association with tumour progression and p53 gene status, **771**
Immunohistochemical expression of mdm2 and p21^{WAF1} in invasive cervical cancer: correlation with p53 protein and high risk HPV infection, **754**
Helicobacter pylori and Epstein–Barr virus infection and the p53 tumour suppressor pathway in gastric stump cancer compared with carcinoma in the non-operated stomach, **662**
Neural cell adhesion molecule L1 in gliomas: correlation with TGF-β and p53, **13**
p21$^{WAF1/CIP1}$ expression in gestational trophoblastic disease: correlation with clinicopathological parameters, and Ki67 and p53 gene expression, **159**
p53 gene, Mutations of p53 gene can be detected in the plasma of patients with large bowel carcinoma, **611**
p53 protein, Myoepithelial carcinoma (malignant myoepithelioma) of the parotid gland arising in a pleomorphic adenoma, **480**
painful bladder syndrome, Quantitative histopathology can aid diagnosis in painful bladder syndrome, **211**
pancreas, Familial pancreatic lymphoma, **80**
Pancreatic cancer and fibrinogen storage disease, **865**
Paneth cells, Absence of lysozyme (muramidase) in the intestinal Paneth cells of newborn infants with necrotising enterocolitis, **440**
papillomavirus, Human papillomavirus infection with particular reference to genital disease: *leader,* **643**
paraffin embedded tissue, Rapid microsatellite analysis of paraffin embedded tumour specimens from patients with hereditary non-polyposis colorectal cancer, **621**
paraffin slides, Variability of immunohistochemical reactivity on stored paraffin slides, **370**
Variability of immunohistochemical reactivity on stored paraffin slides: *letter,* **943**
paraganglioma, Cytokeratin expression in adrenal phaeochromocytomas and extra-adrenal paragangliomas, **477**
paraproteins, Increased sialylation of oligosaccharides on IgG paraproteins—a potential new tumour marker in multiple myeloma, **825**
parathyroid hormone, Study of the cell biology and biochemistry of cherubism, **831**
Value of assessing parathyroid hormone-like activity in a case of extreme hypercalcaemia, **257**
parvovirus B19, Detection of parvovirus B19 in macerated fetal tissue using in situ hybridisation: *correspondence,* **262**
pathology reporting, How much work do you do in a day?: *editorial,* **642**
PCR-ELISA, PCR-ELISA for the early diagnosis of invasive pulmonary aspergillus infection in neutropenic patients, **652**
penicillamine, A case of systemic pseudo-pseudoxanthoma elasticum with diverse symptomatology caused by long term penicillamine use, **169**
peptic ulcer, Clinical and histological associations of cagA and vacA genotypes in *Helicobacter pylori* gastritis, **55**
peptic ulceration, The significance of cagA and vacA subtypes of *Helicobacter pylori* in the pathogenesis of inflammation and peptic ulceration, **761**
performance monitoring, Internal quality assurance activities of a surgical pathology department in an Australian teaching hospital, **695**
perinatal, Improving the quality of perinatal and infant necropsy examinations: a follow up study, **850**
perinuclear antineutrophil cytoplasmic antibodies, Ulcerative colitis and perinuclear antineutrophil cytoplasmic antibodies: *letter,* **343**
perioperative death, Bronchioloalveolar carcinoma with metastasis to the pituitary gland: a case report, **931**
peripheral blood stem cell transplantation, Peripheral blood stem cell transplants: *leader,* **351**
Peripheral blood stem cell transplants: *leader,* **351**
peripheral neuropathy, Antiganglioside antibodies in peripheral neuropathies: *editorial,* **641**
phaeochromocytoma, CD44 expression in normal adrenal tissue and adrenal tumours, **52**
Cytokeratin expression in adrenal phaeochromocytomas and extra-adrenal paragangliomas, **477**
phosphate inhibition, The inhibitory effect of phosphate on the ligase chain reaction used for detecting *Chlamydia trachomatis* , **306**
phyllodes tumour, Local recurrence of a phyllodes tumour of the breast presenting with widespread differentiation to a telangiectatic osteosarcoma, **706**
pituitary metastasis, Bronchioloalveolar carcinoma with metastasis to the pituitary gland: a case report, **931**
placenta, Endothelial nitric oxide synthase immunoreactivity in early gestation and in trophoblastic disease, **427**
plasma cells, Immunophenotypic and genotypic characterisation of multiple myelomas with adverse prognosis characterised by immunohistological expression of the T cell related antigen CD45RO (UCHL-1), **432**
pleomorphic adenoma, Epithelial-myoepithelial carcinoma?: *letter,* **944**
Myoepithelial carcinoma (malignant myoepithelioma) of the parotid gland arising in a pleomorphic adenoma, **480**
ploidy, Interphase cytogenetic and AgNOR analyses of hydatidiform moles, **438**
polycystic disease, Unilateral and segmental localised polycystic kidney disease, **703**
polycythaemia, A renin secreting ovarian steroid cell tumour associated with secondary polycythaemia, **75**
Diagnosis of polycythaemia: *editorial,* **1**
polymerase chain reaction, A rapid polymerase chain reaction technique for detecting *M tuberculosis* in a variety of clinical specimens, **922**
Comparison of in situ hybridisation and polymerase chain reaction in the diagnosis of B cell lymphoma, **229**
Detection of cytomegalovirus in upper gastrointestinal biopsies from heart transplant recipients: comparison of light microscopy, immunocytochemistry, in situ hybridisation, and nested PCR, **807**
Detection of *Aspergillus fumigatus* PCR products by a microtitre plate based DNA hybridisation assay, **617**
DNA–EIA to detect high and low risk HPV genotypes in cervical lesions with E6/E7 primer mediated multiplex PCR, **38**

Evaluation of immunoassays for the detection and typing of PCR amplified human papillomavirus DNA, **143**
Human papillomavirus DNA in adenosquamous carcinoma of the lung, **741**
Qualitative and semiquantitative polymerase chain reaction testing for cytomegalovirus DNA in serum allows prediction of CMV related disease in liver transplant recipients, **914**
The polymerase chain reaction—a time of transition from research to routine: *editorial*, **420**
Use of PCR in resolving diagnostic difficulties potentially caused by genetic variation of hepatitis B virus, **149**
polymerase chain reaction/denaturing gradient gel electrophoresis, Differentiation between actinic reticuloid and cutaneous T cell lymphoma by T cell receptor γ gene rearrangement analysis and immunophenotyping, **154**
postmenopausal bleeding, Pinworms and postmenopausal bleeding, **401**
pRb, Retinoblastoma (RB1) gene product expression in breast carcinoma. Correlation with Ki-67 growth fraction and biopathological profile, **818**
pre-eclampsia, Apolipoprotein E alleles in women with severe pre-eclampsia, **324**
pregnancy, Do IgA, IgE, and IgG avidity tests have any value in the diagnosis of toxoplasma infection in pregnancy?, **312**
pre-plasma cell precursors, Immunophenotypic and genotypic characterisation of multiple myelomas with adverse prognosis characterised by immunohistological expression of the T cell related antigen CD45RO (UCHL-1), **432**
prion disease, Prion diseases: what will be next?: *leader*, **265**
prognosticators, Endometrial carcinoma: immunohistochemically detected proliferation index is a prognosticator of long term outcome, **25**
proliferated bile ductules, Increased expression of proliferating cell nuclear antigen in autoimmune hepatitis in a patient with raised serum concentration of CA19-9, **167**
proliferating cell nuclear antigen, Increased expression of proliferating cell nuclear antigen in autoimmune hepatitis in a patient with raised serum concentration of CA19-9, **167**
proliferation, Proliferation markers in tumours: interpretation and clinical value: *leader*, **716**
proliferation antigens, Expression of proliferation associated antigens and detection of numerical chromosome aberrations in primary human liver tumours: relevance to tumour characteristics and prognosis, **47**
proliferation rate, Endometrial carcinoma: immunohistochemically detected proliferation index is a prognosticator of long term outcome, **25**
prostate, Obstructive uropathy associated with myelomonocytic infiltration of the prostate, **340**
prostate adenocarcinoma, Pseudomyxoma ovariilike posttherapeutic alteration in prostate adenocarcinoma: *letter*, **878**
prostate cancer, De novo expression of CD44 in prostate carcinoma is correlated with systemic dissemination of prostate cancer, **798**
Latest tests for prostatic neoplasia: *leader*, **347**
Pathological changes in prostate lesions after androgen manipulation: *leader*, **5**
prostate specific antigen, Latest tests for prostatic neoplasia: *leader*, **347**
prostatic chippings, Application of the principle of marginal analysis to sampling practice using prostatic chippings as a model, **104**
prostatic intraepithelial neoplasia, De novo expression of CD44 in prostate carcinoma is correlated with systemic dissemination of prostate cancer, **798**
prothrombin time, Prothrombin time derived fibrinogen determination on Sysmex CA-6000™, **462**
The determination of INR in stored whole blood, **360**
pseudoangiomatous hyperplasia, Pseudoangiomatous hyperplasia of mammary stroma associated with gynaecomastia, **204**
pseudo-Koebner phenomenon, An unusual cutaneous manifestation of myelodysplastic syndrome: "pseudo-Koebner phenomenon", **860**
pseudomyxoma, Pseudomyxoma ovariilike posttherapeutic alteration in prostate adenocarcinoma: *letter*, **878**
pseudoxanthoma elasticum, A case of systemic pseudoxanthoma elasticum with diverse symptomatology caused by long term penicillamine use, **169**
PTH-rP, Value of assessing parathyroid hormone-like activity in a case of extreme hypercalcaemia, **257**
pulmonary fibrosis, Immunohistochemical localisation of advanced glycation end products in pulmonary fibrosis, **443**
pulsed field gel electrophoresis, Identification of multiresistant *Staphylococcus epidermidis* in neonates of a secondary care hospital using pulsed field gel electrophoresis and quantitative antibiogram typing, **62**
pure red cell aplasia, Association of pure red cell aplasia with T large granular lymphocyte leukaemia, **672**
pyloric stenosis, Adult hypertrophic pyloric stenosis: case report and review, **479**
quality control, Accuracy and precision of the TAS analyser for near-patient INR testing by non-pathology staff in the community, **68**
Internal quality assurance activities of a surgical pathology department in an Australian teaching hospital, **695**
The effect of four interventions on the informational content of histopathology reports of resected colorectal carcinomas, **481**
quantitative flow cytometry, Levels of expression of CD19 and CD20 in chronic B cell leukaemias, **364**

radical prostatectomy, Pathological changes in prostate lesions after androgen manipulation: *leader*, **5**
rapid microsatellite analysis, Rapid microsatellite analysis of paraffin embedded tumour specimens from patients with hereditary non-polyposis colorectal cancer, **621**
ras, Molecular analysis of ras oncogenes in CIN III and in stage I and II invasive squamous cell carcinoma of the uterine cervix, **576**
reactive arthritis, In situ hybridisation and direct fluorescence antibodies for the detection of *Chlamydia trachomatis* in synovial tissue from patients with reactive arthritis, **803**
red cell mass, Diagnosis of polycythaemia: *editorial*, **1**
regression, Spontaneous regression of renal cell carcinoma: a pitfall in diagnosis of renal lesions, **334**
renal allograft rejection, Diagnosis of early acute renal allograft rejection by evaluation of multiple histological features using a Bayesian belief network, **108**
renal cell carcinoma, Spontaneous regression of renal cell carcinoma: a pitfall in diagnosis of renal lesions, **334**
renal failure, Jejuno-ileal bypass, enteric hyperoxaluria, and oxalate nephrosis: a role for polarised light in the renal biopsy, **700**
renin secretion., A renin secreting ovarian steroid cell tumour associated with secondary polycythaemia, **75**
reporting, Evidence of effectiveness of clinical audit in improving histopathology reporting standards of mastectomy specimens, **30**
retinoblastoma, Retinoblastoma (RB1) gene product expression in breast carcinoma. Correlation with Ki-67 growth fraction and biopathological profile, **818**
risk factors, Clinical implications of plasma homocysteine measurement in cardiovascular disease: *leader*, **183**
rosette formation, Schwannoma with features mimicking neuroblastoma: report of two cases with immunohistochemical and ultrastructural findings, **842**

S typhi, An immunoblotting procedure comprising O = 9,12 and H = d antigens as an alternative to the Widal agglutination assay, **854**
salicylic acid, The identification of salicylates as normal constituents of serum: a link between diet and health?, **430**
salivary gland, Myoepithelial carcinoma (malignant myoepithelioma) of the parotid gland arising in a pleomorphic adenoma, **480**
sampling, Application of the principle of marginal analysis to sampling practice using prostatic chippings as a model, **104**
schwannoma, Schwannoma with features mimicking neuroblastoma: report of two cases with immunohistochemical and ultrastructural findings, **842**
screening, Routine antenatal screening for hepatitis B using pooled sera: validation and review of 10 years experience, **392**
secretory carcinoma, Secretory breast carcinoma in a 66 year old man, **473**
selective media, Isolation of *Burkholderia cepacia* by enrichment, **485**
serodiagnosis, The use of serodiagnosis in the retrospective investigation of a nursery outbreak associated with *Escherichia coli* O157:H7, **426**
Serratia marcescens, Fatal *Serratia marcescens* meningitis and myocarditis in a patient with an indwelling urinary catheter, **789**
sialylation, Increased sialylation of oligosaccharides on IgG paraproteins—a potential new tumour marker in multiple myeloma, **825**
sickle cell disease, A survey of current United Kingdom practice for antenatal screening for inherited disorders of globin chain synthesis, **382**
SIDS, Sudden infant death syndrome, long QT interval, and *Helicobacter pylori*: *letter*, **943**
Sudden infant death syndrome (SIDS): the search for the cause: *editorial*, **419**
silicone leakage, Pathology of silicone leakage from breast implants: *leader*, **421**
skin carcinomas, Differential expression of the cancer associated antigens T (Thomsen-Friedenreich) and Tn to the skin in primary and metastatic carcinomas, **588**
skin puncture blood sampling, Measurement of haemoglobin using single drops of skin puncture blood: is precision acceptable?, **248**
small intestine, Sequential malt lymphomas of the stomach, small intestine, and gall bladder, **77**
software, Facing up to the year 2000 computer bug: *editorial*, **177**
species specificity, The importance of "like to like" ISI calibrations with freeze dried plasmas, **275**
splanchnic arterial insufficiency, Biopsy specimen appearances of ischaemic gastritis in splanchnic arterial insufficiency, **255**
Splendore-Hoeppli phenomenon, The Splendore-Hoeppli phenomenon in hepatic botryomycosis, **399**
spontaneous abortion, Decreased type V collagen expression in human decidual tissues of spontaneous abortion during early pregnancy, **44**

spontaneous bacterial peritonitis, Changes in nature and antibiotic resistance of bacteria causing peritonitis in cirrhotic patients over a 20 year period, **614**
squamous cell carcinoma, Expression of extracellular matrix proteins in cervical squamous cell carcinoma—a clinicopathological study, **781**
Histological identification of carcinoma in 21 gauge needle tracks after fine needle aspiration biopsy of head and neck carcinoma, **241**
Patterns of expressions of transforming growth factor and epidermal growth factor receptor in squamous cell lesions of the urinary bladder, **583**
squamous cell carcinoma of head and neck, Chromosome 3p loss of heterozygosity and mutation analysis of the FHIT and β-cat genes in squamous cell carcinoma of the head and neck, **448**
Staphylococcus aureus, Unusual aetiology of persistent back pain in a patient with multiple myeloma: infectious discitis, **633**
Staphylococcus epidermidis, Identification of multiresistant *Staphylococcus epidermidis* in neonates of a secondary care hospital using pulsed field gel electrophoresis and quantitative antibiogram typing, **62**
stem cells, Peripheral blood stem cell transplants: *leader,* **351**
Peripheral blood stem cell transplants: *leader,* **351**
steroid hormone receptors, Endometrial leucocytes: expression of steroid hormone receptors, **121**
stomach, *Helicobacter pylori* and Epstein–Barr virus infection and the p53 tumour suppressor pathway in gastric stump cancer compared with carcinoma in the non-operated stomach, **662**
Sequential malt lymphomas of the stomach, small intestine, and gall bladder, **77**
stored slides, Variability of immunohistochemical reactivity on stored paraffin slides, **370**
streptococcal botryomycosis, The Splendore-Hoeppli phenomenon in hepatic botryomycosis, **399**
Streptococcus bovis, A prospective controlled study of the association of *Streptococcus bovis* with colorectal carcinoma, **473**
Streptococcus milleri, Laboratory identification of *Streptococcus milleri: correspondence,* **174**
Streptococcus pneumoniae, Application of molecular typing to the epidemiology of *Streptococcus pneumoniae* : *leader,* **270**
sudden infant death syndrome, A practical approach to suspicious death in infancy—a personal view: *leader,* **561**
Antimony in blood and urine of infants, **238**
The value of a thorough protocol in the investigation of sudden infant deaths, **689**
surgery, *Candida albicans* blastoconidia in peripheral blood smears from non-neutropenic surgical patients, **465**
surgical pathology, Internal quality assurance activities of a surgical pathology department in an Australian teaching hospital, **695**
survival, Effect of desiccation on the ultrastructural appearances of *Acinetobacter baumannii* and *Acinetobacter lwoffii* , **786**
Sydney system, Quantitative assessment of gastric atrophy using the syntactic structure analysis, **895**
synovial sarcoma, Intravascular synovial sarcoma, **172**

T cell receptor gene rearrangement, Differentiation between actinic reticuloid and cutaneous T cell lymphoma by T cell receptor γ gene rearrangement analysis and immunophenotyping, **154**
teaching, Why use the internet to teach pathology?: *leader,* **179**
telepathology, Telepathology: assessment of the implications and applications of telepathology for practical diagnostic pathology: *editorial,* **714**
telomerase, Telomerase expression shows differences across multiple regions of oligodendroglioma versus high grade astrocytomas but shows correlation with Mib-1 labelling, **284**
terminal intraepithelial haemorrhage, Intraepithelial haemorrhage of the oesophagus: a terminal event in haematological disorders, **838**
thalassaemia, A survey of current United Kingdom practice for antenatal screening for inherited disorders of globin chain synthesis, **382**
therapeutic decision making, The effect on patient management of temporary non-availability of immunofluorescence for renal biopsy reporting, **337**
Thomsen-Friedenreich antigen, Differential expression of the cancer associated antigens T (Thomsen-Friedenreich) and Tn to the skin in primary and metastatic carcinomas, **588**
Thorotrast, Thorotrast associated nodular regenerative hyperplasia of the liver, **941**
throat swabs, Comparison of throat swabs with sputum specimens for the detection of *Chlamydia pneumoniae* antigen by direct immunofluorescence, **309**
Thrombolytic Assessment System analyser, Accuracy and precision of the TAS analyser for near-patient INR testing by non-pathology staff in the community, **68**
thromboplastin, Screening INR deviation of local prothrombin time systems, **356**
The importance of "like to like" ISI calibrations with freeze dried plasmas, **275**
ticlopidine, Ticlopidine induced colitis: a histopathological study including apoptosis, **280**
tissue architecture, Quantitative assessment of gastric atrophy using the syntactic structure analysis, **895**
tissue cassettes, How many lymph nodes to stage colorectal carcinoma?, **165**
toxoplasmosis, Do IgA, IgE, and IgG avidity tests have any value in the diagnosis of toxoplasma infection in pregnancy?, **312**
training, Clinical experience of trainees in chemical pathology: a survey of junior medical staff in the United Kingdom: *letter,* **711**
transforming growth factor α, Patterns of expressions of transforming growth factor and epidermal growth factor receptor in squamous cell lesions of the urinary bladder, **583**
transforming growth factor β, Neural cell adhesion molecule L1 in gliomas: correlation with TGF-β and p53, **13**
trientene dihydrochloride, A case of systemic pseudopseudoxanthoma elasticum with diverse symptomatology caused by long term penicillamine use, **169**
trophoblastic disease, Endothelial nitric oxide synthase immunoreactivity in early gestation and in trophoblastic disease, **427**
troponins, Early diagnosis of myocardial infarction: why measure cardiac enzymes?: *editorial,* **2**
tuberculosis, Unusual aetiology of persistent back pain in a patient with multiple myeloma: infectious discitis, **633**
tubular function, Effect of kidney function and disease status on urinary tissue factor measurements, **234**
tubulo-interstitial nephritis, Jejuno-ileal bypass, enteric hyperoxaluria, and oxalate nephrosis: a role for polarised light in the renal biopsy, **700**
tumour, Progression from colorectal adenoma to carcinoma is associated with non-random chromosomal gains as detected by comparative genomic hybridisation, **901**
tumour diagnosis, Proliferation markers in tumours: interpretation and clinical value: *leader,* **716**
tumour markers, Mutations of p53 gene can be detected in the plasma of patients with large bowel carcinoma, **611**
tumour prognosis, Proliferation markers in tumours: interpretation and clinical value: *leader,* **716**
TUNEL, Comparison of in situ methods to assess DNA cleavage in apoptotic cells in patients with breast cancer, **34**
typing, Evaluation of immunoassays for the detection and typing of PCR amplified human papillomavirus DNA, **143**
Identification of multiresistant *Staphylococcus epidermidis* in neonates of a secondary care hospital using pulsed field gel electrophoresis and quantitative antibiogram typing, **62**
tyrosinase, Polymerase chain reaction and immunohistochemistry frequently detect occult melanoma cells in regional lymph nodes of melanoma patients, **597**

ulcer disease, Assessment of invasion frequencies of cultured HEp-2 cells by clinical isolates of *Helicobacter pylori* using an acridine orange assay, **127**
ulcerative colitis, Expression of nitric oxide synthase in inflammatory bowel disease is not affected by corticosteroid treatment, **750**
Ulcerative colitis and perinuclear antineutrophil cytoplasmic antibodies: *letter,* **343**
ulcerative enteritis, Lymphocytic gastritis and coeliac disease: evidence of a positive association, **207**
unstained slides, Variability of immunohistochemical reactivity on stored paraffin slides, **370**
urachus, Stage 0 mucinous adenocarcinoma in situ of the urachus, **483**
urease, Omeprazole may exert both a bacteriostatic and a bacteriocidal effect on the growth of *Helicobacter pylori* (NCTC 11637) in vitro by inhibiting bacterial urease activity, **220**
urinary retention, Obstructive uropathy associated with myelomonocytic infiltration of the prostate, **340**
urinary tissue factor, Effect of kidney function and disease status on urinary tissue factor measurements, **234**
urinary tract, Anaerobic infections of the urinary tract: are they being missed?, **709**
urine, A method for the confirmation and identification of drugs of misuse in urine using solid phase extraction and gas–liquid chromatography with mass spectrometry, **326**
Antimony in blood and urine of infants, **238**
uterine cervix, Expression of extracellular matrix proteins in cervical squamous cell carcinoma—a clinicopathological study, **781**

vacA, Clinical and histological associations of cagA and vacA genotypes in *Helicobacter pylori* gastritis, **55**
Evaluation of *Helicobacter pylori* vacA genotype in Japanese patients with gastric cancer, **299**
The significance of cagA and vacA subtypes of *Helicobacter pylori* in the pathogenesis of inflammation and peptic ulceration, **761**
vaccine, AIDS vaccine development: let a thousand flowers bloom: *leader,* **725**
vagina, Borderline malignant change in recurrent müllerian papilloma of the vagina, **875**
vaginal discharge, The laboratory investigation of vaginal discharge: *leader,* **564**
vaginal tumours, Vaginal epithelioid angiosarcoma, **928**

vascular endothelial growth factor, Expression of vascular endothelial growth factor in human oral squamous cell carcinoma: its association with tumour progression and p53 gene status, **771**
vasculitis, A review of immunofluorescent patterns associated with antineutrophil cytoplasmic antibodies (ANCA) and their differentiation from other antibodies, **568**
villous adenoma, Villous adenoma arising in Meckel's diverticulum, **485**
viral carcinogenesis, Detection and typing of human papillomaviruses in mucosal and cutaneous biopsies from immunosuppressed and immunocompetent patients and patients with epidermodysplasia verruciformis: a unified diagnostic approach, **606**
viral hepatitis, Hepatitis G virus infection in lymphoma and in blood donors, **676**
vitamin K, Vitamin K and metabolic bone disease: *leader,* **424**
Vitamin K and metabolic bone disease: *letter,* **943**
Vitek analyser, The Vitek analyser for routine bacterial identification and susceptibility testing: protocols, problems, and pitfalls, **316**
vitreous humour, Unacceptably high site variability in postmortem blood alcohol analysis, **250**
warfarin, The determination of INR in stored whole blood, **360**
WHO, An inexpensive and reliable new haemoglobin colour scale for assessing anaemia, **21**
Widal reaction, An immunoblotting procedure comprising O = 9,12 and H = d antigens as an alternative to the Widal agglutination assay, **854**
Wilson's disease, A case of systemic pseudo-pseudoxanthoma elasticum with diverse symptomatology caused by long term penicillamine use, **169**
workload, How much work do you do in a day?: *editorial,* **642**
KU activity: a method for calculating histopathologists' workloads, **458**
world wide web, Why use the internet to teach pathology?: *leader,* **179**

Yersinia enterocolitica, In situ localisation of *Yersinia enterocolitica* by catalysed reporter deposition signal amplification, **444**

Zenker fixative, Antibody panel in diagnosis of lymphoid neoplasms: *letter,* **638**
Ziehl–Neelsen stain, Not everything acid fast is *Mycobacterium tuberculosis*—a case report, **463**

VOLUME 51 • AUTHOR INDEX

Abrahamson M *see* Bjarnadottir M *et al*
see Ekström U *et al*
Adcocks C *see* Kozaci LD *et al*
Adoue D *see* Rauzy O *et al*
Albarede J-L *see* Rauzy O *et al*
Algara P *see* Mateo MS *et al*
Al Saati T *see* Brousset P *et al*
see Rauzy O *et al*
Amineva KhK *see* Mamaev NN *et al*
see Mamaev NN *et al*
Andersen SN *et al*. Ki-67: a useful marker for the evaluation of dysplasia in ulcerative colitis, **327**
Andréasson S *see* Ekström U *et al*
Aplan PD *see* Stanulla M *et al*
Ariel I *et al*. Imprinted H19 oncofetal RNA is a candidate tumour marker for hepatocellular carcinoma, **21**
Ascoli V *et al*. Absence of HHV-8 DNA sequences in malignant mesothelioma, **113**
Ashburn D *et al*. Improved diagnosis of reactivated toxoplasmosis, **105**
Atkinson CH *see* Raizis AM *et al*
Auer G *see* Högmo A *et al*
Ayesh S *see* Ariel I *et al*

Baak JPA *see* de Jong JS *et al*
Bäcklin B-M *et al*. Expression of the insulin-like growth factor II gene in polychlorinated biphenyl exposed female mink (*Mustela vison*) and their fetuses, **43**
Baffa R *see* Busatto G *et al*
Bakka A *see* Andersen SN *et al*
Barlow AL *see* Waters JJ *et al*
Barnes DM *see* Gillett CE and Barnes DM
Bell SM *et al*. Evidence for a common mutation in hereditary pancreatitis, **115**
Beltinger CP, Debatin K-M. A simple combined microdissection and aspiration device for the rapid procurement of single cells from clinical peripheral blood smears, **233**
Bennett C *see* Bell SM *et al*
Biddolph S *see* Kennedy MM *et al*
Bjarnadottir M *et al*. Intracellular accumulation of the amyloidogenic L68Q variant of human cystatin C in NIH/3T3 cells, **317**
Book reviews Bolsover SR, Hyams JS, Jones S, Shephard EA, White HA. From Genes to cells, **118**
Borgaonkar DS, *editor*. Chromosomal variation in man. A catalog of chromosomal variants and abnormalities, **292**
Elliot WE, Elliott DC. Biochemistry and molecular biology, **292**
Goldberg ID, Rosen EM, *editors*. Regulation of angiogenesis, **174**
Nathenson N, *editor*. Viral pathogenesis, **53**
Nuovo GJ. PCR in situ hybridisation. Protocols and applications, 3rd ed, **53**
Paul LC, Issekutz TB, *editors*. Adhesion molecules in health and disease, **118**
Pawlowitzki IH, Edwards JH, Thompson EA, *editors*. Genetic mapping of disease genes, **292**
Sherbert GV, Lakshmi MS, *editors*. The Genetics of cancer, **292**
Smith AD, Datta SP, Howard Smith G, Campbell PN, Bently R, McKenzie HA, *editors*. Oxford dictionary of biochemistry and molecular biology, **174**
Yaniv M, Ghysdael J, *editors*. Oncogenes as transcriptional regulators, **53**
Borzio F *see* Borzio M *et al*
Borzio M *et al*. Hepatocyte proliferation rate is a powerful parameter for predicting hepatocellular carcinoma development in liver cirrhosis, **96**
Brecher ML *see* Stanulla M *et al*
Brousset P *et al*. Telomerase activity might persist in the human thymus throughout life, **170**
Brown CJ *see* Kozaci LD *et al*
Bruno S *see* Borzio M *et al*
Busatto G *et al*. p16/CDKN2 alterations and pRb expression in oesophageal squamous carcinoma, **80**
Buttle DJ *see* Kozaci LD *et al*

Campo E *see* Fernández PL *et al*
Cardesa A *see* Fernández PL *et al*
Carnovale Scalzo C *see* Ascoli V *et al*
Casson AG *et al*. p53 alterations in oesophageal cancer: association with clinicopathological features, risk factors, and survival, **71**
Černochová D *see* Lichnovský V *et al*
Chale J-J *see* Rauzy O *et al*
Chetty R *see* Donnellan R and Chetty R
Chetty R *et al*. Allelic imbalance and microsatellite instability of the DCC gene in colorectal cancer in patients under the age of 35 using fluorescent DNA technology, **35**
Clarke RA *et al*. Upregulation of ATM in sclerosing adenosis of the breast, **224**
Clausen OPF *see* Andersen SN *et al*
see De Angelis PM *et al*
Colloredo G *see* Borzio M *et al*
Cooke TG *see* Duncan JA *et al*
Cooper K *see* Kennedy MM *et al*
see Nayler SJ *et al*

Darnton SJ. p53: *review*, **248**
Davidson MM *see* Ashburn D *et al*
Deane R *see* Pierce E *et al*
De Angelis PM *et al*. Apoptosis and expression of Bax, Bcl-x, and Bcl-2 apoptotic regulatory proteins in colorectal carcinomas, and associations with p53 genotype/phenotype, **254**
Debatin K-M *see* Beltinger CP and Debatin K-M
de Blok S *see* Morré SA *et al*
de Groot N *see* Ariel I *et al*
de Jong JS *et al*. Correlation of cyclin D1 and Rb gene expression with apoptosis in invasive breast cancer, **30**
Delsol G *see* Brousset P *et al*
see Rauzy O *et al*
Derenzini M *see* Borzio M *et al*
Donnellan R, Chetty R. Cyclin D1 and human neoplasia: *review*, **1**
Doshi R *see* Pierce E *et al*
Dower SK *see* Royds JA *et al*
Duncan JA *et al*. BRCA1 and BRCA2 proteins: roles in health and disease: *review*, **237**

Ehinger B *see* Ekström U *et al*
Ekström U *et al*. Detection of alterations in all three exons of the peripherin/RDS gene in Swedish patients with retinitis pigmentosa using an efficient DGGE system, **287**
Engström W *see* Bäcklin B-M *et al*
Eskandarian S *see* Casson AG *et al*

Fagerhol MK *see* Hetland G *et al*
Ferguson MM *see* Raizis AM *et al*
Fernández PL *et al*. Cell cycle regulators and their abnormalities in breast cancer: *review*, **305**
Ferrara D *see* Lal A *et al*
Ferrari AR *see* Borzio M *et al*
Findlay I *et al*. Same day diagnosis of Down's syndrome and sex in single cells using multiplex fluorescent PCR, **164**
Forsberg M *see* Bäcklin B-M *et al*
Freemont AJ. Adhesion molecules: *review*, **175**
Fujimori T *see* Fujita M *et al*
Fujita M *et al*. Gel staining methods for detection of telomerase activity with the telomeric repeat amplification protocol (TRAP) assay: *letter*, **342**

Galloway A *see* Kozaci LD *et al*
Galoin S *see* Rauzy O *et al*
George PM *see* Raizis AM *et al*
Gessbo A *see* Bäcklin B-M *et al*
Gillett CE, Barnes DM. Cell cycle: *review*, **310**
Gould CP *see* Waters JJ *et al*
Grosso LE *see* Poiski JM *et al*
Grubb A *see* Bjarnadottir M *et al*
Gudkova AYa *see* Mamaev NN *et al*
see Mamaev NN *et al*
Gunther T *see* Hao X-P *et al*

Haber M *see* Lal A *et al*
Hao X-P *et al*. Expression of mdm2 and p53 in epithelial neoplasms of the colorectum, **26**
Heilmann FGC *see* van der Zanden AGM *et al*
Herrington CS. In situ hybridisation: *review*, **8**
Hetland G *et al*. Chemotaxins C5a and fMLP induce release of calprotectin (leucocyte L1 protein) from polymorphonuclear cells in vitro, **143**
Hlobilková A *see* Lichnovský V *et al*
Hochberg A *see* Ariel I *et al*
Hoentjen AH *see* van der Zanden AGM *et al*
Högmo A *et al*. Nuclear DNA content and p53 overexpression in stage I squamous cell carcinoma of the tongue compared with advanced tongue carcinomas, **268**
Hollander AP *see* Kozaci LD *et al*
Howells D *see* Uhlmann V *et al*
Howells DD *see* Kennedy MM *et al*
see Kennedy MM *et al*
Ho-Yen DO *see* Ashburn D *et al*
Hughes DO'G *see* Lal A *et al*
Hully J *see* Uhlmann V *et al*

Jacobs MV *see* Morré SA *et al*
Jares P *see* Fernández PL *et al*

Jasani B *see* Morrison HL *et al*
Ji X-R *see* Ariel I *et al*
Joss AWL *see* Ashburn D *et al*
Joyce JA, Schofield PN. Genomic imprinting and cancer: *review*, 185

Kairouz R *see* Clarke RA *et al*
Kalsheker N *see* Tilley L *et al*
Kearsley JH *see* Clarke RA *et al*
Kennedy MM *et al.* Human herpes virus 8 (HHV-8) in Kaposi's sarcoma: lack of association with Bcl-2 and p53 protein expression, **155**
Identification of HHV8 in early Kaposi's sarcoma: implications for Kaposi's sarcoma pathogenesis, **14**
Keppler D *see* Bjarnadottir M *et al*
Kimzey S *see* Polski JM *et al*
Kolář Z *see* Lichnovský V *et al*
Kovalyeva OV *see* Mamaev NN *et al*
Kozaci LD *et al.* Stromelysin 1, neutrophil collagenase, and collagenase 3 do not play major roles in a model of chondrocyte mediated cartilage breakdown, **282**
Kuylenstierna R *see* Högmo A *et al*
Kwan E *see* Lal A *et al*

Lal A *et al.* Molecular detection of acute lymphoblastic leukaemia in boys with testicular relapse, **277**
Lavin MF *see* Clarke RA *et al*
Leandro G *see* Borzio M *et al*
Lebedev LV *see* Mamaev NN *et al*
Lee CS *see* Clarke RA *et al*
Lench NJ *see* Bell SM *et al*
Lewis CE *see* Royds JA *et al*
Lichnovský V *et al.* Differences in p53 and Bcl-2 expression in relation to cell proliferation during the development of human embryos, **131**
Lindholm J *see* Högmo A *et al*
Lo Coco F *see* Ascoli V *et al*
Lohman K *see* Uhlmann V *et al*
Lothe RA *see* De Angelis PM *et al*
Lu L *see* Uhlmann V *et al*
Lucas SB *see* Kennedy MM *et al*
see Kennedy MM *et al*
Luciani MG *et al.* The monocyte chemotactic protein 1 (MCP-1) and interleukin 8 (IL-8) in Hodgkin's disease and in solid tumours, **273**
Luttich K *see* O'Leary JJ *et al*
see Uhlmann V *et al*

McGee JO'D *see* Kennedy MM *et al*
see Kennedy MM *et al*
McLaughlin J *see* Casson AG *et al*
Maffei A *see* O'Leary JJ *et al*
Mahr MA *see* Lal A *et al*
Maier YuB *see* Mamaev NN *et al*
Mamaev N *see* Pedrazzini E *et al*
Mamaev NN *et al.* AgNORs in cardiomyocytes from surgical patients with coronary heart disease, **218**
AgNORs in the myocardium in ischaemic heart disease complicated by heart failure: a postmortem study, **102**
Mangham DC *see* Sneath RJS and Mangham DC
Mantovani A *see* Luciani MG *et al*
Markham AF *see* Bell SM *et al*
Marshall GM *see* Lal A *et al*
Martínez P *see* Mateo MS *et al*
Marti U *see* Stähelin BJ *et al*
Martinez-Delgado B *see* Mateo MS *et al*
Mateo MS *et al.* Analysis of the frequency of microsatellite instability and p53 gene mutation in splenic marginal zone and MALT lymphomas, **262**
Matthews P *see* Findlay I *et al*
Meijer CJLM *see* de Jong JS *et al*
see Morré SA *et al*
Miao H-Q *see* Ariel I *et al*
Michalides RJAM *see* de Jong JS *et al*
Mix E *see* Uhlmann V *et al*
Mollejo M *see* Mateo MS *et al*
Morgan K *see* Tilley L *et al*
Morré SA *et al.* Monitoring of *Chlamydia trachomatis* infections after antibiotic treatment using RNA detection by nucleic acid sequence based amplification, **149**
Morrison HL *et al.* Immunohistochemical retrieval of the principal HIV antigens p24, gp41, and gp120 in formalin fixed tissue: an investigation using HIV infected lymphoblasts and postmortem brain tissue from AIDS cases, **227**
Munck-Wikland E *see* Högmo A *et al*
Murray P *see* Lichnovský V *et al*

Naidoo R *see* Chetty R *et al*
Nardi F *see* Ascoli V *et al*
Nathansson A *see* Högmo A *et al*
Nayler SJ *et al.* HHV-8 is not associated with follicular dendritic cell tumours, **168**
Neal JW *see* Morrison HL *et al*
Nenutil R *see* Lichnovský V *et al*
Nilsson-Ehle P *see* Ekström U *et al*
Norris MD *see* Lal A *et al*

Oates JL *see* Kennedy MM *et al*
O'Leary JJ *see* Kennedy MM *et al*
see Kennedy MM *et al*
see Uhlmann V *et al*
see Uhlmann V *et al*
O'Leary JJ *et al.* HHV-8 in multiple myeloma: is this the first paracrine model of human tumorigenesis and do Koch's postulates apply?: *review*, **201**
Oliveri F *see* Borzio M *et al*
Ossewaarde JM *see* Morré SA *et al*
Ozcelik H *see* Casson AG *et al*

Papp Z *see* Findlay I *et al*
Parenti AR *see* Busatto G *et al*
Parkes AB *see* Morrison HL *et al*
Pedrazzini E *et al.* Age related decrease of NOR activity in bone marrow metaphase chromosomes from healthy individuals, **39**
Pennington TH *see* Ashburn D *et al*
Percival RW *see* Polski JM *et al*
Peri G *see* Luciani MG *et al*
Picton S *see* Kennedy MM *et al*
see Kennedy MM *et al*
see O'Leary JJ *et al*
see Uhlmann V *et al*
see Uhlmann V *et al*
Pierce E *et al.* PCNA and Ki-67 labelling indices in pre-irradiated and post-irradiated astrocytomas: a comparative immunohistochemical analysis for evaluation of proliferative activity, **90**
Pilozzi E *et al.* Monocyte chemotactic protein-1 in the inflammatory pseudotumour of the lung, **50**
Pinto AP, Villa LL. A spin cartridge system for DNA extraction from paraffin wax embedded tissues, **48**
Piris MA *see* Mateo MS *et al*
Pistilli A *see* Ascoli V *et al*
Plebani M *see* Busatto G *et al*
Polski JM *et al.* Rapid and effective processing of blood specimens for diagnostic PCR using filter paper and Chelex-100, **215**
Polykarpov IS *see* Mamaev NN *et al*
Ponjavic V *see* Ekström U *et al*
Pospíšilová E *see* Lichnovský V *et al*
Prasad M *see* O'Leary JJ *et al*
Price AB *see* Hao X-P *et al*
Proshin SN *see* Mamaev NN *et al*

Quirke P *see* Findlay I *et al*
Qwarnstrom EE *see* Royds JA *et al*

Raizis AM *et al.* Identification of a novel PTEN mutation (L139X) in a patient with Cowden disease and Sjögren's syndrome, **339**
Ramsden DB *see* Rieder CRM *et al*
Rauzy O *et al.* Detection of t(14;18) carrying cells in bone marrow and peripheral blood from patients affected by non-lymphoid diseases, **333**
Redston M *see* Casson AG *et al*
Reeves JR *see* Duncan JA *et al*
Reichen J *see* Stähelin BJ *et al*
Rendina E *see* Pilozzi E *et al*
Rey MJ *see* Fernández PL *et al*
Rieder CRM *et al.* Cytochrome P450 1B1 mRNA in the human central nervous system, **138**
Robinson BA *see* Raizis AM *et al*
Roessner A *see* Hao X-P *et al*
Rognum TO *see* Andersen SN *et al*
Rolfs A *see* Uhlmann V *et al*
Roll D *see* Ariel I *et al*
Roncalli M *see* Borzio M *et al*
Royds JA *et al.* Response of tumour cells to hypoxia: role of p53 and NFκB: *review*, **55**
Rozell B *see* Bäcklin B-M *et al*
Ruco LP *see* Luciani MG *et al*
see Pilozzi E *et al*
Rugge M *see* Busatto G *et al*
Ruol A *see* Busatto G *et al*
see Rauzy O *et al*

Sameni M *see* Bjarnadottir M *et al*
Sánchez-Beato M *see* Mateo MS *et al*
Schneider J *see* Chetty R *et al*
Schneider T *see* Ariel I *et al*
Schneider YuA *see* Mamaev NN *et al*
Schünemann HJ *see* Stanulla M *et al*
Schofield PN *see* Joyce JA and Schofield PN
Schouls LM *see* van der Zanden AGM *et al*
Schulz O *et al.* A sensitive fluorescent assay for measuring the cysteine protease activity of Der p 1, a major allergen from the dust mite *Dermatophagoides pteronyssinus* , **222**

Sewell HF *see* Schulz O *et al*
Shakib F *see* Schulz O *et al*
Shiao Y-H *see* Busatto G *et al*
Shokrai A *see* Bäcklin B-M *et al*
Signoretti S *see* Ascoli V *et al*
Sillekens PTG *see* Morré SA *et al*
Silva I *see* O'Leary JJ *et al*
see Uhlmann V *et al*
see Uhlmann V *et al*
Slavutsky I *see* Pedrazzini E *et al*
Sloane BF *see* Bjarnadottir M *et al*
Smillie D. A PCR–SSP method for detecting the His63Asp mutation in the HFE gene associated with hereditary haemochromatosis, **232**
Sneath RJS, Mangham DC. The normal structure and function of CD44 and its role in neoplasia: *review*, **191**
Solioz M *see* Stähelin BJ *et al*
Stähelin BJ *et al.* False positive staining in the TUNEL assay to detect apoptosis in liver and intestine is caused by endogenous nucleases and inhibited by diethyl pyrocarbonate, **204**
Stanulla M *et al.* Pseudo-rearrangement of the MLL gene at chromosome 11q23: a cautionary note on genotype analysis of leukaemia patients, **85**
Stokke T *see* De Angelis PM *et al*
Stoppacciaro A *see* Luciani MG *et al*
see Pilozzi E *et al*
Sun LB *see* Wen JM *et al*

Talbot IC *see* Hao X-P *et al*
Talgö GJ *see* Hetland G *et al*
Tammemagi M *see* Casson AG *et al*
Taylor L *see* Nayler SJ *et al*
Thandla S *see* Stanulla M *et al*
Thorstensen L *see* De Angelis PM *et al*
Tilley L *et al.* Genetic risk factors in Alzheimer's disease: *review*, **293**
Tobias V *see* Lal A *et al*
Tomita S *see* Fujita M *et al*
Tóth T *see* Findlay I *et al*
Trerè D *see* Borzio M *et al*

Ueda Y *see* Fujita M *et al*
Uhlmann V *see* O'Leary JJ *et al*
Uhlmann V *et al.* A novel, rapid in cell RNA amplification technique for the detection of low copy mRNA transcripts, **160**
In cell amplification: *review*, **119**

van Aarle P *see* Morré SA *et al*
van den Brule AJC *see* Morré SA *et al*
van der Valk P *see* de Jong JS *et al*
van der Zanden AGM *et al.* Simultaneous detection and strain differentiation of *Mycobacterium tuberculosis* complex in paraffin wax embedded tissues and in stained microscopic preparations, **209**
van Diest PJ *see* de Jong JS *et al*
van Embden JDA *see* van der Zanden AGM *et al*
van Gemen B *see* Morré SA *et al*
Villa LL *see* Pinto AP and Villa LL
Villuendas R *see* Mateo MS *et al*
Vojtěšek B *see* Lichnovský V *et al*

Walboomers JMM *see* Morré SA *et al*
Waters JJ *et al.* FISH: *review*, **62**
Watters D *see* Clarke RA *et al*
Weltevreden EF *see* van der Zanden AGM *et al*
Wen JM *et al.* A non-isotopic method for the detection of telomerase activity in tumour tissues: TRAP-silver staining assay, **110**
Williams AC *see* Rieder CRM *et al*
Wulff BS *see* Bjarnadottir M *et al*

Zenou RC *see* Brousset P *et al*
Zhang M *see* Wen JM *et al*
Zheng MH *see* Wen JM *et al*
Zheng M-H *see* Fujita M *et al*
Zhou L *see* Lal A *et al*
Zimmermann H *see* Stähelin BJ *et al*

VOLUME 51 • SUBJECT INDEX

adhesion molecules, Adhesion molecules: *review,* **175**
aging, Age related decrease of NOR activity in bone marrow metaphase chromosomes from healthy individuals, **39**
AgNOR proteins, Hepatocyte proliferation rate is a powerful parameter for predicting hepatocellular carcinoma development in liver cirrhosis, **96**
AIDS dementia, Immunohistochemical retrieval of the principal HIV antigens p24, gp41, and gp120 in formalin fixed tissue: an investigation using HIV infected lymphoblasts and postmortem brain tissue from AIDS cases, **227**
allelic imbalance, Allelic imbalance and microsatellite instability of the DCC gene in colorectal cancer in patients under the age of 35 using fluorescent DNA technology, **35**
Alzheimer's disease, Genetic risk factors in Alzheimer's disease: *review,* **293**
amyloidosis, Intracellular accumulation of the amyloidogenic L68Q variant of human cystatin C in NIH/3T3 cells, **317**
angiogenesis, Response of tumour cells to hypoxia: role of p53 and NFκB: *review,* **55**
antibiotic treatment, Monitoring of *Chlamydia trachomatis* infections after antibiotic treatment using RNA detection by nucleic acid sequence based amplification, **149**
antigen receptor gene rearrangements, Molecular detection of acute lymphoblastic leukaemia in boys with testicular relapse, **277**
apoptosis, Apoptosis and expression of Bax, Bcl-x, and Bcl-2 apoptotic regulatory proteins in colorectal carcinomas, and associations with p53 genotype/phenotype, **254**
Correlation of cyclin D1 and Rb gene expression with apoptosis in invasive breast cancer, **30**
False positive staining in the TUNEL assay to detect apoptosis in liver and intestine is caused by endogenous nucleases and inhibited by diethyl pyrocarbonate, **204**
arthritis, Stromelysin 1, neutrophil collagenase, and collagenase 3 do not play major roles in a model of chondrocyte mediated cartilage breakdown, **282**
astrocytoma, PCNA and Ki-67 labelling indices in pre-irradiated and post-irradiated astrocytomas: a comparative immunohistochemical analysis for evaluation of proliferative activity, **90**
ATM upregulation, Upregulation of ATM in sclerosing adenosis of the breast, **224**

Bcl-2, Differences in p53 and Bcl-2 expression in relation to cell proliferation during the development of human embryos, **131**
Human herpes virus 8 (HHV-8) in Kaposi's sarcoma: lack of association with Bcl-2 and p53 protein expression, **155**
Bcl-2 related family of proteins, Apoptosis and expression of Bax, Bcl-x, and Bcl-2 apoptotic regulatory proteins in colorectal carcinomas, and associations with p53 genotype/phenotype, **254**
bone marrow, Detection of t(14;18) carrying cells in bone marrow and peripheral blood from patients affected by non-lymphoid diseases, **333**
bone tumours, A non-isotopic method for the detection of telomerase activity in tumour tissues: TRAP-silver staining assay, **110**
BRCA1, BRCA1 and BRCA2 proteins: roles in health and disease: *review,* **237**
BRCA2, BRCA1 and BRCA2 proteins: roles in health and disease: *review,* **237**
breast, Upregulation of ATM in sclerosing adenosis of the breast, **224**
breast cancer, Cell cycle regulators and their abnormalities in breast cancer: *review,* **305**
Correlation of cyclin D1 and Rb gene expression with apoptosis in invasive breast cancer, **30**

cadherins, Adhesion molecules: *review,* **175**
calprotectin, Chemotaxins C5a and fMLP induce release of calprotectin (leucocyte L1 protein) from polymorphonuclear cells in vitro, **143**
cancer, Genomic imprinting and cancer: *review,* **185**
p53: *review,* **248**
carcinogenesis, Upregulation of ATM in sclerosing adenosis of the breast, **224**
cardioplegia, AgNORs in cardiomyocytes from surgical patients with coronary heart disease, **218**
cartilage breakdown, Stromelysin 1, neutrophil collagenase, and collagenase 3 do not play major roles in a model of chondrocyte mediated cartilage breakdown, **282**
Castleman's disease, HHV-8 is not associated with follicular dendritic cell tumours, **168**
cationic trypsinogen gene mutation, Evidence for a common mutation in hereditary pancreatitis, **115**
CD44, The normal structure and function of CD44 and its role in neoplasia: *review,* **191**
cell cycle, Cell cycle: *review,* **310**
Cyclin D1 and human neoplasia: *review,* **1**
cell cycle regulators, Cell cycle regulators and their abnormalities in breast cancer: *review,* **305**
cellular adhesion, The normal structure and function of CD44 and its role in neoplasia: *review,* **191**
cerebral haemorrhage, Intracellular accumulation of the amyloidogenic L68Q variant of human cystatin C in NIH/3T3 cells, **317**
chemokines, Monocyte chemotactic protein-1 in the inflammatory pseudotumour of the lung, **50**
chemotaxins, Chemotaxins C5a and fMLP induce release of calprotectin (leucocyte L1 protein) from polymorphonuclear cells in vitro, **143**
Chlamydia trachomatis, Monitoring of *Chlamydia trachomatis* infections after antibiotic treatment using RNA detection by nucleic acid sequence based amplification, **149**
chromosome 11, Genomic imprinting and cancer: *review,* **185**
colorectal cancer, Apoptosis and expression of Bax, Bcl-x, and Bcl-2 apoptotic regulatory proteins in colorectal carcinomas, and associations with p53 genotype/phenotype, **254**
Expression of mdm2 and p53 in epithelial neoplasms of the colorectum, **26**
coronary heart disease, AgNORs in cardiomyocytes from surgical patients with coronary heart disease, **218**
Cowden disease, Identification of a novel PTEN mutation (L139X) in a patient with Cowden disease and Sjögren's syndrome, **339**
cyclin, Cell cycle: *review,* **310**
Cell cycle regulators and their abnormalities in breast cancer: *review,* **305**
cyclin D1, Correlation of cyclin D1 and Rb gene expression with apoptosis in invasive breast cancer, **30**
Cyclin D1 and human neoplasia: *review,* **1**
cyclin dependent kinases, Cell cycle regulators and their abnormalities in breast cancer: *review,* **305**
Cell cycle: *review,* **310**
CYP1B1, Cytochrome P450 1B1 mRNA in the human central nervous system, **138**
cysteine proteases, A sensitive fluorescent assay for measuring the cysteine protease activity of Der p 1, a major allergen from the dust mite *Dermatophagoides pteronyssinus* , **222**
cysteine proteinase inhibitor, Intracellular accumulation of the amyloidogenic L68Q variant of human cystatin C in NIH/3T3 cells, **317**
cytochrome P450, Cytochrome P450 1B1 mRNA in the human central nervous system, **138**
cytogenetics, FISH: *review,* **62**
cytology, A simple combined microdissection and aspiration device for the rapid procurement of single cells from clinical peripheral blood smears, **233**

DCC gene, Allelic imbalance and microsatellite instability of the DCC gene in colorectal cancer in patients under the age of 35 using fluorescent DNA technology, **35**
Der p 1, A sensitive fluorescent assay for measuring the cysteine protease activity of Der p 1, a major allergen from the dust mite *Dermatophagoides pteronyssinus* , **222**
DNA, In cell amplification: *review,* **119**
In situ hybridisation: *review,* **8**
Nuclear DNA content and p53 overexpression in stage I squamous cell carcinoma of the tongue compared with advanced tongue carcinomas, **268**
DNA extraction, A spin cartridge system for DNA extraction from paraffin wax embedded tissues, **48**
Rapid and effective processing of blood specimens for diagnostic PCR using filter paper and Chelex-100, **215**
Down's syndrome, Same day diagnosis of Down's syndrome and sex in single cells using multiplex fluorescent PCR, **164**
dysplasia, Ki-67: a useful marker for the evaluation of dysplasia in ulcerative colitis, **327**

elderly, Telomerase activity might persist in the human thymus throughout life, **170**

α fetoprotein, Imprinted H19 oncofetal RNA is a candidate tumour marker for hepatocellular carcinoma, **21**
FISH, FISH: *review,* **62**
follicular dendritic cell tumour, HHV-8 is not associated with follicular dendritic cell tumours, **168**
full field electroretinography, Detection of alterations in all three exons of the peripherin/RDS gene in Swedish patients with retinitis pigmentosa using an efficient DGGE system, **287**

genetic risk factors, Genetic risk factors in Alzheimer's disease: *review,* **293**
genomic imprinting, Genomic imprinting and cancer: *review,* **185**

H19, Imprinted H19 oncofetal RNA is a candidate tumour marker for hepatocellular carcinoma, **21**
haemochromatosis, A PCR–SSP method for detecting the His63Asp mutation in the HFE gene associated with hereditary haemochromatosis, **232**
healthy human beings, Age related decrease of NOR activity in bone marrow metaphase chromosomes from healthy individuals, **39**
heart failure, AgNORs in the myocardium in ischaemic heart disease complicated by heart failure: a postmortem study, **102**
hepatocellular carcinoma, Hepatocyte proliferation rate is a powerful parameter for predicting hepatocellular carcinoma development in liver cirrhosis, **96**
Imprinted H19 oncofetal RNA is a candidate tumour marker for hepatocellular carcinoma, **21**
hepatocyte proliferation, Hepatocyte proliferation rate is a powerful parameter for predicting hepatocellular carcinoma development in liver cirrhosis, **96**
hereditary breast cancer, BRCA1 and BRCA2 proteins: roles in health and disease: *review,* **237**
hereditary disorders, Rapid and effective processing of blood specimens for diagnostic PCR using filter paper and Chelex-100, **215**
hereditary pancreatitis, Evidence for a common mutation in hereditary pancreatitis, **115**
HFE gene, A PCR–SSP method for detecting the His63Asp mutation in the HFE gene associated with hereditary haemochromatosis, **232**
high temperature antigen retrieval, Immunohistochemical retrieval of the principal HIV antigens p24, gp41, and gp120 in formalin fixed tissue: an investigation using HIV infected lymphoblasts and postmortem brain tissue from AIDS cases, **227**
His63Asp substitution, A PCR–SSP method for detecting the His63Asp mutation in the HFE gene associated with hereditary haemochromatosis, **232**
histological grade, Correlation of cyclin D1 and Rb gene expression with apoptosis in invasive breast cancer, **30**
histological type, Correlation of cyclin D1 and Rb gene expression with apoptosis in invasive breast cancer, **30**
Hodgkin's disease, The monocyte chemotactic protein 1 (MCP-1) and interleukin 8 (IL-8) in Hodgkin's disease and in solid tumours, **273**
human embryogenesis, Differences in p53 and Bcl-2 expression in relation to cell proliferation during the development of human embryos, **131**
human herpes virus 8, Absence of HHV-8 DNA sequences in malignant mesothelioma, **113**
Human herpes virus 8 (HHV-8) in Kaposi's sarcoma: lack of association with Bcl-2 and p53 protein expression, **155**
HHV-8 in multiple myeloma: is this the first paracrine model of human tumorigenesis and do Koch's postulates apply?: *review,* **201**
HHV-8 is not associated with follicular dendritic cell tumours, **168**
Identification of HHV8 in early Kaposi's sarcoma: implications for Kaposi's sarcoma pathogenesis, **14**
human immunodeficiency virus, Immunohistochemical retrieval of the principal HIV antigens p24, gp41, and gp120 in formalin fixed tissue: an investigation using HIV infected lymphoblasts and postmortem brain tissue from AIDS cases, **227**
human papillomavirus, A spin cartridge system for DNA extraction from paraffin wax embedded tissues, **48**
hyaluronate receptors, Adhesion molecules: *review,* **175**
hypoxia, Response of tumour cells to hypoxia: role of p53 and NFκB: *review,* **55**

image analysis, Hepatocyte proliferation rate is a powerful parameter for predicting hepatocellular carcinoma development in liver cirrhosis, **96**
immunoglobulin super family, Adhesion molecules: *review,* **175**
immunohistochemistry, Correlation of cyclin D1 and Rb gene expression with apoptosis in invasive breast cancer, **30**
Differences in p53 and Bcl-2 expression in relation to cell proliferation during the development of human embryos, **131**
False positive staining in the TUNEL assay to detect apoptosis in liver and intestine is caused by endogenous nucleases and inhibited by diethyl pyrocarbonate, **204**
Human herpes virus 8 (HHV-8) in Kaposi's sarcoma: lack of association with Bcl-2 and p53 protein expression, **155**
in cell amplification, In cell amplification: *review,* **119**
in situ hybridisation, In situ hybridisation: *review,* **8**
in situ nick end labelling, False positive staining in the TUNEL assay to detect apoptosis in liver and intestine is caused by endogenous nucleases and inhibited by diethyl pyrocarbonate, **204**
in situ PCR, Identification of HHV8 in early Kaposi's sarcoma: implications for Kaposi's sarcoma pathogenesis, **14**
inflammatory pseudotumour, Monocyte chemotactic protein-1 in the inflammatory pseudotumour of the lung, **50**
insulin-like growth factor II, Expression of the insulin-like growth factor II gene in polychlorinated biphenyl exposed female mink (*Mustela vison*) and their fetuses, **43**
integrins, Adhesion molecules: *review,* **175**
interleukin 6, HHV-8 in multiple myeloma: is this the first paracrine model of human tumorigenesis and do Koch's postulates apply?: *review,* **201**
interleukin 8, Monocyte chemotactic protein-1 in the inflammatory pseudotumour of the lung, **50**
The monocyte chemotactic protein 1 (MCP-1) and interleukin 8 (IL-8) in Hodgkin's disease and in solid tumours, **273**
ischaemic heart disease, AgNORs in the myocardium in ischaemic heart disease complicated by heart failure: a postmortem study, **102**

Kaposi's sarcoma, Identification of HHV8 in early Kaposi's sarcoma: implications for Kaposi's sarcoma pathogenesis, **14**
Ki-67, Ki-67: a useful marker for the evaluation of dysplasia in ulcerative colitis, **327**
PCNA and Ki-67 labelling indices in pre-irradiated and post-irradiated astrocytomas: a comparative immunohistochemical analysis for evaluation of proliferative activity, **90**

leukaemia, Pseudo-rearrangement of the MLL gene at chromosome 11q23: a cautionary note on genotype analysis of leukaemia patients, **85**
lgE, A sensitive fluorescent assay for measuring the cysteine protease activity of Der p 1, a major allergen from the dust mite *Dermatophagoides pteronyssinus,* **222**
liver, False positive staining in the TUNEL assay to detect apoptosis in liver and intestine is caused by endogenous nucleases and inhibited by diethyl pyrocarbonate, **204**
liver cirrhosis, Hepatocyte proliferation rate is a powerful parameter for predicting hepatocellular carcinoma development in liver cirrhosis, **96**
loss of imprinting, Genomic imprinting and cancer: *review,* **185**

mdm2, Expression of mdm2 and p53 in epithelial neoplasms of the colorectum, **26**
mesothelioma, Absence of HHV-8 DNA sequences in malignant mesothelioma, **113**
metalloproteinase inhibitors, Stromelysin 1, neutrophil collagenase, and collagenase 3 do not play major roles in a model of chondrocyte mediated cartilage breakdown, **282**
metalloproteinases, Stromelysin 1, neutrophil collagenase, and collagenase 3 do not play major roles in a model of chondrocyte mediated cartilage breakdown, **282**
metastasis, The normal structure and function of CD44 and its role in neoplasia: *review,* **191**
MIB-1, PCNA and Ki-67 labelling indices in pre-irradiated and post-irradiated astrocytomas: a comparative immunohistochemical analysis for evaluation of proliferative activity, **90**
microdissection, A simple combined microdissection and aspiration device for the rapid procurement of single cells from clinical peripheral blood smears, **233**
microsatellite instability, Allelic imbalance and microsatellite instability of the DCC gene in colorectal cancer in patients under the age of 35 using fluorescent DNA technology, **35**
Analysis of the frequency of microsatellite instability and p53 gene mutation in splenic marginal zone and MALT lymphomas, **262**
mink, Expression of the insulin-like growth factor II gene in polychlorinated biphenyl exposed female mink (*Mustela vison*) and their fetuses, **43**
misclassification, Pseudo-rearrangement of the MLL gene at chromosome 11q23: a cautionary note on genotype analysis of leukaemia patients, **85**
MLL, Pseudo-rearrangement of the MLL gene at chromosome 11q23: a cautionary note on genotype analysis of leukaemia patients, **85**
molecular analysis, A simple combined microdissection and aspiration device for the rapid procurement of single cells from clinical peripheral blood smears, **233**
molecular diagnostics, Pseudo-rearrangement of the MLL gene at chromosome 11q23: a cautionary note on genotype analysis of leukaemia patients, **85**
monocyte chemotactic protein 1, Monocyte chemotactic protein-1 in the inflammatory pseudotumour of the lung, **50**
The monocyte chemotactic protein 1 (MCP-1) and interleukin 8 (IL-8) in Hodgkin's disease and in solid tumours, **273**
mucosa associated lymphoid tissue lymphoma, Analysis of the frequency of microsatellite instability and p53 gene mutation in splenic marginal zone and MALT lymphomas, **262**
multiplex fluorescent polymerase chain reaction, Same day diagnosis of Down's syndrome and sex in single cells using multiplex fluorescent PCR, **164**
multivariate analysis, Hepatocyte proliferation rate is a powerful parameter for predicting hepatocellular carcinoma development in liver cirrhosis, **96**
mutation, Detection of alterations in all three exons of the peripherin/RDS gene in Swedish patients with retinitis pigmentosa using an efficient DGGE system, **287**
Identification of a novel PTEN mutation (L139X) in a patient with Cowden disease and Sjögren's syndrome, **339**
p53: *review,* **248**
mutiple myeloma, HHV-8 in multiple myeloma: is this the first paracrine model of human tumorigenesis and do Koch's postulates apply?: *review,* **201**

Mycobacterium tuberculosis, Simultaneous detection and strain differentiation of *Mycobacterium tuberculosis* complex in paraffin wax embedded tissues and in stained microscopic preparations, **209**

neoplasia, Cyclin D1 and human neoplasia: *review,* **1**
neurodegenerative diseases, Cytochrome P450 1B1 mRNA in the human central nervous system, **138**
neutrophil granulocyte, Chemotaxins C5a and fMLP induce release of calprotectin (leucocyte L1 protein) from polymorphonuclear cells in vitro, **143**
NFκB, Response of tumour cells to hypoxia: role of p53 and NFκB: *review,* **55**
non-isotopic silver staining, Gel staining methods for detection of telomerase activity with the telomeric repeat amplification protocol (TRAP) assay: *letter,* **342**
non-lymphoid diseases, Detection of t(14;18) carrying cells in bone marrow and peripheral blood from patients affected by non-lymphoid diseases, **333**
nucleic acid sequence based amplification, Monitoring of *Chlamydia trachomatis* infections after antibiotic treatment using RNA detection by nucleic acid sequence based amplification, **149**
nucleolar organiser regions, Age related decrease of NOR activity in bone marrow metaphase chromosomes from healthy individuals, **39**
AgNORs in cardiomyocytes from surgical patients with coronary heart disease, **218**
AgNORs in the myocardium in ischaemic heart disease complicated by heart failure: a postmortem study, **102**

oesophageal cancer, p16/CDKN2 alterations and pRb expression in oesophageal squamous carcinoma, **80**
p53 alterations in oesophageal cancer: association with clinicopathological features, risk factors, and survival, **71**
oesophageal tumorigenesis, p16/CDKN2 alterations and pRb expression in oesophageal squamous carcinoma, **80**

p16/CDKN2, p16/CDKN2 alterations and pRb expression in oesophageal squamous carcinoma, **80**
p21, Cell cycle: *review,* **310**
p53, Analysis of the frequency of microsatellite instability and p53 gene mutation in splenic marginal zone and MALT lymphomas, **262**
Apoptosis and expression of Bax, Bcl-x, and Bcl-2 apoptotic regulatory proteins in colorectal carcinomas, and associations with p53 genotype/phenotype, **254**
Cell cycle: *review,* **310**
Differences in p53 and Bcl-2 expression in relation to cell proliferation during the development of human embryos, **131**
Expression of mdm2 and p53 in epithelial neoplasms of the colorectum, **26**
Human herpes virus 8 (HHV-8) in Kaposi's sarcoma: lack of association with Bcl-2 and p53 protein expression, **155**
Nuclear DNA content and p53 overexpression in stage I squamous cell carcinoma of the tongue compared with advanced tongue carcinomas, **268**
p53 alterations in oesophageal cancer: association with clinicopathological features, risk factors, and survival, **71**
p53: *review,* **248**
Response of tumour cells to hypoxia: role of p53 and NFκB: *review,* **55**
paraffin wax embedded tissues, A spin cartridge system for DNA extraction from paraffin wax embedded tissues, **48**
Parkinson's disease, Cytochrome P450 1B1 mRNA in the human central nervous system, **138**
PC10, PCNA and Ki-67 labelling indices in pre-irradiated and post-irradiated astrocytomas: a comparative immunohistochemical analysis for evaluation of proliferative activity, **90**
PCNA, PCNA and Ki-67 labelling indices in pre-irradiated and post-irradiated astrocytomas: a comparative immunohistochemical analysis for evaluation of proliferative activity, **90**
polychlorinated biphenyls, Expression of the insulin-like growth factor II gene in polychlorinated biphenyl exposed female mink (*Mustela vison*) and their fetuses, **43**
polymerase chain reaction, A spin cartridge system for DNA extraction from paraffin wax embedded tissues, **48**
Evidence for a common mutation in hereditary pancreatitis, **115**
HHV-8 is not associated with follicular dendritic cell tumours, **168**
In cell amplification: *review,* **119**
Molecular detection of acute lymphoblastic leukaemia in boys with testicular relapse, **277**
Rapid and effective processing of blood specimens for diagnostic PCR using filter paper and Chelex-100, **215**
polymerase chain reaction using sequence specific primers, A PCR–SSP method for detecting the His63Asp mutation in the HFE gene associated with hereditary haemochromatosis, **232**
polymorphism, Detection of alterations in all three exons of the peripherin/RDS gene in Swedish patients with retinitis pigmentosa using an efficient DGGE system, **287**
"Permeafix" A novel, rapid in cell RNA amplification technique for the detection of low copy mRNA transcripts, **160**
pRb, p16/CDKN2 alterations and pRb expression in oesophageal squamous carcinoma, **80**
prenatal diagnosis, Same day diagnosis of Down's syndrome and sex in single cells using multiplex fluorescent PCR, **164**
pre-rRNA synthesis/processing, AgNORs in cardiomyocytes from surgical patients with coronary heart disease, **218**
primary effusion lymphoma, Absence of HHV-8 DNA sequences in malignant mesothelioma, **113**
primary toxoplasmosis, Improved diagnosis of reactivated toxoplasmosis, **105**
prognosis, p53 alterations in oesophageal cancer: association with clinicopathological features, risk factors, and survival, **71**
proliferation, PCNA and Ki-67 labelling indices in pre-irradiated and post-irradiated astrocytomas: a comparative immunohistochemical analysis for evaluation of proliferative activity, **90**
PTEN gene, Identification of a novel PTEN mutation (L139X) in a patient with Cowden disease and Sjögren's syndrome, **339**
pyruvate dehydrogenase, A novel, rapid in cell RNA amplification technique for the detection of low copy mRNA transcripts, **160**

radiation, PCNA and Ki-67 labelling indices in pre-irradiated and post-irradiated astrocytomas: a comparative immunohistochemical analysis for evaluation of proliferative activity, **90**
reactivated toxoplasmosis, Improved diagnosis of reactivated toxoplasmosis, **105**
receptor protein tyrosine phosphatases, Adhesion molecules: *review,* **175**
recombinant *Thermus thermophilus* DNA polymerase, A novel, rapid in cell RNA amplification technique for the detection of low copy mRNA transcripts, **160**
retina, Detection of alterations in all three exons of the peripherin/RDS gene in Swedish patients with retinitis pigmentosa using an efficient DGGE system, **287**
retinoblastoma gene product, Cell cycle regulators and their abnormalities in breast cancer: *review,* **305**
Correlation of cyclin D1 and Rb gene expression with apoptosis in invasive breast cancer, **30**
reverse transcription polymerase chain reaction in situ hybridisation, A novel, rapid in cell RNA amplification technique for the detection of low copy mRNA transcripts, **160**
RNA, In cell amplification: *review,* **119**
In situ hybridisation: *review,* **8**

selectins, Adhesion molecules: *review,* **175**
semi-nested polymerase chain reaction, Detection of t(14;18) carrying cells in bone marrow and peripheral blood from patients affected by non-lymphoid diseases, **333**
sensitivity, Gel staining methods for detection of telomerase activity with the telomeric repeat amplification protocol (TRAP) assay: *letter,* **342**
short tandem repeats, Same day diagnosis of Down's syndrome and sex in single cells using multiplex fluorescent PCR, **164**
silver staining, A non-isotopic method for the detection of telomerase activity in tumour tissues: TRAP-silver staining assay, **110**
Age related decrease of NOR activity in bone marrow metaphase chromosomes from healthy individuals, **39**
AgNORs in the myocardium in ischaemic heart disease complicated by heart failure: a postmortem study, **102**
single cell, A simple combined microdissection and aspiration device for the rapid procurement of single cells from clinical peripheral blood smears, **233**
Sjögren's syndrome, Identification of a novel PTEN mutation (L139X) in a patient with Cowden disease and Sjögren's syndrome, **339**
solid tumours, The monocyte chemotactic protein 1 (MCP-1) and interleukin 8 (IL-8) in Hodgkin's disease and in solid tumours, **273**
splenic marginal zone lymphoma, Analysis of the frequency of microsatellite instability and p53 gene mutation in splenic marginal zone and MALT lymphomas, **262**
spoligotyping, Simultaneous detection and strain differentiation of *Mycobacterium tuberculosis* complex in paraffin wax embedded tissues and in stained microscopic preparations, **209**
spontaneous breast cancer, BRCA1 and BRCA2 proteins: roles in health and disease: *review,* **237**
sporadic colorectal cancer, Allelic imbalance and microsatellite instability of the DCC gene in colorectal cancer in patients under the age of 35 using fluorescent DNA technology, **35**
squamous cell carcinoma, Nuclear DNA content and p53 overexpression in stage I squamous cell carcinoma of the tongue compared with advanced tongue carcinomas, **268**
strain differentiation, Simultaneous detection and strain differentiation of *Mycobacterium tuberculosis* complex in paraffin wax embedded tissues and in stained microscopic preparations, **209**
susceptibility genes, Genetic risk factors in Alzheimer's disease: *review,* **293**
SYBR gold nucleic gel staining, Gel staining methods for detection of telomerase activity with the telomeric repeat amplification protocol (TRAP) assay: *letter,* **342**

t(14;18)(q32;q21) translocation, Detection of t(14;18) carrying cells in bone marrow and peripheral blood from patients affected by non-lymphoid diseases, **333**
TaqMan PCR, Human herpes virus 8 (HHV-8) in Kaposi's sarcoma: lack of association with Bcl-2 and p53 protein expression, **155**
Identification of HHV8 in early Kaposi's sarcoma: implications for Kaposi's sarcoma pathogenesis, **14**
telomerase, A non-isotopic method for the detection of telomerase activity in tumour tissues: TRAP-silver staining assay, **110**
Telomerase activity might persist in the human thymus throughout life, **170**
telomeric repeat amplification protocol assay, Gel staining methods for detection of telomerase activity with the telomeric repeat amplification protocol (TRAP) assay: *letter,* **342**
testicular leukaemia, Molecular detection of acute lymphoblastic leukaemia in boys with testicular relapse, **277**
thymus, Telomerase activity might persist in the human thymus throughout life, **170**
TRAP, A non-isotopic method for the detection of telomerase activity in tumour tissues: TRAP-silver staining assay, **110**
trisomy, Same day diagnosis of Down's syndrome and sex in single cells using multiplex fluorescent PCR, **164**
tumorigenesis, HHV-8 in multiple myeloma: is this the first paracrine model of human tumorigenesis and do Koch's postulates apply?: *review,* **201**
The normal structure and function of CD44 and its role in neoplasia: *review,* **191**
tumour suppressor genes, Genomic imprinting and cancer: *review,* **185**

ulcerative colitis, Ki-67: a useful marker for the evaluation of dysplasia in ulcerative colitis, **327**

variant isoforms, The normal structure and function of CD44 and its role in neoplasia: *review,* **191**
viruses, In situ hybridisation: *review,* **8**

western blotting, Improved diagnosis of reactivated toxoplasmosis, **105**

young patients, Allelic imbalance and microsatellite instability of the DCC gene in colorectal cancer in patients under the age of 35 using fluorescent DNA technology, **35**